Index

Reactor Fuel Processing

Volumes 4-6

Included in this issue is a cumulative index for Volumes 4 to 6 of *Reactor Fuel Processing*. An index for this quarterly is prepared annually and appears in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

A-nickel alloy, corrosion, by fluoride-volatility process fluids, **4**(4): 31
by hydrogen chloride–hydrogen fluoride systems, **4**(3): 28
Abbott Laboratories, sale of I^{131}, **4**(1): 3
Access permits, gas centrifugation program, **4**(2): 3
Accidents
See also Criticality and Safety
criticality at Idaho Chemical Processing Plant, **4**(3): 5-6
explosions, ORNL, **4**(1): 6
fire in Hanford Redox plant, **4**(2): 5-8
Acetic acid, diethylenetriaminepenta-, cerium complexing, **5**(2): 56
Acetic acid, ethylenediaminetetra-, iron complexing during rare-earth extraction, **5**(2): 56
Acid Thorex process, **5**(1): 13
Actinide-element fluorides
See also the specific actinide-element fluorides, e.g., Thorium fluoride and Uranium fluorides (UF_4)
review on preparation and properties, **5**(2): 27
Actinides
See Rare earths and specific elements by name
Activation, uranium dioxide, **5**(2): 64-5; **5**(4): 76-8; **6**(1): 57-9
uranium monocarbide by water vapor, **5**(4): 49
uranium oxides before fluorination, **5**(4): 34
uranium trioxide, **5**(2): 64-5; **5**(4): 76-7
Adakane-12, diluent use in solvent extraction, **5**(4): 15
solvent properties, **5**(3): 12
Adsorption
See also specific adsorbents and materials being adsorbed
ground disposal of waste, **5**(2): 55
waste-decontamination applications using minerals, **5**(2): 48-9
waste-disposal applications, **5**(1): 57-9; **5**(4): 56-8
ADU process, **5**(2): 62
AEC (U. S.), conceptual plant, processing cost estimates, **6**(1): 2
processing facilities, **4**(2): 1-2
Africa, Union of South, uranium-ore processing plants, **4**(1): 2
Aging, effects on uranium monocarbide reaction rates, **5**(2): 36-7; **5**(3): 38
Agitators, decontamination of, **4**(2): 30-2
Air, cleaning, conference, **4**(2): 72
cost and effectiveness, **6**(2): 59
corrosive effects, **4**(3): 44; **5**(4): 31
filters, storage and handling, **6**(2): 59
Air Reduction Company, fuel-processing plant proposal, **4**(1): 3
AIROX process, economics, **6**(4): 6
Alamine 336, solvent properties, **4**(2): 24; **4**(3): 18
Allis-Chalmers plant, processing cost estimates, **6**(1): 2
Alloy 79-4, composition, **4**(4): 32
corrosion, in fluoride-volatility process, **4**(4): 31
by fused salts, **5**(4): 31-2; **6**(3): 22
oxidation in high-temperature air, **5**(4): 31
Alloy Reguline Chlorine Oxidation process
See ARCO process
Alnico 2 alloy, corrosion by potassium chloride–sodium chloride systems (fused), **4**(2): 54
Alnico 3 alloy, corrosion by potassium chloride–sodium chloride systems (fused), **4**(2): 54
Alnico 3B alloy, corrosion by potassium chloride–sodium chloride systems (fused), **4**(2): 54; **4**(3): 42
Alumina
See Aluminum oxide
Alumina (AP-35)
See Aluminum oxide (AP-35)
Alumina–nitric acid slurry
See Aluminum oxide–nitric acid slurry
Aluminum, adsorption, on Dowex 1 resin, **4**(4): 17
on Dowex 21K resin, **4**(4): 17
dissolution, by mercuric nitrate–nitric acid systems, **5**(4): 11
effects of minor alloying elements, **6**(1): 7; **6**(4): 7-8
by sodium hydroxide, **5**(4): 7-8
electrolytic dissolution, **5**(4): 8-9
ion-exchange efficiency of chips, **4**(2): 64
shavings, radioisotope removal from Hanford reactor coolant using, **5**(4): 56-7
solubility, **5**(3): 29
in liquid bismuth, **5**(1): 39
in liquid cadmium, **4**(2): 44-5; **5**(4): 41
Aluminum (1100), corrosion by graphite–nitric acid systems, **6**(1): 17
Aluminum (6061), corrosion by hydrofluoric acid–nitric acid systems, **6**(1): 17; **6**(2): 16-17
Aluminum (liquid), extraction of uranium, **4**(2): 46
from zirconium, **6**(1): 34
solvent properties, **4**(2): 47
Aluminum alloys
See also Alnico 2, Alnico 3, Alnico 3B, Aluminum (1100), Aluminum (6061), Waspalloy alloy, and aluminum alloys by constituents, e.g., Aluminum-cadmium alloys
corrosion by potassium chloride–sodium chloride systems (fused), **4**(2): 54
Aluminum-cadmium alloys, distribution coefficients of various metals in, **5**(4): 41-2
Aluminum chloride–alkali chloride systems (fused), uranium distribution coefficients, **4**(4): 40-1
Aluminum chloride–cesium chloride systems (liquid), hexachlorouranate-ion stability in, **5**(2): 37
Aluminum chloride–potassium chloride systems (liquid), hexachlorouranate-ion stability in, **5**(2): 37
Aluminum fluoride, complexing with uranium fluorides, **5**(3): 27
Aluminum hydroxide
See Gibbsite
Aluminum-iron alloys, corrosion by bismuth-lead alloys (liquid), **4**(3): 39
Aluminum-nickel alloys, corrosion, **5**(4): 31-2
by potassium chloride–sodium chloride systems (fused), **4**(3): 42-3
Aluminum-nickel-plutonium alloys
See Plutonium-aluminum-nickel alloys
Aluminum-nickel-plutonium alloys (Zircaloy-4-clad)
See Plutonium-aluminum-nickel alloys (Zircaloy-4-clad)
Aluminum-nickel-plutonium-silicon systems
See Plutonium-aluminum-nickel-silicon alloys (aluminum-clad)
Aluminum-nickel-silicon alloys, corrosion, **5**(1): 45; **5**(4): 31-2
Aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$) systems, corrosion of titanium-45A, **6**(2): 17
Aluminum nitrate–hydrochloric acid–nitric acid systems, corrosion of Corronel 230 alloy, **6**(2): 16

Aluminum nitrate–hydrochloric acid–nitric acid systems (Continued)
dissolution, of plutonium oxide, **6**(2): 6
of zirconium, **6**(2): 6
Aluminum nitrate–hydrofluoric acid–nitric acid systems, corrosive effects, **6**(1): 16; **6**(2): 16-18
Aluminum nitrate–hydrofluoric acid systems, corrosion of Carpenter-20Cb alloy, **6**(3): 14-15
Aluminum nitrate–nitric acid–sodium fluoride systems, corrosive properties, **5**(4): 24
solvent properties, **4**(2): 19
Aluminum nitrate–nitric acid–sodium nitrate systems, solvent properties, **4**(2): 17
Aluminum nitrate–nitric acid systems, corrosive effects, **5**(2): 19
Aluminum nitrate solutions, calcination of wastes containing, **5**(2): 44; **5**(4): 58; **6**(2): 46-8
conversion to glasses, **5**(4): 62-3
corrosive effects, **5**(3): 19
solvent properties, **5**(3): 8
Aluminum nitrate–uranyl nitrate hexahydrate–nitric acid systems
See Uranyl nitrate hexahydrate–aluminum nitrate–nitric acid systems
Aluminum oxide, **5**(4): 23
coating of uranium dioxide with, **5**(2): 63; **6**(1): 59; **6**(4): 54
compatibility of Coors AD99 with molten phosphate glass, **5**(2): 47
corrosion, **5**(3): 22
crucibles for phosphate-glass production from wastes, **5**(2): 46-7
decontamination of ICPP wastes, **4**(1): 47
fluidized particle bed, **5**(4): 32
preparation from aluminum nitrate wastes, **5**(2): 44
reactions with fluorine, **4**(3): 27
separation from plutonium, **5**(4): 33-4
strontium removal from waste solutions using, **5**(2): 49-50
transformation from amorphous to alpha structure, **5**(2): 46
uranium monocarbide oxidation in air using, **5**(2): 36
Aluminum oxide (AP-35), corrosion by electrolytic dissolver solution, gamma radiation effects, **6**(4): 13-14
Aluminum oxide–nitric acid slurry, pumps for, **6**(4): 9-10
Aluminum oxide–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–aluminum oxide systems
Aluminum-plutonium alloys (aluminum-clad)
See Plutonium-aluminum alloys (aluminum-clad)
Aluminum-plutonium intermetallic compounds
See Plutonium-aluminum intermetallic compounds
Aluminum-plutonium-silicon alloys
See Plutonium-aluminum-silicon alloys
Aluminum-samarium alloys, solubility in sodium hydroxide–sodium nitrate systems (fused), **4**(3): 14
Aluminum–samarium–uranium–zirconium hydride systems
See Uranium–aluminum–samarium–zirconium hydride systems
Aluminum shavings
See Aluminum
Aluminum-silicon alloys, dissolution by hydrochloric acid, **5**(4): 12
Aluminum-silicon-uranium alloys
See Uranium-aluminum-silicon alloys
Aluminum-thorium alloys
See Thorium-aluminum alloys
Aluminum-thorium-uranium alloys
See Thorium-uranium-aluminum alloys
Aluminum-uranium alloys
See Uranium-aluminum alloys
Alundum
See also Aluminum oxide
fluidized particle bed, **5**(4): 32
Amalgams
See Sodium amalgam and Uranium amalgam
Amberlite-200 resin, radioisotope adsorption from Purex tank-farm condensate, **6**(1): 45-6
waste-disposal applications, **5**(3): 44-5
Amberlite IR-120 resin, radioisotope removal from Purex waste using, **5**(4): 48, 56; **6**(2): 44
waste-disposal applications, **5**(3): 46
Amberlite IRA-401 resin, Tc^{99} extraction using, **5**(2): 56
American Mail Line, Ltd., waste-disposal license, **4**(1): 4
Americium, distribution coefficients in liquid-metal–fused-salt systems, **6**(3): 26, 28
effect on plutonium(IV) solvent extraction, **5**(4): 15
separation, **5**(3): 12-13; **5**(4): 16
from europium by gel-liquid extraction, **6**(1): 11
by ion exchange, **4**(2): 34
with M2EHPA, **4**(2): 25-6
from promethium by Dowex 50W-X4, **6**(1): 54
by Purex process, **4**(2): 23; **4**(3): 18
Amine, *n*-benzyl-di(2-ethylhexyl)-, sulfuric acid extraction using, **6**(1): 9-10
Amine, dipicryl-, cesium removal by, **5**(4): 68; **6**(4): 49
Amine, dipicryl-/nitrobenzene systems, cesium removal by, **5**(4): 68-9
Amine, di-tri-decyl-, solvent-extraction properties, **4**(1): 20-1
Amine, ethanol-, solvent properties, **4**(2): 23
use in tributyl phosphate refinement, **6**(1): 10
Amine, tertiary, extraction, of sulfuric acid using, **6**(1): 8
of transuranium elements using, **5**(4): 16; **6**(1): 10-11
Amine, trialkyl-, actinide-lanthanide separation by, **6**(4): 8
Amine, triethanol-, dissolution of ammonium bifluoride, **6**(4): 7
Amine, triisooctyl-, actinide-lanthanide separation using, **4**(3): 19
solvent properties, **4**(2): 23-4; **5**(3): 12-13
Amine, trilauryl-, solvent-extraction properties, **4**(1): 20-1; **5**(2): 12; **5**(3): 12; **6**(3): 6; **6**(4): 8
Amine, trioctyl-, plutonium complexing from nitrate solutions, **6**(3): 6
solvent properties, **5**(3): 12
Ammonia, removal from Purex wastes by steam stripping, **5**(2): 48
Ammoniation, uranyl nitrate liquor, effect on later activity of uranium trioxide, **5**(2): 65
Ammonium bifluoride, dissolution by triethanolamine, **6**(4): 7
leaching of uranium oxides (UO_2)–beryllium oxide systems, **5**(1): 12-13
Ammonium carbonate, fission-product scavenging, **4**(4): 18
Ammonium carbonate solution, uranium extraction in Neuflex process, **6**(1): 9
Ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid (HBF_4)–hydrofluoric acid–nitric acid systems, dissolution of uranium-zirconium alloys, **6**(3): 5
Ammonium compounds, quaternary, solvent properties, **4**(2): 23
Ammonium diuranate, uranium dioxide production using, **5**(2): 62
uranium tetrafluoride production from, **4**(4): 71
Ammonium fluoride, corrosive effects, **4**(3): 40-1; **4**(4): 22-3
dissolution of beryllium from fuel elements, **6**(1): 7
solvent properties, **5**(2): 7-8
Ammonium fluoride–ammonium nitrate–hydrogen peroxide systems, corrosive effects, **5**(2): 15-19
solvent properties, **5**(2): 8; **5**(3): 7-8
Ammonium fluoride–ammonium nitrate systems, corrosive effects, **4**(3): 40-1; **4**(4): 22-5; **5**(4): 23; **6**(3): 12; **6**(4): 12
solvent properties, **4**(3): 9; **5**(3): 10; **5**(4): 10-11
Zircaloy alloy dissolution, **4**(2): 10-11
Zircaloy-2 dissolution, **4**(1): 9-10
zirconium dissolution, **4**(1): 9-10; **4**(2): 10-11; **4**(3): 9
Ammonium fluoride–hydrogen peroxide systems, solvent properties, **4**(3): 14; **5**(3): 7
uranium-zirconium alloy dissolution, **4**(1): 12-13
Ammonium fluoride–mercury nitrate [$Hg(NO_3)_2$]–nitric acid systems, solvent properties, **5**(3): 7
Ammonium fluoride process, **5**(4): 10
Ammonium fluoride solutions, dissolution of uranium-beryllium alloys, **6**(1): 7
Ammonium fluoride–uranium fluoride complexes
See Uranium fluorides (UF_4)–ammonium fluoride complexes and Uranium fluorides (UF_5)–ammonium fluoride complexes
Ammonium ion, adsorption, on Dowex 1 resin, **4**(4): 17
on Dowex 21K, **4**(4): 17
Ammonium molybdophosphate, cesium adsorption, from Butex wastes, **6**(4): 50
from Purex wastes, **6**(4): 49-50
Ammonium 12-molybdophosphate, cesium recovery from Butex wastes with, **6**(4): 50
Ammonium nitrate–ammonium fluoride–hydrogen peroxide systems
See Ammonium fluoride–ammonium nitrate–hydrogen peroxide systems
Ammonium nitrate–ammonium fluoride systems
See Ammonium fluoride–ammonium nitrate systems
Ammonium nitrate, tetraheptyl-, solvent properties, **5**(3): 12-13
Ammonium phosphomolybdate, cesium adsorption, **4**(4): 59
cesium removal by, **5**(4): 68
Ammonium plutonyl fluorides, preparation, **5**(4): 35
Amsco solvent
See Kerosene
Anthraquinone, catalytic reduction of uranyl ion using, **5**(4): 74
Antimony, behavior in melt-refining process, **4**(2): 42
removal by salt-cycle process, **4**(3): 32
Antimony-125, removal by fluoride-volatility process, **6**(3): 19-20
Antimony-cadmium alloys (liquid), thermodynamic properties, **4**(4): 39
Antimony fluoride (SbF_4), sorption on sodium fluoride, **6**(3): 22
APDA Fast-Breeder Reactor
See Reactors (Enrico Fermi Fast-Breeder) (APDA)
APM
See Ammonium phosphomolybdate
APPR
See Reactors (SM-1)
Aqua regia
See Hydrochloric acid–nitric acid systems
Aqueous processing, **4**(1): 8-27; **4**(2): 9-35; **4**(3): 8-24; **4**(4): 6-26; **5**(1): 7-27; **5**(2): 5-19; **5**(3): 4-20; **5**(4): 7-28; **6**(1): 6-20; **6**(2): 5-18; **6**(3): 4-17; **6**(4): 7-14
economic evaluations, **5**(4): 3-4

ARCO process, 4(1): 13-14; 4(2): 13-15; 4(3): 10; 4(4): 11; 5(3): 36, 5(4): 3
  corrosion problems, 4(2): 53-4
  flow sheets, 4(2): 14-15
Argon, solubility in sodium fluoride–zirconium fluoride systems (fused), 4(1): 29
Army Package Power Reactor
  See Reactors (SM-1)
Arsenic-76, removal from Hanford reactor coolant by aluminum shavings, 5(4): 57
Atmosphere, dispersal of radioactive waste, 5(2): 41-2
Atomic Energy of Canada Ltd., waste-disposal methods at Chalk River, 4(3): 48-9, 53
Atomic Energy Commission (U. S.), conceptual plant, processing cost estimates, 6(1): 2
  processing facilities, 4(2): 1-2
Autoradiography, uranium distribution studies, 5(2): 33

B

Babcock & Wilcox Nuclear Development Center, thorium-uranium fuel-cycle development, 6(2): 1
BAMBP
  See Phenol, 4-*sec*-butyl-2-(alpha-methylbenzyl)
Barium, behavior in melt-refining process, 4(2): 42
  coprecipitation with cadmium-cerium alloys, 4(3): 36
  distribution coefficients in magnesium-zinc alloys–magnesium chloride systems, 6(1): 32
  removal, 5(3): 28
    by electrolytic process, 5(2): 36
    by liquid alloy-eutectic system, 5(2): 30-1
    by liquid-metal extraction, 4(3): 39
    by liquid-metal system, 5(4): 45
    in melt-refining process, 4(1): 31; 4(2): 42; 4(3): 32; 4(4): 38; 5(4): 36
  separation from wastes, 4(3): 54
  solubility, in liquid bismuth, 6(1): 29
    in liquid zinc, 6(3): 29
    in magnesium-silver alloys (liquid), 4(1): 37
Barium chloride (liquid), graphite-crucible impregnation by, 5(4): 48-9
Barium chloride–lithium chloride–magnesium fluoride systems (liquid), solvent properties, 5(1): 45
Barium compounds (alkaline), scavenging applications, 4(2): 20
Barium fluoride–barium nitrate systems, scavenging applications, 4(2): 20
Barium fluozirconate process, corrosive effects, 4(2): 20
  economic evaluation, 5(4): 3
  flow sheet, 6(3): 6-8
  scavenging applications, 4(2): 19-20; 4(4): 9-10
Barium nitrate, scavenging applications, 4(2): 20
Barium nitrate–barium fluoride systems
  See Barium fluoride–barium nitrate systems
Barium oxide–beryllium oxide–lanthanum oxide systems, melting point, 5(1): 38
Barium oxide–beryllium oxide systems, melting point, 5(1): 38
Baskets
  See Containers
Belgium, fractional sublimation studies, 5(2): 26
  melt-refining studies, 4(3): 31-2
Bentonite, protection of buried solid wastes with, 6(4): 47-8
  solidification of liquid wastes with, 4(1): 46
Benzene, diluent use in tributyl phosphate extraction processes, 5(4): 15; 6(1): 8
  solvent properties, 4(2): 25
Benzene, 1-2,-dichloro-, diluent use in tributyl phosphate extraction processes, 6(1): 8
Benzene, diethyl-, 5(4): 16
Benzene, 1,2-dimethyl-, chemical stability, 4(4): 13-15
  radiolysis, 4(4): 13-15
Benzene, 1,3-dimethyl-5-ethyl-, chemical stability, 4(4): 13-15
  radiolysis, 4(4): 13-15
Benzene, isobutyl-, chemical stability, 4(4): 13-15
  radiolysis, 4(4): 13-15
Benzene, 1-methyl-4-tert.-butyl-, chemical stability, 4(4): 13-15
  radiolysis, 4(4): 13-15
Benzene, nitro-, diluent use in tributyl phosphate extraction processes, 6(1): 8
Benzene, *sec*-butyl-, chemical stability, 4(4): 13-15
  radiolysis, 4(4): 13-15
  solvent properties, 4(2): 25
Benzene, 1,2,4,5-tetramethyl-, chemical stability, 4(4): 13-15
  radiolysis, 4(4): 13-15
Berkelium, separation, 5(3): 12-13
  solvent extraction, 5(4): 16
Beryllia
  See Beryllium oxide
Beryllium, corrosion, 5(3): 33
  dissolution, by acids, 5(4): 8
    from fuel elements by ammonium fluoride, 6(1): 7
  metallurgy, 5(3): 30
  properties, 4(4): 49
  purification, 6(4): 25
  recovery, 5(3): 23
  solubility, 5(3): 29
    in hydrogen fluoride–nitrogen dioxide systems, 4(3): 25
Beryllium fluoride–lithium fluoride–sodium fluoride systems (liquid), corrosive effects, with hydrofluoric acid sparge, 5(4): 31-2
    with hydrogen fluoride sparge, 6(3): 22
Beryllium fluoride–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid), corrosive effects, 5(4): 31
Beryllium fluoride–lithium fluoride–thorium fluoride–uranium fluoride (UF_4) systems
  See Uranium fluoride(UF_4)–thorium fluoride–beryllium fluoride–lithium fluoride systems
Beryllium oxide, coating, of graphite crucibles with, 6(4): 30
  of uranium dioxide particles with, 5(2): 63; 6(1): 59; 6(4): 54
  compatibility, with liquid-metal–fused-salt process solutions, 5(2): 33
    with skull reclamation process solutions, 5(4): 46; 6(1): 34
  dissolution in fused-salt volatility process, 5(2): 25
  solubility in hydrogen fluoride–nitrogen dioxide systems, 4(3): 25
Beryllium oxide–barium oxide–lanthanum oxide systems
  See Barium oxide–beryllium oxide–lanthanum oxide systems
Beryllium oxide–barium oxide systems
  See Barium oxide–beryllium oxide systems
Beryllium oxide–calcium oxide–lanthanum oxide systems, melting point, 5(1): 38
Beryllium oxide–calcium oxide–strontium oxide systems, melting point, 5(1): 38
Beryllium oxide–calcium oxide systems, melting point, 5(1): 38
  uranium decontamination, 5(1): 38
Beryllium oxide–lanthanum oxide–strontium oxide systems, melting point, 5(1): 38
Beryllium oxide–lanthanum oxide systems, melting point, 5(1): 38
  uranium decontamination, 5(1): 38
Beryllium oxide–strontium oxide systems, melting point, 5(1): 38
Beryllium oxide–uranium oxides (UO_2) systems
  See Uranium oxides (UO_2)–beryllium oxide systems
Beryllium oxide–uranium oxides (UO_2) systems (Hastelloy-X-clad)
  See Uranium oxides (UO_2)–beryllium oxide systems (Hastelloy-X-clad)
Beryllium-uranium alloys
  See Uranium-beryllium alloys
Beta-ray sources, 4(4): 64
Bibliographies, fuel processing, 6(2): 58
  liquid-metal corrosion, 6(4): 30
  liquid metals, 5(4): 41
  plutonium technology, 5(4): 38-9
  stress-corrosion cracking of stainless steels, 5(4): 25
  uranium carbides, 5(4): 78
  waste treatment and disposal, 6(2): 58
Bio-Rad HZO-1, dibutyl phosphoric acid removal from solvent-extraction aqueous phase using, 5(4): 16
Biotites, strontium removal by, 5(2): 49
Bismuth (liquid), aluminum solubility in, 5(1): 39
  corrosive effects, 4(4): 47, 48-9; 5(3): 33; 6(4): 29
  density, 5(4): 41
  dispersion of intermetallic compounds in, 6(3): 28
  fission-product solubility, 6(1): 29
  solvent properties, 4(4): 39; 5(1): 39; 5(3): 29; 5(4): 39; 6(1): 29, 31, 32
  uranium solubility in, 5(4): 39; 6(1): 31, 32
  vapor pressure, 6(4): 28
Bismuth-cerium-magnesium-zirconium alloys (liquid), corrosive effects, 4(4): 47
  solvent-extraction applications, 5(1): 44
Bismuth-copper alloys (liquid), density, 5(4): 41
Bismuth fluorides, complexing with uranium fluorides, 5(3): 27
Bismuth-lead alloys (liquid), corrosive effects, 4(3): 39; 5(4): 46
  dispersion of intermetallic compounds in, 6(3): 28
  pumping, 6(3): 32
Bismuth-magnesium alloys–magnesium chloride–potassium chloride–sodium chloride systems, cerium distribution coefficients, 6(3): 29
  uranium distribution coefficients, 6(3): 29
Bismuth-magnesium-samarium alloys (liquid), reactions with magnesium chloride–potassium chloride–sodium chloride systems (liquid), 4(3): 39
Bismuth-magnesium-zirconium alloys (liquid), solvent properties, 5(3): 31
Bismuth-plutonium alloys (liquid)
  See Plutonium-bismuth alloys (liquid)
Bismuth-protactinium alloys (liquid), thermodynamic properties, 6(4): 28
Bismuth-thorium alloys (liquid)
  See Thorium-bismuth alloys (liquid)
Bismuth-thorium intermetallic compounds
  See Thorium-bismuth intermetallic compounds
Bismuth-uranium alloys
  See Uranium-bismuth alloys
Bismuth-uranium alloys (liquid)
  See Uranium-bismuth alloys (liquid)
Bismuth-uranium-zirconium alloys
  See Uranium-bismuth-zirconium alloys

Bismuth-zinc alloys (liquid), uranium distribution coefficients, 4(4): 40-1
Blankets
See Breeder blankets
Boiling Nuclear Superheater Reactor
See Reactors (BONUS)
Boiling point, platinum hexafluoride, 5(2): 27
review of liquid metals, 5(2): 30
BONUS Reactor
See Reactors (BONUS)
Books, fuel-element fabrication, 6(1): 36
Borated stainless steel (304), corrosion by nitric acid, 6(2): 18
Borates, flux use in waste calcination, 5(2): 43
Boron, tetraphenyl-, cesium removal by, 5(4): 68
Boron nitride, corrosion by liquid magnesium-zinc alloys, 5(2): 33
Breeding blankets, dissolution, 5(1): 9-10
processing of thoria in Aqueous Homogeneous Breeder Reactor, 6(1): 14-15
recovery, 5(3): 33
Bromine fluorides (BrF), heat of formation, 5(4): 35
Bromine fluorides (BrF_3), heat of formation, 5(4): 35
reaction with nitrosylium hexafluorouranate, 5(3): 22; 5(4): 30-1
solvent properties, 4(3): 26-7
Bromine fluorides (BrF_5), flow-rate instrumentation, 5(4): 18-19
heat of formation, 5(4): 35
preparation, 5(2): 27
reaction with nitrosylium hexafluorouranate, 5(3): 22
Bromoform
See Methane, tribromo-
Brookhaven National Laboratory, waste-disposal methods, 4(3): 52
waste packaging, 4(4): 58-9
Butex-process wastes, cesium recovery by ion exchange, 6(4): 50
n-Butyl ether, solvent properties, 4(2): 25
4-*sec*-Butyl-2-(alpha-methylbenzyl) phenol
See Phenol, 4-*sec*-butyl-2-(alpha-methylbenzyl

C

Cadmium, behavior in melt-refining process, 4(2): 42
coprecipitation of cerium, 4(2): 45
rare-earth solubility in, 6(3): 29
solubility, 5(3): 31
in liquid aluminum, 5(4): 41
Cadmium (liquid), corrosive effects, 4(2): 46, 55-6
distillation, 4(4): 48, 49; 5(1): 44
solvent properties, 4(2): 44-5; 4(3): 34-5; 4(4): 39; 5(1): 39; 5(3): 29
uranium diffusivity in, 6(4): 28
uranium-silicon reactions in, 5(2): 66
Cadmium-aluminum alloys
See Aluminum-cadmium alloys
Cadmium-antimony alloys
See Antimony-cadmium alloys
Cadmium-cerium alloys (liquid), solvent properties, 4(3): 36
Cadmium-cerium intermetallic compounds, phase studies, 5(4): 40; 6(4): 28
Cadmium chloride–lead chloride systems (liquid), solvent properties, 4(2): 14
Cadmium-lanthanum alloys, phase diagrams, 5(3): 29
Cadmium-magnesium alloys (liquid), corrosive effects, 4(2): 55-6
Cadmium-magnesium-uranium alloys
See Uranium-cadmium-magnesium alloys
Cadmium-magnesium-zinc alloys (liquid), corrosive effects, 4(2): 55-6; 4(3): 37; 5(2): 33
Cadmium-neodymium intermetallic compounds, phase studies, 6(4): 28
Cadmium-plutonium alloys
See Plutonium-cadmium alloys
Cadmium-praseodymium intermetallic compounds, 5(4): 40
phase studies, 5(2): 29-30; 6(4): 28
Cadmium-titanium alloys (liquid), solvent properties, 4(3): 34
Cadmium-uranium alloys
See Uranium-cadmium alloys
Cadmium-uranium alloys (liquid)
See Uranium-cadmium alloys (liquid)
Cadmium-uranium intermetallic compounds
See Uranium-cadmium intermetallic compounds
Calcination, 4(1): 46, 47-50; 4(2): 64-7; 4(3): 49-52; 4(4): 60-1
aluminum nitrate waste solutions, 5(2): 44; 5(4): 58, 63; 6(2): 46-8
aqueous wastes in molten sulfur, 5(4): 58
batch processes, 5(2): 42-4; 5(4): 58-9
corrosion problems, 4(3): 43-4; 6(3): 46-7; 6(4): 50-1
costs, 5(2): 42
Darex wastes, 4(2): 66; 5(2): 43; 5(4): 58-9; 6(2): 49-50; 6(3): 42-3
Demonstrational Waste Calcining Facility, 5(2): 44-6; 5(4): 59-62; 6(2): 46-8
flow sheets, 4(2): 66
fluid-bed process, 5(1): 56-7; 5(2): 44-6; 5(3): 48-50; 5(4): 59; 6(1): 49; 6(2): 46-9
foaming problems, 5(2): 43
off-gas treatment, 6(3): 41-3
pot processes, 5(1): 53-4; 5(3): 50-4; 6(1): 48-9; 6(2): 49-52; 6(3): 42-3; 6(4): 43-4
preconcentration, 5(2): 44
Purex wastes, 6(2): 46, 49-50; 6(3): 41-3; 6(4): 44
solids storage, 6(2): 49-51; 6(4): 45-6
in salt mines, 5(3): 55-6; 5(4): 66; 6(1): 49-51; 6(3): 43
spray processes, 5(1): 55-6; 5(2): 44; 5(3): 48; 6(2): 45-6; 6(3): 41-2; 6(4): 42-3
stainless-steel corrosion problems, 5(2): 43; 6(3): 46-7
sulfate volatility problems, 6(3): 43
TBP-25 wastes, 5(2): 43; 5(4): 58-9; 6(2): 49-51; 6(3): 42-3; 6(4): 44
thorium oxide–uranium oxide particle production, 5(2): 69
titanium corrosion problems, 6(3): 46-7
uranyl nitrate conversion to uranium trioxide, 6(2): 62-3
waste-solution corrosion studies, 5(4): 25-8
zirconium fuel wastes, 5(2): 46
Calcite, radioisotope removal, 5(4): 57
strontium removal from wastes by, 6(2): 42-3
Calcite–Florida bed phosphate–pyrite mixtures, P^{32} removal from waste by, 5(4): 57
Calcite–Idaho bed phosphate–pyrite mixtures, P^{32} removal from waste by, 5(4): 57
Calcium, adsorption, on Dowex 1 resin, 4(4): 17
on Dowex 21K resin, 4(4): 17
Calcium (liquid), solvent properties, 4(2): 47
Calcium alloys (liquid), corrosive effects, 5(1): 43
Calcium carbonate, strontium removal by, phosphate-ion effects, 5(2): 50
Calcium chloride–lithium chloride–potassium chloride systems (liquid), properties, 4(3): 39
Calcium fluoride, reactions with fluorine, 4(2): 27; 4(3): 27
Calcium-lanthanum intermetallic compounds, phase studies, 5(2): 30
Calcium oxide–beryllium oxide–lanthanum oxide systems
See Beryllium oxide–calcium oxide–lanthanum oxide systems
Calcium oxide–beryllium oxide–strontium oxide systems
See Beryllium oxide–calcium oxide–strontium oxide systems
Calcium oxide–beryllium oxide systems
See Beryllium oxide–calcium oxide systems
Calcium-uranium alloys (liquid)
See Uranium-calcium (liquid)
Calcium-zinc alloys (liquid), extraction of plutonium, 5(1): 42
California Salvage Company, waste-disposal license, 4(1): 4
Californium, separation, 5(3): 12-13
by Purex process, 4(3): 19
solvent extraction, 5(4): 16
CANDU Reactor
See Reactors (CANDU)
Canisters
See Containers
Carbide fuel processing, 5(2): 35-7; 5(4): 49-50
Carbide-oxide-carbide process, 5(2): 35-6; 5(4): 49; 6(3): 34-6
Carbitol, dibutyl-, solvent properties, 4(2): 25
Carbon
See also Graphite and Carbon (pyrolytic)
fabrication methods, 4(4): 49
properties, 4(4): 49
radiation effects, 4(4): 49
reaction, with uranium dioxide to produce uranium monocarbide, 5(2): 65-6; 5(4): 78-9
with uranium in liquid-metal systems, 5(2): 66
with uranium nitrides, 5(1): 46
solubility in liquid plutonium, 6(4): 28
Carbon (pyrolytic), coating, of uranium carbide with, 4(4): 73; 5(4): 81
of uranium dioxide with, 6(1): 59; 6(4): 55
disintegration by hydrogen fluoride–nitrogen dioxide systems, 4(3): 25
removal from fuel particles by combustion, 6(1): 9
Carbon oxides (CO), reduction processes using, 5(4): 75
Carbon oxides (CO_2), reaction with uranium monocarbide, 5(2): 37
Carbon tetrachloride, corrosive effects of vapors, 4(2): 53, 54
diluent use in tributyl phosphate extraction processes, 5(4): 15; 6(1): 8
Carbon tetrachloride–chlorine–methane systems, uranium-ore chlorination, 5(2): 61
Carbon tetrachloride–hydrogen chloride systems, corrosive effects, 4(1): 41
Carbon tetrachloride–methane systems, niobium oxide chlorination, 5(4): 33
uranium chlorination, 5(4): 33
zirconium oxide chlorination, 5(4): 33
Carbon tetrachloride–nitrogen systems, corrosive effects, 5(2): 17
Carbon-uranium systems
See Uranium-carbon systems
Carbon–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–carbon systems
Carborundum
See Silicon carbide
Carbothermic reduction, uranium monocarbide production from uranium dioxide, 5(2): 65-6; 5(4): 78-9
Carboxylic-phenolic resin, cesium and strontium removal from water, 6(4): 39
Carolinas-Virginia Reactor
See Reactors (Carolinas-Virginia)

Carpenter-20 alloy, corrosion, 5(4): 23
by hydrochloric acid solutions, 6(1): 19
evaporation-vessel use, 5(2): 47
Carpenter-20Cb alloy, corrosion, by aluminum nitrate–hydrofluoric acid systems, 6(3): 14-15
by hydrofluoric acid–hydrogen peroxide systems, 5(4): 24; 6(3): 15
Casks
See Containers
Casting
See Injection casting
Catalytic reduction process
See Reduction processes
Cathodic reduction
See Reduction processes
Centrifugal pumps, 6(3): 30-2
Centrifugation, fuel solutions prior to solvent extraction, 5(4): 12
suspended waste removal, 5(4): 57-8
Centrifuges (gas), U^{235} enrichment, 4(2): 2-3
Ceramic materials, absorption of wastes, 4(4): 62-3
fixation of wastes, 5(4): 63-4
Cerium, adsorption, on Duolite C-3 resin, 4(3): 49; 5(2): 56-7; 5(4): 68
on Duolite S-30 resin, 4(3): 49
complexing with diethylenetriaminepentaacetic acid, 5(2): 56
coprecipitation with cadmium, 4(2): 45
distribution coefficients in liquid-metal–fused-salt systems, 6(3): 26, 28, 29
extraction, by liquid alloy-eutectic system, 5(2): 30-1
by liquid aluminum-cadmium system, 5(4): 41-2
by liquid lead-zinc system, 5(1): 40; 5(2): 30-1
by liquid-metal–fused-salt systems, 5(2): 32; 5(4): 43
by liquid-metal system, 5(4): 45
from Purex wastes, 5(2): 56
purification by electron-beam melting, 6(2): 30
recovery from Purex wastes by precipitation, 6(2): 57-8
removal, 4(3): 55-6; 5(1): 41, 57-8, 62-3; 5(2): 22; 5(3): 28
by Amberlite-200 from Purex wastes, 6(1): 45-6
by chloride volatility processes, 4(4): 35
by D2EHPA, 4(2): 25
by electrolytic process, 5(2): 36
by liquid-metal extraction, 4(3): 39
by liquid-metal–fused-salt extraction, 4(4): 45
by melt-refining process, 5(4): 36
by salt-cycle process, 4(2): 43; 4(4): 50
by skull reclamation process, 4(3): 36
from Purex wastes, 5(2): 48-56
separation by ion exchange, 4(2): 34
solubility, 5(3): 30-1
in lead-zinc alloys (liquid), 4(3): 38
in magnesium-silver alloys (liquid), 4(1): 37
in mercury, 4(4): 39
in tributyl phosphate, 4(2): 23
Cerium (liquid), density, 5(1): 41; 5(3): 30
plutonium extraction from uranium by, 6(1): 33
Cerium-144, activity-level–particle-size relations for separated waste, 5(4): 58
commercial production, 4(1): 3
production in Multicurie Fission-Product Pilot Plant, 4(1): 3
recovery from wastes, economic aspects, 6(3): 2-3
separation from wastes, 5(3): 58
shipping, 5(4): 69
Cerium-bismuth-magnesium-zirconium alloys
See Bismuth-cerium-magnesium-zirconium alloys
Cerium-cadmium alloys
See Cadmium-cerium alloys
Cerium-cadmium intermetallic compounds
See Cadmium-cerium intermetallic compounds
Cerium carbides (Ce_2C_3), preparation, 5(1): 47
Cerium-cobalt-plutonium alloys (liquid)
See Plutonium-cerium-cobalt alloys (liquid)
Cerium-copper-plutonium alloys (liquid)
See Plutonium-cerium-copper alloys (liquid)
Cerium fluoride, solubility in fluoride-volatility process fluids, 4(1): 29
Cerium ions, complex formation in fused-salt systems, 5(4): 47
Cerium-lanthanum intermetallic compounds, phase studies, 5(2): 30
Cerium-magnesium alloys (liquid), uranium carbide precipitation, 4(3): 37
Cerium-magnesium-plutonium alloys (liquid)
See Plutonium-cerium-magnesium alloys (liquid)
Cerium oxides, strontium removal from waste solutions, 5(2): 49
Cerium-plutonium intermetallic compounds
See Plutonium-cerium intermetallic compounds
Cerium-zinc alloys (liquid), solvent properties, 4(3): 36
Cermets, corrosion by zinc (liquid), 4(2): 56
Cesium, adsorption, by ammonium phosphomolybdate, 4(4): 59
by clinoptilolite, 4(4): 59; 5(2): 48; 5(4): 68; 6(1): 51-2; 6(3): 44-5
by Duolite C-3 resin, 4(3): 49; 6(1): 44-5
by Duolite CS-100 resin, 4(3): 49
by Duolite S-30 resin, 4(3): 49
by gibbsite, 6(3): 39-40
by natural organic materials, 5(2): 51
by phenolic resin, 5(2): 48
by silica gel, 4(3): 51-2
behavior in melt-refining process, 4(2): 42
extraction from Purex wastes, 6(1): 53-4
incorporation into glass as heat or radiation source, 5(2): 47-8
packaging on zeolite, 6(2): 56
precipitation from Purex supernatant with ferrocyanide, 5(2): 58
recovery, from Butex wastes by ion exchange, 6(4): 50
from Purex wastes, by clinoptilolite, 6(1): 51-2; 6(3): 44-5
by ion exchange, 6(4): 40, 49-50
by solvent extraction, 6(4): 48-9
release during oxidation of uranium dioxide, 5(4): 34-5
removal, 5(2): 22; 5(3): 28, 45; 6(4): 40
by amines, 4(2): 24; 5(4): 68
by Conasauga shale, 4(4): 63
by liquid-metal extraction, 4(3): 38-9
by melt refining, 4(3): 32; 4(4): 38
by uranium dioxide oxidation-reduction process, 5(4): 49
by vermiculite columns, 5(2): 50
from wastes, 5(1): 51, 57-8, 62-4; 5(2): 48, 56-7; 5(4): 56
in dissolver filtrate, 5(1): 11
from water, by clay adsorption, 6(4): 40
by foam separation, 6(1): 46-7
separation, from niobium and zirconium, 6(3): 44-5
from wastes, 5(3): 57-8
shipping, 5(2): 57-8
solubility, in liquid bismuth, 6(1): 29
in magnesium-silver alloys (liquid), 4(1): 37
solvent extraction from Purex wastes, 6(4): 49
volatility, 5(3): 52
volatilization, in melt-refining process, 5(4): 36
during waste calcination, 6(4): 44
Cesium-137, activity-level–particle-size relations for separated waste, 5(4): 58
commercial production, 4(1): 3
effects of recovery on waste-disposal problems, 4(4): 57
incorporation into glasses as radioactive sources, 5(2): 47-8; 5(4): 69
packaging in zeolites, 6(2): 56; 6(3): 45-6
production in Multicurie Fission-Product Pilot Plant, 4(1): 3
recovery from Purex waste, 5(4): 68; 6(1): 51-2; 6(2): 54-8
removal, from Purex wastes by ion exchange, 6(4): 40, 49-50
from wastes, 6(2): 44
from water, by carboxylic-phenolic resin, 6(4): 39
by ion exchange, 6(3): 39-40
by scavenging ion-exchange process, 6(1): 44-5
separation from wastes, 5(3): 57-8; 6(2): 41-2
shipping containers, 5(4): 69
storage and shipping in zeolites, 6(3): 45-6
Cesium chloride (liquid), hexachlorouranate-ion stability in, 5(2): 37
Cesium chloride–aluminum chloride systems (liquid)
See Aluminum chloride–cesium chloride systems (liquid)
Cesium chloride–plutonium chloride ($PuCl_3$) systems
See Plutonium chloride ($PuCl_3$)–cesium chloride systems)
Cesium plutonyl fluorides, preparation, 5(4): 35
CETR
See Reactors (Indian Point Power)
Chemical dejacketing
See Decladding (chemical)
Chemical plant modification
See CPM process
Chloride ion, effect on 304L stainless-steel corrosion in Darex dissolver solutions, 5(4): 20
Chloride-volatility processes, 4(4): 32-5; 5(2): 25-6; 6(2): 22-4
See also Dry halogenation processes and Zircex process
construction materials, 5(4): 21
flow sheets, 4(4): 32, 34
Chlorimet-2 alloy, corrosion, by carbon tetrachloride, 4(2): 54
by Zircex-process fluids, 4(2): 54
Chlorination processes, monazite, 5(2): 68
niobium oxide, 5(4): 33
stainless steels, 4(4): 33-4; 5(1): 35-7
uranium, 5(4): 33
uranium ores, 5(2): 61; 5(4): 72-3
zirconium oxides, 5(4): 33
Chlorine, corrosive effects, 4(3): 27-8; 5(1): 36; 5(2): 17
reactions with uranium-Zircaloy-2 alloys, 4(3): 27
solubility in molten chloride systems, 5(2): 34
Chlorine–carbon tetrachloride–methane systems
See Carbon tetrachloride–chlorine–methane systems
Chlorine–hydrogen fluoride systems, corrosive effects, 4(3): 43
Chlorine–lead chloride (liquid) systems, solvent properties, 4(2): 14

Chlorine trifluoride, fluorination of uranyl fluoride, 4(4): 72
properties, 4(3): 29
Chloroethylene, tetra-
See Ethylene, tetrachloro-
Chloroform
See Methane, trichloro-
4-Chloro-2-phenyl-phenol
See Phenol, 4-chloro-2-phenyl-
Chlorouranate ions
See Hexachlorouranate ion
Chromalizing process, 5(4): 31
Chromium, activity coefficient in zinc, 4(4): 42
coatings of, for oxidation protection, 5(4): 31
for uranium dioxide, 4(4): 71; 6(1): 59
corrosion inhibition, 5(3): 18
corrosion by nitric acid, electrolytic, 4(1): 39
corrosive effects of dissolved, 5(2): 18-19; 5(4): 21-2
distribution coefficients in liquid-metal–fused-salt systems, 6(3): 26, 28
recovery from fission products, 4(3): 51
removal by melt refining, 4(4): 38
separation from uranium in skull reclamation process, 5(4): 43
solubility, in cadmium (liquid), 4(3): 34-5
in cadmium-titanium alloys (liquid), 4(3): 34
in liquid-metal systems, 5(4): 42
in tributyl phosphate, 4(4): 12-13
Chromium-51, removal from Hanford reactor coolant by aluminum shavings, 5(4): 57
Chromium alloys
See Corronel 230, Hastelloy B, Hastelloy C, Haynes 25, Inconel, INOR-8, Nichrome alloy, Nichrome V alloy, QA-18 alloy, QH-76 alloy, Stainless steels, Waspalloy alloy, and chromium alloys by constituents, e.g., Chromium-molybdenum alloys
Chromium-cobalt-iron-nickel alloys, corrosion, 5(1): 43
Chromium fluoride, precipitation with hydrofluoric acid–potassium fluoride systems, 4(4): 19
Chromium ions, effect on corrosion of stainless steels by nitric acid, 5(2): 18-19; 5(4): 21-2
Chromium-iron-nickel alloys, as calciner construction materials, 6(4): 51
Chromium-molybdenum alloys, corrosion by bismuth-chloride systems, 4(4): 47
Chromium-nickel alloys, as calciner construction materials, 6(4): 51
corrosion, 5(1): 43
by fluoride-volatility process fluids, 4(1): 28
Chromium-uranium alloys
See Uranium-chromium alloys
Chromium-uranium systems
See Uranium-chromium systems
Citric acid, corrosive effects, 4(4): 25
Cladding
See specific materials used as cladding, e.g., Aluminum and Zirconium
Cladding removal
See Decladding
Clays
See also specific clays by name, e.g., Bentonite, Kaolinite, and Montmorillonite
cesium adsorption from water, 6(4): 40
ion-exchange applications in waste processing, 6(2): 59
Clinoptilolite, cesium removal by, 4(4): 59; 5(4): 68
from Purex wastes, 6(1): 51-2; 6(3): 44-5
decontamination of Purex wastes, 4(1): 46-7
heat-treatment effects on selectivity for cesium adsorption, 5(2): 48
ion-exchange efficiency, 4(2): 64, 69
radioisotope removal from wastes by, 6(2): 44
strontium removal by, 4(4): 59; 5(2): 49-50
from Purex wastes, 6(4): 40
waste-disposal applications, 5(1): 57-9; 5(3): 46
CNEN, fuel-processing plant, 6(2): 2
Coatings
See specific coating materials, e.g., Aluminum oxide, Carbon (pyrolytic), and Chromium; materials being coated, e.g., Uranium carbides and Uranium oxides (UO_2)
Cobalt, solubility, 5(3): 29
in cadmium (liquid), 4(3): 34-5
in cadmium-titantium alloys (liquid), 4(3): 34
in liquid bismuth, 5(1): 39
sorption by natural organic materials, 5(2): 51
Cobalt-60, activity-level–particle-size relations for separated waste, 5(4): 58
AEC sale price, 4(1): 3
Cobalt alloys
See also Haynes 21 alloy, Haynes 25 alloy, Waspalloy alloy, and cobalt alloys by constituents, e.g., Cobalt-nickel alloys
corrosion, 5(1): 43
by magnesium-zinc alloys (liquid), 4(2): 55-6
by potassium chloride–sodium chloride systems (fused), 4(1): 40; 4(2): 54
Cobalt-cerium-plutonium alloys (liquid)
See Plutonium-cerium-cobalt alloys (liquid)
Cobalt-chromium-iron-nickel alloys
See Chromium-cobalt-iron-nickel alloys
Cobalt-nickel alloys, corrosion by fluoride-volatility process fluids, 4(4): 31
Cobalt-plutonium alloys (liquid)
See Plutonium-cobalt alloys (liquid)
Colorimeters, 4(1): 42
Columbia University, Lamont Geological Observatory, ocean disposal contract, 4(3): 54
Columbium
See Niobium
Columns (extraction)
See Solvent extraction
Columns (ion-exchange)
See Ion exchange
Columns (pulse)
See Pulse columns
Comitato Nazionale per l'Energia Nucleare
See CNEN
Commercial aspects
See Economic aspects
Conasauga shale, cesium removal from waste streams, 4(4): 63
selective sorption of strontium by, 5(4): 65-6
Concrete, containers for sea disposal of wastes, 6(1): 44
Condensers, for liquid metals, 4(4): 49
Conductance (electrical), solution analyzer, 6(3): 8-9
Conferences, American Nuclear Society, 1960 Winter Meeting, held in San Francisco, Dec. 12–15, 1960, 4(2): 72
corrosion of reactor materials, 6(4): 30
International Conference on the Metallurgy of Plutonium, 4(2): 79; 4(4): 77
liquid-metal corrosion, 6(1): 35-6
packaging and shipping of radioactive materials, 6(4): 50
Second AEC Meeting on Fixation of Radioactivity in Solid Media, 4(1): 46
16th Annual Purdue Industrial Waste Conference, 4(4): 60
Sixth AEC Air Cleaning Conference, 4(2): 72
Waste-Disposal Conference, 4(2): 72
waste treatment by ion exchange, 6(3): 40-1
Consolidated Dension Mines, Ltd., uranium-ore leaching process, 6(1): 55-6
Consolidated Edison Thorium Reactor
See Reactors (Indian Point Power)
Constitutional diagrams
See Phase studies
Construction materials
See also specific materials by name, e.g., Stainless steels and Titanium
compatibility with liquid-metal–fused-salt process solutions, 5(2): 32-3
corrosion, 4(2): 54; 4(4): 47-9; 5(2): 32-3; 5(4): 20-5; 6(1): 34-6; 6(2): 16-17; 6(3): 9-16, 29-30; 6(4): 28-30
Consumers Public Power District Reactor
See Reactors (Hallam Power)
Contactors, design, 6(1): 12-14; 6(4): 10-12
Containers, baskets in electrolytic dissolution process, 5(4): 8-9; 6(3): 9
corrosion by molten fuels, 6(3): 29-30
decontamination, 4(2): 30-2
fabrication of tantalum for LAMPRE-I fuel, 6(3): 30
for fission products, 6(3): 45-6
HAPO casks, 5(4): 69
heat-transfer calculations, 5(2): 57-8; 5(4): 66
shipping, 5(2): 57-8; 5(4): 69; 6(1): 3-4; 6(2): 58; 6(3): 46; 6(4): 50
for irradiated fuel elements, 5(1): 2; 5(3): 2; 6(1): 3-4
tanks, 4(2): 30-2; 5(2): 40-1; 5(4): 52-5; 6(2): 59-60; 6(3): 47-8
waste, 5(2): 40-1, 54-5; 5(4): 52-5; 6(1): 44, 49-51; 6(2): 59-60; 6(3): 47-8
Contamination
See also Decontamination
environmental, by radioactive waste, 5(2): 41-2
Coors AD99, compatibility with molten phosphate glass, 5(2): 47
Copper, corrosion, 5(2): 23
Copper-64, removal from Hanford reactor coolant by aluminum shavings, 5(4): 57
Copper alloys
See Cupronickel and Monel
Copper-bismuth alloys (liquid)
See Bismuth-copper alloys (liquid)
Copper-cerium-plutonium alloys (liquid)
See Plutonium-cerium-copper alloys (liquid)
Copper chloride ($CuCl_2$)–hydrofluoric acid–hydrogen peroxide–manganese chloride systems, corrosion of Monel alloy, 6(3): 15
Corronel 230 alloy, corrosion, by aluminum nitrate–hydrofluoric acid–nitric acid systems, 6(1): 16; 6(2): 16
by hydrofluoric acid, 6(1): 16
by hydrofluoric acid–hydrogen peroxide systems, 6(1): 16; 6(2): 16
by hydrofluoric acid–nitric acid systems, 6(1): 16; 6(2): 16
by nitric acid, 6(1): 17
Corrosion, 4(1): 37-41; 4(2): 48-50; 4(3): 39-44; 4(4): 31; 5(2): 15-19; 5(4): 24; 6(1): 15-19; 6(2): 13-18; 6(3): 9-17; 6(4): 12-14
See also the specific materials being corroded and the specific corrodents
air effects, 4(3): 44; 5(4): 31
ARCO process, 4(2): 53-4
bibliographies, 5(4): 25; 6(4): 30
calcination problems, 4(3): 43-4; 6(3): 46-7; 6(4): 50-1
construction materials, 4(2): 54; 4(4): 47-9; 5(2): 32-3; 5(4): 20-5; 6(1): 34-6; 6(2): 16-17; 6(3): 9-16, 29-30; 6(4): 28-30
crucibles by molten phosphate glasses, 5(4): 63

Corrosion (Continued)
Darex-process problems, 4(4): 22-4; 5(1): 26; 5(2): 18; 5(4): 20-1; 6(1): 15-16; 6(2): 16-17
Darex-Thorex process, 4(2): 15-17
Darex-Zirflex process, 5(2): 18
dry halogenation process problems, 6(4): 17
electrolytic dissolution problems, 6(3): 14-15; 6(4): 13-14
fused-salt processes, 6(3): 20-2
ICPP-process problems, 5(3): 15-17; 6(1): 18-19
liquid-metal–fused-salt extraction process problems, 6(4): 26
liquid-metal systems, 5(4): 46; 6(1): 35-6; 6(4): 30
Nitrofluor-process problems, 4(3): 25-6; 6(2): 21-2
plastics by electrolytic dissolver solution, 6(4): 13-14
Purex process, 4(2): 52-3; 6(1): 15
reactor materials, conference, 6(4): 30
skull reclamation process, 4(4): 47-8; 6(1): 34
Sulfex-process problems, 4(2): 49-51; 4(4): 21-2, 24; 5(1): 26; 5(3): 17; 6(1): 15-16; 6(2): 17-18; 6(3): 9-11; 6(4): 12
Transuranium Processing Facility, 5(3): 19; 6(1): 16-19; 6(3): 15-17; 6(4): 12-13
waste processing, 4(3): 43; 5(3): 19; 5(4): 25-8; 6(2): 59-60; 6(3): 46-7
waste-storage tanks, 5(4): 52-5; 6(2): 59-60; 6(3): 47-8
Zirflex process, 4(2): 49; 4(3): 40; 4(4): 22-3; 5(1): 25-6; 5(2): 15-19; 6(1): 15-16; 6(2): 17-18; 6(3): 12; 6(4): 12
Costs
See Economic aspects
CPM process, 4(3): 20-2
Criticality, 4(1): 6-7
accident at ICPP, 4(3): 5-6
control, in enriched-fuel processing, 5(4): 1
by neutron poisons, 4(1): 11-12; 5(2): 15; 5(4): 3; 6(2): 18
hazards, in shear-leach process, 6(1): 3
in uranium dioxide production, 5(2): 62
Croloy alloy, corrosion by mercury at high temperatures, 6(4): 29
Croloy 5 silicon alloy, corrosion by bismuth-lead alloys (liquid), 4(3): 39
Crossroads Marine Disposal Corporation, waste-disposal license, 4(1): 4
Crucibles, beryllia, compatibility with skull reclamation process solutions, 5(4): 46
coating with oxides, 6(4): 30
compatibility with liquid-metal–fused-salt process solutions, 5(2): 33
corrosion by molten phosphate glasses, 5(4): 63
design, 4(4): 49
graphite, coating with oxides, 6(4): 30
impregnation to prevent fused-salt permeation, 5(4): 48-9
for phosphate-glass production from waste, 5(2): 46-7
platinum, corrosion by molten glass, 6(4): 51
tantalum (tantalum boride-coated), compatibility with liquid uranium-calcium systems, 6(2): 30
tungsten, compatibility with liquid uranium-magnesium-zinc solutions, 5(4): 45-6
yttrium, compatibility with liquid uranium, 6(2): 30
Cryolite, aluminum reduction of uranium dioxide using, 5(4): 83
Crystal properties, plutonium dioxide, 5(4): 47-8
thorium dioxide, 5(4): 47-8
thorium-lead intermetallic compounds, 5(2): 30
uranium dioxide, 5(4): 47-8
uranium-lead intermetallic compounds, 5(2): 30
Crystallization (fractional)
See Fractional crystallization
CSREX solvent-extraction process, 6(4): 49
Cupronickel UN26Z17, corrosion in dry halogenation process, 6(4): 17-18
Cupronickel Ancorros, corrosion in dry halogenation process, 6(4): 17-18
Cupronickel NP, corrosion in dry halogenation process, 6(4): 17-18
Curium, distribution coefficients in magnesium-zinc alloys–magnesium chloride systems, 6(3): 26, 28
separation, 5(3): 12-13; 5(4): 16
with M2EHPA, 4(2): 25-6
by Purex process, 4(2): 23
Curium-244, recovery from wastes, economic aspects, 6(3): 2-3
Cutters
See Shears
Cyclohexane, chemical stability, 4(4): 13-15
diluent use in tributyl phosphate extraction processes, 6(1): 8
radiolysis, 4(4): 13-15
Cyclohexane, *n*-butyl-, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
Cyclone separator, particle removal from calciner off-gas, 6(3): 41

D

DAAP
See Phosphonate, diamylamyl
DABP
See Phosphonate, di-2-amyl-2-butyl
Dapex process, mixer-settler,design, 4(1): 23
Darex process, 4(1): 10-12, 13; 4(2): 11-12; 5(4): 1-2
calcination of wastes, 4(2): 66
chemical decladding of fuel elements, 5(1): 8
corrosion of construction materials, 5(4): 20-1; 6(2): 16-17
corrosion problems, 4(4): 22-4; 5(1): 26; 5(2): 18; 6(1): 15-16
equipment design, 4(2): 27-30
explosion hazards, 4(3): 6-7
flow sheets, 4(1): 14; 4(2): 28
silica removal, 4(3): 14
waste disposal, 5(1): 52-7; 5(3): 51
Darex-Purex raffinate, corrosion of stainless steels, 5(4): 20-1
Darex-Thorex process, 4(2): 15-17
corrosion problems, 4(1): 37-8; 4(3): 41
flow sheets, 4(2): 16
Darex wastes, calcination, 5(2): 43; 5(4): 58-9; 6(2): 49-50; 6(3): 42-3
Darex-Zirflex process, corrosion problems, 5(2): 18
Davison Chemical Division
See Grace (W. R.) & Co.
commercial plant proposal, 4(2): 1; 4(3): 1
fuel-element fabrication facilities, 4(2): 2
D-*s*-BPP
See Phosphonate, di-*sec*-butylphenyl-
Decahydronaphthalene
See Naphthalene, decahydro-
Decalso, Cs^{137} removal by, 5(4): 68
for radioisotope shipping uses, 5(2): 57-8; 5(4): 69
Decalso YG, strontium adsorption by, 4(2): 72
Decanol, solvent-extraction properties, 4(1): 20-1
Decladding
See also specific decladding processes, e.g., Shear-leach process and Sulfex process
aluminum dissolution by sodium hydroxide, 5(4): 7-8
ammonium fluoride process, 5(4): 10
beryllium dissolution by acids, 5(4): 8
chemical means, 4(1): 9-12; 4(2): 10-13; 4(3): 9-10, 33; 4(4): 7-8; 5(1): 8; 5(2): 35; 5(3): 5-6; 5(4): 7-10, 23; 6(1): 6-7; 6(2): 5
costs, 5(4): 2; 6(1): 3
electrolytic dissolution process, 5(2): 36; 5(4): 2; 6(3): 5
mechanical means, 4(1): 8-9, 42; 4(2): 9-10; 4(3): 8-9; 4(4): 6-7; 5(1): 7-8; 5(2): 5-7; 5(3): 5; 5(4): 7; 6(3): 4, 32; 6(4): 30
oxidative method, 5(2): 35
uranium carbide fuel by steam, 5(4): 49
Decomposition
See Radiolysis and Thermal decomposition
Decontamination of equipment, in ICPP process, 4(4): 25-6
hot cells, 5(1): 24-5
after ORNL explosion of Nov. 20, 1959, 4(1): 6
in Purex process, 4(2): 30-2
in Redox process, 4(2): 30-2
Decontamination factors, effects of solvent quality, 5(4): 15
fission products in electrolytic process, 5(2): 36
D2EHPA
See Phosphoric acid, di-2-ethylhexyl-
Dejacketing
See Decladding
Demonstrational High-Temperature Solids Storage System, corrosion problems, 4(3): 43
Demonstrational Waste Calcining Facility, 5(2): 44-6; 5(4): 59-62; 6(2): 46-8
Densimeters, 5(1): 17-18; 5(4): 49; 6(3): 8-9
Density, bismuth liquid systems, 5(4): 41
fused-salt systems, 5(4): 49
lanthanum liquid, 5(2): 30; 5(3): 30
Depleted uranium, base charges for, as uranium hexafluoride, 5(4): 4
Detroit Edison Reactor
See Reactors (Enrico Fermi Fast-Breeder)
Diamylamyl phosphonate
See Phosphonate, diamylamyl-
Di-2-amyl-2-butyl phosphonate
See Phosphonate, di-2-amyl-2-butyl-
Dibenzyl sulfoxide
See Sulfoxide, dibenzyl-
Dibutylbutyl phosphonate
See Phosphonate, dibutylbutyl-
Dibutylphenyl phosphonate
See Phosphonate, di-*n*-butylphenyl- and Phosphanate, di-*sec*-butylphenyl-
Dibutyl phosphoric acid
See Phosphoric acid, dibutyl-
Di-2-ethylhexyl phosphoric acid
See Phosphoric acid, di-2-ethylhexyl-
Diethylbenzene
See Benzene, diethyl-
Diethylenetriaminepentaacetic acid
See Acetic acid, diethylenetriaminepenta-
Difluorotetrachloroethane
See Ethane, difluorotetrachloro-
Diffusion, uranium in liquid cadmium, 6(4): 28
Diluents
See also the specific diluent compounds
evaluation of, for solvent-extraction processes, 5(4): 14-15; 6(1): 8
Dimethyl hexene
See Hexene, 2,5-dimethyl-
Dioctyl sulfoxide
See Sulfoxide, di-*n*-octyl-

Dipicrylamine, cesium removal by, 5(4): 68; 6(4): 49
Dipicrylamine-nitrobenzene systems
See Amine, dipicryl-/nitrobenzene systems
Direct fluorination processes, 4(1): 29-30; 4(2): 36-8; 4(3): 28-9; 5(2): 26-7; 5(3): 25-7; 5(4): 33-5; 6(1): 26-7; 6(2): 24-7; 6(4): 18-21
Dissolution, 4(2): 13-20; 4(3): 10-14, 20-2; 4(4): 8-11; 5(2): 7-11, 22
See also as subheading under specific materials
cladding materials, 4(1): 9-12; 4(2): 10-13; 4(3): 9-10; 4(4): 7-8; 5(1): 8; 5(2): 35-6; 5(3): 5-6; 5(4): 2, 8-10, 23; 6(1): 6-7; 6(2): 5; 6(3): 5
dissolver-vessel corrosion, 5(3): 17; 6(2): 13-18; 6(3): 14-15
electrolytic, 4(4): 10-11; 5(2): 8-11, 36; 5(3): 8-9; 5(4): 2, 8-9, 21-3; 6(2): 6; 6(3): 5, 8-9; 6(4): 11-12
baskets for, 5(4): 8-9; 6(3): 9
corrosion problems, 5(2): 18; 6(1): 18-19; 6(2): 14-15; 6(3): 14-15; 6(4): 13-14
fluoride-volatility processes, 4(1): 27-9
fuel materials, 4(1): 12-17; 5(4): 10-12
in fused-salt extraction processes, 4(1): 34
nitrate addition effects on, 6(2): 5-6
Nitrofluor process, 5(4): 30-1; 6(2): 5-6
stainless steel in stainless-steel vessels, 6(2): 5
stainless-steel-clad uranium dioxide pellets, 6(2): 5
stainless-steel-matrix fuels, 5(4): 20-1
temperature effects on rate, 5(4): 10-11
Dissolvers, corrosion, 5(3): 17; 6(2): 13-18; 6(3): 14-15
Darex process, 4(2): 27-30
electrolytic, design, 4(4): 20-1
Distillation, of liquid cadmium, 5(1): 44
Distribution coefficients, for metals, in fused-salt systems, 4(4): 40-1
in liquid-metal–fused-salt systems, 5(2): 32; 5(4): 41, 43; 6(1): 32; 6(3): 26, 28-9
in liquid-metal systems, 4(4): 40-1; 5(2): 30-1; 5(4): 41-2
Dodecane, chemical stability, 4(4): 13-15
diluent use in solvent extraction, 5(4): 15
radiolysis, 4(3): 19; 4(4): 13-15
solvent properties, 5(3): 12
1-Dodecene, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
Dodecylbenzene sulfonate, for strontium removal from water by foaming action, 6(4): 41
p-Dodecylphenol
See Phenol, *p*-dodecyl-
Dowex 1 resin, aluminum adsorption, 4(4): 17
ammonium-ion adsorption, 4(4): 17
calcium adsorption, 4(4): 17
iron adsorption, 4(4): 17
lithium adsorption, 4(2): 35
neptunium adsorption, 5(1): 17
plutonium adsorption, 5(3): 69
radiation effects, 4(4): 18
thorium adsorption, 4(4): 17
uranium adsorption, 4(4): 16-17
zirconium adsorption, 4(4): 17
Dowex 1-X4 resin, technetium adsorption, 4(2): 72
Dowex 1-X10 resin, fission-product removal, 5(2): 56
rare-earth adsorption, 4(1): 23-4
Dowex 21K resin, aluminum adsorption, 4(4): 17
ammonium-ion adsorption, 4(4): 17
calcium adsorption, 4(4): 17
iron adsorption, 4(4): 17
thorium adsorption, 4(4): 17
uranium adsorption, 4(4): 16-17
uranyl sulfate adsorption, 4(1): 25; 4(3): 23; 6(1): 11
zirconium adsorption, 4(4): 17
Dowex 50 resin, plutonium adsorption, 4(2): 34; 5(3): 64-5
strontium adsorption, 4(3): 55
Dowex 50W resin, cesium removal from Purex waste by, 6(4): 40
radiation effects, 4(4): 17-18
strontium removal from Purex wastes by, 6(4): 40
thorium adsorption, 4(4): 17
uranium adsorption, 4(4): 17
waste-disposal applications, 5(3): 58
Dowex 50W-X4, separation of promethium from americium, 6(1): 54
Dowex 50W-X8 resin, neptunium adsorption, 5(2): 55-6
Dowex 50W-X12 resin, strontium adsorption, 4(2): 72; 5(2): 49
Dowex 50-X2 resin, lithium adsorption, 4(2): 35
DPA
See Amine, dipicryl-
Dresden Power Reactor
See Reactors (Dresden Power)
Drums, waste, evaluation for ocean disposal, 5(2): 54-5
Dry halogenation processes, 4(3): 27-8; 4(4): 32-3; 5(1): 35-7; 5(2): 25-6; 5(3): 24-5; 5(4): 32-3; 6(1): 25; 6(2): 22-4; 6(4): 15-18
See also Chloride-volatility processes and Zircex process
Drying
See Spray drying
DTDA
See Amine, di-tri-decyl-
DTPA
See Acetic acid, diethylenetriaminepenta-
Dual conductance analyzer, 6(3): 8-9
Duolite C-3 resin, cerium adsorption, 4(3): 49
cesium adsorption, 4(3): 49; 5(2): 56-7; 5(4): 68
strontium adsorption, 4(3): 49; 5(2): 49
waste-disposal applications, 5(3): 45-6
Duolite C-10 resin, radiation effects, 4(4): 18
Duolite C-65 resin, ion-exchange efficiency, 4(2): 64
Duolite CS-100 resin, cesium adsorption, 4(3): 49
from water, 6(1): 44-5
strontium adsorption, 4(3): 49; 6(1): 44-5
waste-disposal applications, 5(3): 44; 6(2): 43
Duolite S-30 resin, cerium adsorption, 4(3): 49
cesium adsorption, 4(3): 49
strontium adsorption, 4(3): 49
Du Pont de Nemours (E.I.) & Co., processing-plant cost estimates, 6(1): 2
Durco D-51 alloy, corrosion by potassium chloride–sodium chloride systems (fused), 4(3): 43
Durichlor alloy, corrosion by potassium chloride–sodium chloride systems (fused), 4(3): 43
electrolytic dissolution, 4(4): 10
Duriron alloy, corrosion by potassium chloride–sodium chloride systems (fused), 4(3): 43
electrolytic dissolution, 4(4): 10
Dynamotors, radiation effects, 4(1): 42
Dysprosium, removal, 5(3): 28
solubility, 4(2): 44-5; 5(3): 31

E

EBR
See Reactors (Experimental Breeder) (EBR)
EBR-II fuel pins
See Fuel elements (pins) and Uranium-fissium alloys
Economic aspects, 4(1): 1-5; 4(2): 1-4; 4(3): 1-4; 4(4): 1-5; 5(1): 1-6; 5(2): 1-4; 5(3): 1-3; 5(4): 1-6; 6(1): 1-5; 6(2): 1-3; 6(3): 1-3; 6(4): 1-6
air cleaning, 6(2): 59
AIROX process, 6(4): 6
Aqueous Homogeneous Breeder Reactor fuel processing, 6(1): 15
aqueous processes, 5(4): 3-4
barium fluozirconate process, 5(4): 3
commercial reprocessing plants, 4(1): 1; 6(1): 1-3
decladding, 6(1): 3
depleted-uranium base charges, 5(4): 4
equipment maintenance and duplication, 5(4): 19-20
fast-breeder reactor fuel processing, 6(4): 5
fuel cycles, 5(4): 4-6; 6(2): 2-3
fuel-element use and consumption charges, 4(4): 2-3
fuel shipping, 4(4): 1; 5(4): 6
fuel storage, 5(4): 6; 6(2): 1
granite rock leaching for fissionable-material recovery, 5(4): 83-4
nonaqueous processes, 5(4): 3
ORNL process-water treatment plant, 6(1): 45
plutonium electrorefining, 5(4): 86
plutonium fuels, 6(3): 3
plutonium oxide (PuO_2)–uranium oxide (UO_2) fuel cycles, 6(2): 2-3
privately owned fuel, 6(4): 3-5
radioisotope recovery, 6(3): 2-3
salt-cycle process, 6(4): 5
small vs. large plants, 6(1): 1-3
uranium hexafluoride prices, 6(4): 3-4
waste calcination, 5(2): 42; 6(2): 49
waste disposal, 5(4): 55; 6(1): 49-51; 6(3): 1-2
Edlow Lead Company, fuel-element shipping, 6(1): 4
EDTA
See Acetic acid, ethylenediaminetetra-
Einsteinium, separation, 5(3): 12-13
solvent extraction, 5(4): 16
Electrical components, radiation effects, 4(1): 41-2
Electrical conductance
See Conductance (electrical)
Electrical heating
See Heating
Electrodes, plutonium, use in plutonium electrorefining, 5(4): 84-5
uranium dioxide–carbon consumable type, 5(2): 66; 5(4): 82
Electrolytic dissolution
See Dissolution
Electrolytic dissolvers
See Dissolvers
Electrolytic processes, 5(3): 8-9, 35-6
fission-product removal, 5(2): 36
plutonium refining, 5(4): 84-6
reduction, 5(2): 67-8; 5(4): 46-8, 67-8, 82; 6(4): 55
salt-cycle process, 5(2): 34-5; 6(3): 33; 6(4): 30-1
uranium carbides, 5(2): 36; 5(4): 49; 6(3): 36
uranium dioxide–plutonium dioxide systems, 5(4): 46-7
uranium dioxide production, 5(3): 62; 6(3): 49-52
uranium oxide reduction, 5(2): 66; 5(4): 48, 82; 6(3): 54-5
uranium purification in aqueous solutions, 5(2): 13

Electrolytic processes (Continued)
uranyl chloride reduction in fused salts, 5(2): 34-5
waste-disposal applications, 5(3): 46
Electromagnetic pumps, 6(3): 30-2
Electron-beam melting
See Melt-refining processes
Electrons, radioisotope sources, 4(4): 64
Electrorefining, 4(3): 37-8; 4(4): 46; 5(2): 13; 5(3): 32-3
plutonium, 5(4): 84-6
uranium, 6(1): 60
Electrostatic precipitator, particle removal from waste-calciner off-gases, 6(3): 41-2
Elk River Reactor
See Reactors (Elk River)
Enriched fuels, processing costs, 5(4): 1-2
Enriched uranium, base charges for, as uranium hexafluoride, 5(4): 4
price reduction effects on reactor fuel-cycle cost, 5(4): 5
production by gas centrifugation, 4(1): 2
Enrico Fermi Fast-Breeder Reactor
See Reactors (Enrico Fermi Fast-Breeder)
Entropy, iodine pentafluoride, 5(4): 35
Environment, contamination by radioactive waste, 5(2): 41-2
EOCR
See Reactors (Experimental Organic-Cooled) (EOCR)
Epidote, radioisotope adsorption, 5(4): 57
Equipment
See also Instrumentation
agitators, 4(2): 30-2
baskets for electrolytic dissolution processes, 6(3): 9
Darex process, 4(2): 27-30
decontamination, 4(2): 30-2; 4(4): 25-6
distillation apparatus, 4(4): 48, 49
liquid-metal condensers, 4(4): 49
liquid-metal-driven pump, 4(4): 49
manipulators for melt-refining process, 4(2): 41
mixer-settler design, 4(1): 23
pumps for corrosive liquids, 6(4): 9-10
Purex process, 4(2): 30-3
Redox process, 4(2): 30-3
removal of contaminated, shears for, 6(1): 12
sodium lift pump for plutonium-iron alloy circulation, 6(3): 30-1
solvent-extraction contactors, 6(1): 12-14; 6(4): 10-11
Erbium, removal, 5(3): 28
solubility, 4(2): 44-5; 5(3): 31
Erosion, nozzles in fluid-bed calcination process, 5(2): 44
Ethane, difluorotetrachloro-, diluent use in tributyl phosphate extraction processes, 5(4): 15
Ethanolamine
See Amine, ethanol-
Ether, *n*-butyl-, solvent properties, 4(2): 25
Ethyl dodecyl sulfoxide
See Sulfoxide, ethyl dodecyl-
Ethyl iodide, diluent use in tributyl phosphate extraction processes, 6(1): 8
Ethylene, tetrachloro-, solvent properties, 5(3): 11
Ethylenediaminetetraacetic acid
See Acetic acid, ethylenediaminetetra-
Ethylene polymers, corrosion by electrolytic dissolver solution, radiation effects, 5(2): 19; 5(3): 17; 5(4): 23; 6(4): 13-14
2-Ethylhexylphenyl phosphoric acid
See Phosphoric acid, 2-ethylhexylphenyl-
Ethylhexyl phosphoric acid
See Phosphoric acid, di-2-ethylhexyl- and Phosphoric acid, mono-2-ethylhexyl-
Euratom, fuel-element shipping to U. S., 6(1): 4
EUREX plant, 5(3): 2; 6(2): 2
Eurochemic, 4(4): 3-4
fuel-processing plant at Mol, 4(1): 1-2; 4(2): 2; 5(2): 3; 6(2): 2
processing cost estimates, 6(1): 2
Europium, coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
removal, 5(3): 28
by fluoride-volatility processes, 4(1): 29
separation from americium by gel-liquid extraction, 6(1): 11
solubility, 5(3): 31
in cadmium (liquid), 4(2): 44-5
in tributyl phosphate, 4(2): 23
Europium compounds, reduction, 5(3): 32
Europium nitrates, extraction by tributyl phosphate, effects of diluents, 6(1): 8
Evaporation, liquid wastes, 5(3): 47-8
Evaporators, corrosion, 5(4): 24-5
Experimental Breeder Reactor
See Reactors (Experimental Breeder I) (EBR-I) and Reactors (Experimental Breeder II) (EBR-II)
Experimental Organic-Cooled Reactor
See Reactors (Experimental Organic-Cooled) (EOCR)
Explosions, Darex-process hazards, 4(3): 6-7
ORNL, 4(1): 6
Extraction columns
See Solvent extraction

F

Fermi Fast-Breeder Reactor
See Reactors (Enrico Fermi Fast-Breeder)
Fermium, separation, 5(3): 12-13
solvent extraction, 5(4): 16
Fernald plant, waste disposal, 5(3): 43
Ferric dibutyl phosphate
See Iron (Fe^{3+}) butyl phosphates
Ferric monobutyl phosphate
See Iron (Fe^{3+}) butyl phosphates
Ferric nitrate
See Iron nitrates [$Fe(NO_3)_3$]
Ferric nitrate–nitric acid systems
See Iron nitrates [$Fe(NO_3)_3$]–nitric acid systems
Fiberfrax, collection of condensates in melt-refining process, 4(2): 39
Fiberglas corrosion by radiation, 5(4): 23; 6(3): 9; 6(4): 13-14
Filters, performance for hydrolyzed plutonium hexafluoride, 6(2): 26-7
storage, handling, and installation of air, 6(2): 59
Filtration, Homogeneous Reactor Experiment II fuel processing, 4(4): 26
waste-disposal applications, 4(4): 66
Final disposal
See Waste processing and disposal
Fission products
See also specific fission products
activity-level–particle-size relations for separated waste, 5(4): 58
behavior in calcium (liquid), 4(2): 47
chromium recovery, 4(3): 51
containers, 6(3): 45-6
distribution in stored wastes, 4(3): 51
fixation in ceramic sponges, 5(4): 63-4
incorporation into glass, 4(3): 52-3; 5(2): 47-8; 5(4): 69
ion exchange, 5(1): 16-17; 5(2): 56
packaging in zeolites, 6(2): 56; 6(3): 45-6
precipitation, with ammonium carbonate, 4(4): 18
with barium fluozirconate, 4(4): 9-10
recovery, from Purex wastes, 5(2): 56; 6(1): 51-4
from wastes, 4(1): 50; 4(2): 71-2; 4(3): 54-6; 4(4): 57; 5(1): 61-4; 5(2): 55-8; 5(3): 57-9; 5(4): 67-8; 6(1): 51-4; 6(2): 54-8; 6(3): 44-6; 6(4): 48-51
release, during melt refining of uranium-fissium alloys, 5(2): 28; 5(4): 36-8
during oxidation of uranium dioxide, 5(4): 34-5
removal, 5(3): 28
in acid Thorex process, 5(1): 13
from chromium, 4(3): 51
by Dowex 1-X10 resin, 5(2): 56
by electrolytic process, 5(2): 36
by fused-salt extraction processes, 4(1): 34
from iron, 4(3): 51
by liquid-metal processes, 5(4): 41
in melt-refining process, 5(2): 29; 6(3): 25
from nickel, 4(3): 51
during oxidation-reduction process for uranium dioxide, 5(4): 49
from plutonium, 5(4): 33-4
in salt-cycle process, 5(2): 35
from uranium, 6(3): 28
from uranium-bismuth liquid alloys, 5(4): 45
from uranium by chlorination, 5(4): 33
from uranium dioxide by oxidation-reduction process, 6(3): 33-4
from water, 6(3): 39-40
by scavenging ion-exchange process, 6(1): 44-5
shipping-container design, 5(2): 57-8
solubility in liquid bismuth, 6(1): 29
volatilization in melt-refining process, 5(2): 28; 5(4): 36-8
Fissium alloys
See Uranium-fissium alloys and Uranium-fissium alloys (liquid)
Fixation, conference, 4(1): 46
waste, in ceramic sponges, 5(4): 63-4
in glass, 4(3): 52-3; 5(2): 47-8; 5(4): 69
Flame denitration process, pilot plant, 5(2): 44-5
uranium dioxide production, 5(4): 74-5
Florida bed phosphate–calcite–pyrite mixtures
See Calcite–Florida bed phosphate–pyrite mixtures
Flow rate, effect on 304L stainless-steel corrosion in Darex solutions, 5(4): 20
instrumentation, 5(4): 17-19; 6(1): 11-12
Flow sheets, actinide-lanthanide separation, 5(3): 13
ARCO process, 4(2): 14-15
barium fluozirconate process, 6(3): 6-8
calcination, 4(2): 66; 5(3): 54
cesium packaging on zeolite, 6(2): 56
cesium removal from Purex wastes, 6(1): 53; 6(2): 55, 57
chloride-volatility processes, 4(4): 32, 34
CPM process, 4(3): 21
Darex process, 4(1): 14; 4(2): 28
Darex-Thorex process, 4(2): 16
Demonstrational Waste Calcining Facility, 6(2): 47
EBR-II blanket processing, 5(4): 44
Enrico Fermi Fast-Breeder Reactor blanket dissolution, 5(1): 9
flame denitration pilot plant, 5(2): 45
fused-salt volatility processes, 4(2): 37; 5(1): 31; 6(4): 22
Hallam Power Reactor fuel-element dissolution, 5(1): 10
isotope separation from wastes, 5(1): 61-4
liquid-metal extraction processes, 4(2): 45; 5(3): 32
liquid-metal–fused-salt extraction processes, 4(4): 44
Molten-Salt Reactor fuel processing, 5(3): 24

Flow sheets (Continued)
neptunium recovery in Redox process, 5(4): 14
Neuflex process, 6(1): 9
Nitrofluor process, 4(3): 26
ORNL low-activity waste by foam separation, 6(1): 46
pot-calcination pilot plant, 5(3): 54
Power-Reactor Fuel-Processing Pilot Plant, 4(2): 32
Purex phosphate-glass pilot plant, 5(2): 47
Purex process, 4(3): 12; 5(1): 14
waste backcycle, 5(4): 14
reclamation process for melt-refining skulls, 5(4): 44
Redox process, 4(1): 16
waste backcycle, 5(4): 13
salt-cycle process, 4(4): 49-50
sodium formate precipitation of sodium fluozirconate, 5(4): 16-17
sol-gel process for preparing thorium oxide–uranium oxide systems, 6(2): 69-70
strontium recovery from Purex 1WW, 5(4): 67-9
Sulfex process, 4(2): 12
Sulfex-Thorex process, 4(2): 16
Thorex-Darex process, 4(2): 16
transuranium-element separation, 5(4): 16
TRIGA Reactor fuel processing, 5(3): 8
uranium dioxide production, 5(1): 68
uranium hexafluoride distillation, 4(3): 59
uranium-molybdenum alloy dissolution, 5(3): 6-7
uranium-ore digestion, continuous, 6(1): 55
uranium trioxide activation process, 5(4): 76-7
uranium-Zircaloy alloys, 6(3): 14
uranium-zirconium alloy dissolution, 5(2): 8
waste disposal, 5(1): 52
waste disposal by hydraulic fracturing, 6(4): 46
Zirflex process, 4(1): 13; 4(2): 11; 4(4): 32
Fluidized beds, alumina, in fluorination processes, 5(4): 34
calcination, 5(1): 56-7; 5(2): 44-6; 5(3): 48-50; 5(4): 59-62; 6(1): 49; 6(2): 46-9
heat-removal use in Zircex process, 5(2): 25-6
heat transfer, 5(4): 33
hydrochlorination in, 5(4): 32
uranium tetrafluoride production in, 5(4): 76, 77
Fluoboric acid (HBF_4)–aluminum nitrate–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$) systems
See Aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$) systems
Fluoboric acid (HBF_4)–ammonium chromate [$(NH_4)_2Cr_2O_7$]–hydrofluoric acid–nitric acid systems
See Ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid (HBF_4)–hydrofluoric acid–nitric acid systems
Fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems, corrosion of titanium-45A, 6(2): 17
Fluoboric acid (HBF_4)–hydrofluoric acid systems, leaching of uranium dioxide–beryllium oxide systems, 5(1): 13
solvent properties, 5(3): 10
Fluoboric acid (HBF_4)–nitric acid systems, corrosive effects, 5(3): 18
Fluophosphoric acid, dissolution of uranium dioxide–thorium oxide systems, 5(1): 29-30
Fluoride compounds
See also specific fluoride compounds
corrosive effects, 4(4): 31
precipitation with barium fluozirconate, 4(2): 19-20
preparation, 5(2): 27
properties, 5(4): 35; 6(1): 27
reduction with magnesium-zinc alloys, 4(3): 37
removal, 5(2): 8
Fluoride-volatility processes
See Fused-salt volatility processes
Fluorination processes
See also Direct fluorination processes
uranyl fluoride, 4(4): 72
Fluorine, corrosion of nickel by, 6(4): 20-1
corrosive effects, 5(3): 27
flow-rate instrumentation, 5(4): 18-19
reactions, with aluminum oxide, 4(3): 27
with calcium fluoride, 4(2): 27; 4(3): 27
with nickel alloys, 4(3): 27
with uranium dioxide, 4(3): 28; 5(1): 37; 5(3): 26
with xenon, 6(1): 27
Fluorite, radioisotope adsorption by, 5(4): 57
Fluorocarbon plastics, corrosion, 5(2): 19
Fluorox process, 4(2): 77
corrosion problems, 4(2): 53
Fluxes, use in waste calcination, 5(2): 43
Foam separations, strontium from water, 6(4): 41
waste processing applications, 5(3): 43-4; 6(1): 46-7; 6(2): 44-5
Foaming, effects on calcination processes, 5(2): 43
Food chains, contamination by radioactive waste, 5(2): 41
Formaldehyde polymers, scavenging applications, 4(2): 20
Formic acid, scavenging applications, 4(2): 20
Fractional crystallization processes, 5(4): 45
technetium hexafluoride purification by, 5(2): 27
Fractional sublimation processes, 5(2): 26; 5(4): 32-3
France, fuel-processing plants, 4(2): 2; 6(2): 1-2
ocean waste disposal, 4(2): 4
plutonium separation plant at Jobourg, 4(1): 2
waste disposal, 4(1): 51
Free energy, bromine fluorides, 5(4): 35
iodine pentafluoride, 5(4): 35
Fuel-Cycle Facility, 6(3): 25
Fuel cycles, 5(2): 1-2; 5(3): 2-3
Aqueous Homogeneous Breeder Reactor, 6(1): 14-15
BONUS Reactor, 5(4): 5
Carolinas-Virginia Reactor, 5(4): 5
costs, 4(3): 2; 5(1): 2-5; 5(2): 2-3; 5(4): 4-6; 6(2): 3
Dresden Reactor, 5(4): 5
Hallam Power Reactor, 5(4): 5
Indian Point Reactor, 5(4): 5
Peach Bottom Reactor, 5(4): 5
Piqua Reactor, 5(4): 5
plutonium oxide–uranium oxide, economics, 6(2): 2-3
Spectral Shift Control Reactor, 6(2): 3
thorium-uranium, at Babcock & Wilcox, 6(2): 1
at ORNL, 6(2): 1
uranium price reduction effects on cost, 5(4): 5
Yankee Power Reactor, 5(4): 5
Fuel-element decladding
See Decladding
Fuel elements
See also the specific fuel-element materials, e.g., Uranium carbides, Uranium oxides, and Uranium oxides (UO_2)–thorium oxide systems
fabrication, book, 6(1): 36
Fuel elements (aluminum-clad), dissolution, 4(4): 8-9
Fuel elements (ceramic), fluorination, 5(1): 37
properties, 4(4): 49
recovery by melt-refining process, 4(1): 33-5
Fuel elements (Hastelloy-X-clad), dissolution, 4(2): 12-13; 5(3): 10
Fuel elements (impregnated graphite), disintegration, 5(3): 9-10
dissolution, 4(1): 17; 5(2): 10-11
leaching, 5(1): 12
Fuel elements (irradiated), effects of burnup upon dissolution, 4(2): 19
storage, 4(3): 8
transportation, 4(1): 2; 4(4): 1
Fuel elements (Nichrome-clad), chemical decladding, 5(1): 27
electrolytic dissolution, 5(3): 9
Fuel elements (pellets), chemical decladding, 5(3): 5; 6(2): 5
processing, 5(3): 25-6
Fuel elements (pins), melt-refining process, 5(4): 36-8
nitridation, 5(4): 36
processing, 5(3): 27-9
Fuel elements (plates), mechanical decladding, 4(2): 9
Fuel elements (stainless-steel-clad), cladding dissolution, 4(1): 10-12; 4(2): 11-12; 4(3): 9-10; 4(4): 7-8
dissolution, 4(2): 15-17; 4(3): 11
processing, 5(3): 25-6, 27-9, 36-7
uranium leaching with nitric acid, 4(1): 17
Fuel elements (uranium), cutting, 5(2): 5
dissolution, 5(1): 8-9, 29-30; 5(2): 7
Fuel elements (uranium-aluminum), dissolution, 4(4): 8-9
Fuel elements (uranium carbides), decladding by steam, 5(4): 49
leaching, 5(1): 12
processing, 4(4): 52-3; 5(1): 46; 5(3): 34-7
Fuel elements (uranium-graphite), dissolution, 4(2): 18-19
Fuel elements (uranium-molybdenum), dissolution, 4(2): 18; 5(1): 9-10; 5(2): 7
Fuel elements (uranium-molybdenum) (Zircaloy-clad), dissolution, 4(2): 15
Fuel elements [uranium oxides (UO_2)], dissolution, 4(2): 14
fluorination, 5(1): 37
processing, 4(4): 51; 5(2): 34; 5(3): 25-6, 34-7; 5(4): 46-9
Fuel elements [uranium oxides (UO_2)–beryllium oxide (Hastelloy-X-clad)], dissolution, 4(2): 19
Fuel elements [uranium oxides (UO_2)–Nichrome (Nichrome-V-clad)], dissolution, 5(2): 8-10; 6(1): 7
Fuel elements [uranium oxides (UO_2) (stainless-steel-clad)], chemical decladding, 5(1): 35-6; 6(2): 5
salt-cycle processing, 6(4): 5
Fuel elements [uranium oxides (UO_2)–stainless steel], dissolution, 5(1): 11-12
Fuel elements [uranium oxides (UO_2)–thorium oxide], chemical decladding, 5(1): 8
dissolution, 5(1): 29-30
oxidation, 4(4): 52
Fuel elements [uranium oxide (UO_2) (Zircaloy-clad)], decladding by vibratory methods, 6(3): 32
direct fluorination processing, 6(1): 26-7; 6(2): 24
salt-cycle processing, 6(4): 5
Fuel elements (uranium-zirconium), cutting, 5(2): 5
dissolution, 4(2): 13-15; 5(1): 30-5
Fuel elements (uranium-zirconium) (Zircaloy-clad), dissolution, 5(2): 7-8
processing by fluoride volatility, 6(3): 19-22

Fuel elements (Zircaloy-clad), cladding dissolution, 4(1): 9-10; 4(2): 10-11
cladding removal, 4(3): 9, 33
dissolution, 5(2): 7-8
processing, 5(3): 25-6; 6(3): 19-22
uranium leaching with nitric acid, 4(1): 17
Fuel elements (Zircaloy-2-clad), cladding dissolution, 4(2): 36-7
dissolution, 4(3): 10
solubility in fluoride-volatility processes, 4(1): 27-8
Fuel elements (zirconium-clad), cladding removal, 4(1): 9; 4(2): 10-11; 4(3): 9; 4(4): 10
dissolution, 5(3): 23
processing, 5(3): 36
Fuel pins
See Fuel elements (pins) and Uranium-fissium alloys
Fuel-processing plants
See Plants and specific plants by name, e.g., Nuclear Fuel Services, Inc.
Fuel solutions
See also specific solutions by name of constituents, e.g., Uranyl sulfate
processing from Aqueous Homogeneous Breeder Reactor, 6(1): 14-15
treatment at AEC facilities before solvent extraction, 5(4): 12
Fuels
See also Fuel elements, stainless-steel-matrix fuels, Zirconium-matrix fuels, and fuel materials by name, e.g., Uranium, Uranium carbides, and Uranium oxides
cost of private ownership, 6(4): 3-5
enriched, processing costs, 5(4): 1-2
shipping economics, 5(4): 6
storage economics, 5(4): 6
Fused-salt extraction processes
See ARCO process and Liquid-metal–fused-salt extraction processes
Fused-salt–hydrofluoric acid systems
See Hydrofluoric acid–fused-salt systems
Fused-salt volatility processes, 4(1): 27-9; 4(2): 35-6; 4(4): 30-2; 5(1): 30-5; 5(2): 23-5; 5(3): 22-4; 5(4): 31-2; 6(1): 21-4; 6(2): 22; 6(3): 19-22; 6(4): 21-3
corrosion problems, 4(3): 42-3; 4(4): 31; 5(1): 29-30; 5(4): 31-2; 6(3): 20-2
flow sheets, 4(2): 37
uranium-zirconium alloy processing, 6(1): 21-5; 6(3): 19-22
Fused salts
See also specific fused-salt systems by name of constituent salts
a-c resistance heating, 5(4): 49
atomization, 5(3): 23
density measurements, 5(4): 49
electrolysis in, 5(4): 46-9
electrolytic production of uranium in, 5(4): 83
electrolytic use, in plutonium electrorefining process, 5(4): 84-6
in uranium-metal production, 5(2): 66-8
flux use in thorium dioxide reduction process, 5(4): 84
frozen-wall containment, 5(1): 34-5
solvent properties, 4(2): 13-14
Fusion point
See Melting point

G

G-7 glass-fabric–silicone resin, corrosion, radiation effects, 5(4): 23; 6(3): 9; 6(4): 13-14
Gadolinium, coprecipitation with cadmium-cerium alloys, 4(3): 36
removal, 5(3): 28
by fluoride-volatility processes, 4(1): 29
solubility, 5(3): 31
in cadmium (liquid), 4(2): 44-5
in zinc (liquid), 4(1): 35
Gallium (liquid), solubility of uranium in, 5(4): 39
Gas centrifuges
See Centrifuges (gas)
Gas-Cooled Reactor Experiment
See Reactors (Gas-Cooled, Experiment) (GCRE)
Gaseous low-decontamination process, 6(3): 33-4
GCRE
See Reactors (Gas-Cooled, Experiment) (GCRE)
Gel-liquid extraction, separation of americium from europium, 6(1): 11
General Electric Test Reactor
See Reactors (General Electric Test) (GETR)
Genetron Plastic VK-240, corrosion by hydrogen fluoride–nitrogen dioxide systems, 4(2): 54
Germanium, solubility in liquid bismuth, 6(1): 29
GETR
See Reactors (General Electric Test) (GETR)
Gibbsite, cesium removal from wastes using, 6(3): 39-40
strontium removal from wastes by, 6(2): 43-4; 6(3): 39-40
Glass-fiber–silicone resin systems, corrosion, radiation effects, 5(4): 23; 6(3): 9; 6(4): 13-14
Glasses, compatibility with crucible materials, 5(2): 47
conversion of wastes to, 4(3): 52-3; 4(4): 62; 5(2): 46-8; 5(4): 62-3
corrosive effects, 5(4): 63
Cs^{137}-containing, use as radioactive sources, 5(2): 47-8; 5(4): 69
Glasses (molten), corrosive effects, 5(2): 47; 6(4): 51
Goethite, radioisotope adsorption, 5(4): 57
Gold, corrosion, 5(2): 23
by bismuth-chloride systems (liquid), 4(4): 47
by hydrogen fluoride–nitrogen dioxide systems, 4(2): 54
Gold-platinum alloys, compatibility with molten phosphate glass, 5(2): 47
Grace (W. R.) & Co., 5(4): 1-2
agreement with AEC, 5(3): 1
Granite, leaching for uranium and thorium recovery, 5(4): 83-4
Graphite
See also Carbon (pyrolytic)
containment of fluoride-volatility process liquids, 4(1): 27
corrosion, by magnesium-zinc alloys (liquid), 4(4): 48
by plutonium-zinc alloys (liquid), 4(2): 46
crucibles, coating with oxides, 6(4): 30
impregnation to prevent fused-salt permeation, 5(4): 48-9
disintegration, in hydrogen fluoride–nitrogen dioxide systems, 4(3): 25
in nitric acid–sulfuric acid systems, 4(3): 14
disintegration (electrolytic), 5(4): 8-9
fabrication methods, 4(4): 49
hydrofluorinator use, 5(2): 24-5
properties, 4(4): 49
radiation effects, 4(4): 49
reactions with uranium dioxide, 4(4): 52-3; 5(1): 46
Graphite (impregnated), 5(4): 48-9
disintegration, 5(3): 9-10
dissolution, 4(1): 17; 4(4): 30; 5(2): 10-11
leaching, 5(1): 12
Graphite (tantalum-clad), corrosion by magnesium-zinc alloys (liquid), 4(4): 48
Graphite (tungsten-clad), corrosion by magnesium-zinc alloys (liquid), 4(4): 48
thermal cycling, 5(2): 33
Graphite–hydrofluoric acid–nitric acid–uranium systems
See Uranium–graphite–hydrofluoric acid–nitric acid systems
Graphite–nitric acid systems, corrosion, of aluminum (1100), 6(1): 17
of mild steel, 6(1): 17
of titanium, 6(1): 17
Graphite–thorium carbide–uranium carbide systems
See Thorium carbide–uranium carbide–graphite systems
Graphite-uranium systems
See Uranium-graphite systems
Ground disposal
See Waste processing and disposal

H

Hafnium, purification by electron-beam melting, 6(2): 30
solubility in liquid bismuth, 5(1): 39
Hafnium alloys, corrosion by plutonium alloys, 5(2): 33
Hafnium fluoride, heat of formation, 6(1): 27
Hallam Power Reactor
See Reactors (Hallam Power)
Halloysite, cesium adsorption from water, 6(4): 40
Halogenation processes
See Dry halogenation processes
HAPO-20 alloy, corrosion, by Sulfex-process solutions, 4(3): 41
by Zirflex-process solutions, 4(3): 41
HAPO casks, 5(4): 69
Hastelloy alloys, evaluation as crucible materials, 5(4): 63
Hastelloy 20-25 alloy, corrosion in dry halogenation process, 6(4): 17-18
Hastelloy B alloy, corrosion, 5(2): 23, 24
in dry halogenation process, 6(4): 17-18
by hydrochloric acid, 6(3): 16
by hydrochloric acid–hydrogen peroxide systems, 6(1): 17
by hydrochloric acid–hydrogen peroxide–lanthanum chloride systems, 6(3): 16
by hydrochloric acid–hydrogen peroxide–lithium chloride systems, 6(1): 17
by hydrochloric acid–lithium chloride–oxygen systems, 6(1): 17
by hydrochloric acid–oxygen systems, 6(1): 17; 6(3): 16
by potassium chloride–sodium chloride systems (fused), 4(2): 54; 4(3): 42
by Zircex-process fluids, 4(2): 54
Hastelloy C alloy, corrosion, 5(1): 36; 5(3): 19
by chlorine–hydrogen fluoride systems, 4(3): 43
by Darex-process solutions, 4(4): 24
by hydrochloric acid, 6(3): 16
by hydrochloric acid–hydrogen peroxide systems, 6(1): 17
by hydrochloric acid–hydrogen peroxide–lanthanum chloride systems, 6(3): 16
by hydrochloric acid–lithium chloride–oxygen systems, 6(3): 16
by hydrochloric acid–nitric acid–oxygen systems, 6(1): 17
by hydrochloric acid–oxygen systems, 6(1): 17; 6(3): 16
by hydrogen chloride–hydrogen fluoride systems, 4(3): 43
by lead–lead chloride systems, 4(1): 40
by nitric acid–oxygen systems, 6(1): 17

Hastelloy C alloy, corrosion (Continued)
by potassium chloride–sodium chloride systems (fused), 4(3): 42
by Sulfex-process solutions, 4(4): 24
by Thorex-process solutions, 4(4): 24
by uranium dioxide core dissolvents, 4(4): 24
by Zirflex-process solutions, 4(4): 24
electrolytic dissolution, 4(4): 10
Hastelloy D alloy, corrosion by potassium chloride–sodium chloride systems (fused), 4(2): 54
Hastelloy F alloy, corrosion, 5(1): 26, 44; 5(3): 15-17; 5(4): 23, 27-8
by ARCO-process fluids, 4(2): 54
by Darex-process solutions, 4(4): 24
in dry halogenation process, 6(4): 17-18
by ferric nitrate–nitric acid systems, 4(2): 49
by hydrofluoric acid–nitric acid systems, 4(2): 52; 6(1): 16; 6(2): 16
by lead–lead chloride systems (fused), 4(1): 40
from Niflex-process solutions, 4(2): 49, 51
by nitric acid, 6(1): 17
by Purex wastes during calcination, 6(4): 51
by Sulfex-process solutions, 4(2): 49, 50-1; 4(4): 21-2, 24
by Thorex-process solutions, 4(4): 24
by uranium dioxide core dissolvents, 4(4): 24
by Zirflex-process solutions, 4(2): 49; 4(4): 24; 5(1): 25-6
electrolytic dissolution, 4(4): 10
Hastelloy N alloy
See INOR-8 alloy
Hastelloy W alloy, composition, 4(4): 32
corrosion, by fluoride-volatility process, 4(4): 31
by potassium chloride–sodium chloride systems (fused), 4(2): 54
Hastelloy X alloy, composition, 4(4): 32
corrosion by fluoride-volatility process, 4(4): 31
dissolution, 4(2): 12-13; 4(4): 8; 5(3): 10
Haynes 6B alloy, corrosion, 5(2): 16
Haynes 21 alloy, corrosion, 5(2): 15-16, 18; 5(3): 19
by Darex dissolver solutions, 5(4): 21
Haynes 25 alloy, corrosion, 5(1): 43-4; 5(2): 17, 18; 5(3): 19
by Darex dissolver solutions, 5(4): 21
by liquid potassium, 6(4): 29
Haynes EB4358 alloy, corrosion, 5(1): 26
by hydrofluoric acid–nitric acid systems, 6(1): 16
Haynes EB5459 alloy, corrosion, 5(1): 26
by hydrofluoric acid–nitric acid systems, 6(1): 16
Haynes Multimet alloy, corrosion, 5(1): 43-4
Hazards
See Accidents, Criticality, and Safety
Head-end processes, 4(1): 8-18; 4(2): 9-21; 4(3): 8-15, 20-2; 4(4): 8-11; 5(1): 8-13; 5(2): 5-11; 5(3): 6-10; 5(4): 7-12; 6(1): 6-8; 6(2): 5-7; 6(3): 4-5; 6(4): 7-8
Heat capacity, iodine pentafluoride, 5(4): 35
Heat exchangers, corrosion, 5(3): 17; 5(4): 24-5
Heat of formation, bromine fluorides, 5(4): 35
Heat sources, radioisotope-containing glasses, 5(2): 47-8
Heat transfer, calculations, for high-level wastes, 5(4): 66-7
for Purex-waste shipping containers, 5(4): 66
for radioisotope shipping containers, 5(2): 57-8
direct fluorination processes, 5(3): 25
effects, on titanium corrosion, 5(4): 20
Heat-Transfer Reactor Experiments
See Reactors (Heat-Transfer, Experiments) (HTRE)
Heat-treatment, effect, on clinoptilolite, 5(2): 48
on corrosion of Haynes 21 alloy, 5(4): 21
on corrosion of Haynes 25 alloy, 5(4): 21
Heating, a-c resistance, for fused salts, 5(4): 49
ohmic, for liquid metals, 5(2): 30
Helium, solubility in sodium fluoride–zirconium fluoride systems (fused), 4(1): 29
Heptane, diluent use in tributyl phosphate extraction processes, 6(1): 8
Heptane, 2,2,4,6,6-pentamethyl-, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
Hexachlorouranate ion, stability in fused-salt solvents, 5(2): 37
1-Hexadecene, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
Hexane, diluent use in tributyl phosphate extraction processes, 6(1): 8
Hexane–tributyl phosphate solutions, uranium extraction, sulfate-ion effects, 5(2): 61-2
Hexane, 2,3,5-trimethyl-, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
Hexene, 2,5-dimethyl-3-, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
HFIR
See Reactors (High-Flux Isotope) (HFIR)
High-alpha engineering facility, 6(4): 19-20
High-Flux Isotope Reactor
See Reactors (High-Flux Isotope) (HFIR)
HNPF
See Reactors (Hallam Power)
Holmium, removal, 5(3): 28
solubility, 5(3): 31
in cadmium (liquid), 4(3): 34-5
Homogeneous Reactor Experiment II
See Reactor (Homogeneous, Experiment II) (HRE-II)
Homogeneous Reactor Experiment II fuel-processing plant, 4(1): 2-3; 4(2): 56-8; 4(4): 26
Homogeneous Reactor Test (HRT)
See Reactor (Homogeneous, Experiment II) (HRE-II)
Hot cells, contaminated equipment removal, shears for, 6(1): 12
decontamination, 5(1): 24-5
HTRE
See Reactors (Heat-Transfer, Experiments) (HTRE)
Huey test, 5(3): 19
Hydraulic fracturing
See Waste processing and disposal
Hydridation, tantalum, 5(4): 20
Hydrochloric acid, corrosion, of Carpenter-20 alloy, 6(1): 19
of Hastelloy B alloy, 6(3): 16
of Hastelloy C alloy, 6(3): 16
of Monel alloy, 6(1): 19
of tantalum, 6(1): 17
of titanium, 6(1): 17; 6(3): 17
of Zircaloy-2, 6(1): 17
corrosive effects, 5(3): 19
reaction with uranium-zirconium alloys, 5(4): 32
solvent properties, 4(4): 11; 5(3): 6, 9; 5(4): 8, 12
Hydrochloric acid–aluminum nitrate–fluoboric acid (HBF_4)–nitric acid–sodium borate ($Na_2B_4O_7$) systems
See Aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$) systems
Hydrochloric acid–aluminum nitrate–nitric acid systems
See Aluminum nitrate–hydrochloric acid–nitric acid systems
Hydrochloric acid–fluoboric acid (HBF_4)–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems
See Fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems
Hydrochloric acid–hydrogen peroxide–lanthanum chloride systems, corrosive effects, 6(3): 16
Hydrochloric acid–hydrogen peroxide–lithium chloride systems, corrosive effects, 6(1): 17
Hydrochloric acid–hydrogen peroxide systems, corrosive effects, 6(1): 17
Hydrochloric acid–lithium chloride–oxygen systems, corrosive effects, 6(1): 17; 6(3): 16
Hydrochloric acid–nitric acid–oxygen systems, corrosion of Hastelloy C, 6(1): 17
Hydrochloric acid–nitric acid–sulfuric acid systems, solvent properties, 4(2): 12-13
Hydrochloric acid–nitric acid systems, corrosion, of aluminum alloy (6061), 6(2): 16-17
of construction materials, 5(4): 21
of tantalum, 6(1): 17
of titanium, 6(1): 17; 6(3): 17
of Zircaloy-2, 6(1): 17
corrosive effects, 4(1): 37-8; 4(4): 22-4; 5(2): 18
dissolution, of Nichrome cermet fuel elements, 6(1): 7
of plutonium oxide–uranium oxide, 6(2): 6
of stainless-steel-matrix fuels, 5(4): 20
of stainless steels, 5(1): 8
of uranium dioxide–stainless-steel fuels, 5(4): 11-12
leaching of uranium dioxide–beryllium oxide systems, 5(1): 12-13
solvent properties, 4(1): 10-12; 4(2): 12-13, 15-17; 4(3): 13; 4(4): 8; 5(2): 9-10; 5(3): 9-10
Hydrochloric acid–oxygen systems, corrosion, of Hastelloy B, 6(1): 17; 6(3): 16
of Hastelloy C, 6(1): 17; 6(3): 16
of niobium, 6(1): 17
of Zircaloy-2, 6(1): 17
Hydrofluoric acid, corrosion, of Carpenter-20Cb alloy, 6(3): 15
of Corronel 230, 6(1): 16
of Monel alloy, 6(2): 15
dissolution, of beryllium, 5(4): 8
of fuel elements, 5(1): 10-11
of uranium-zirconium alloy (Zircaloy-clad), 6(2): 6; 6(3): 4-5
flow-rate instrumentation, 5(4): 18-19
reaction with uranium hexachloride, 5(4): 33
scandium recovery by, 5(2): 62
solvent properties, 5(2): 7-8; 5(3): 8
Hydrofluoric acid–aluminum nitrate–nitric acid systems
See Aluminum nitrate–hydrofluoric acid–nitric acid systems
Hydrofluoric acid–aluminum nitrate systems
See Aluminum nitrate–hydrofluoric acid systems
Hydrofluoric acid–ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid (HBF_4)–nitric acid systems
See Ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid (HBF_4)–hydrofluoric acid–nitric acid systems
Hydrofluoric acid–copper chloride ($CuCl_2$)–hydrogen peroxide–manganese chloride systems
See Copper chloride ($CuCl_2$)–hydrofluoric acid–hydrogen peroxide–manganese chloride systems

Hydrofluoric acid–fluoboric acid (HBF_4) systems
See Fluoboric acid (HBF_4)–hydrofluoric acid systems
Hydrofluoric acid–fused-salt systems, corrosive effects, **5**(4): 31-2
Hydrofluoric acid–graphite–nitric acid–uranium systems
See Uranium–graphite–hydrofluoric acid–nitric acid systems
Hydrofluoric acid–hydrogen peroxide systems, corrosion, of Carpenter-20Cb alloy, **5**(4): 24; **6**(3): 15
of Corronel 230, **6**(1): 16; **6**(2): 16
corrosive effects, **5**(4): 23-4
solvent properties, **4**(3): 14; **5**(3): 6
Hydrofluoric acid–nitric acid–mercury nitrate [$Hg(NO_3)_2$] systems
See Nitric acid–mercury nitrate [$Hg(NO_3)_2$]–hydrofluoric acid systems
Hydrofluoric acid–nitric acid systems, corrosion, of aluminum (6061), **6**(1): 17; **6**(2): 16-17
of Carpenter-20Cb alloy, **6**(3): 15
of Corronel 230, **6**(1): 16; **6**(2): 16
of Hastelloy F, **6**(1): 16; **6**(2): 16
of Haynes EB4358, **6**(1): 16
of Haynes EB5459, **6**(1): 16
of Monel, **6**(2): 15
of Pyrex Raschig rings, **6**(2): 18
of stainless steels, **6**(1): 16-17; **6**(2): 16-17
corrosive effects, **4**(1): 39; **4**(2): 50-2; **4**(3): 40; **4**(4): 22-4; **5**(2): 8, 22-3; **5**(4): 24
dissolution of plutonium oxide–uranium oxide systems, **6**(3): 4
solvent properties, **4**(1): 12-13; **4**(2): 14-15; **4**(3): 9; **4**(4): 11; **5**(1): 10-11; **5**(2): 22; **5**(3): 6; **5**(4): 11-12
Hydrofluoric acid–nitrosyl fluoride systems, solvent properties, **5**(4): 30-1
Hydrofluoric acid–potassium fluoride systems, chromium fluoride scavenging, **4**(4): 19
plutonium tetrafluoride scavenging, **4**(4): 19
thorium fluoride scavenging, **4**(4): 19
Hydrofluorinators, corrosion by fused-salt volatility process solutions, **5**(2): 23-5; **6**(3): 20-2
Hydrogen, reduction processes using, **5**(1): 45-6; **5**(2): 62-3; **5**(4): 75
Hydrogen chloride
See also Hydrochloric acid
corrosive effects, **5**(2): 17
reaction with uranium-zirconium alloys, **4**(3): 27-8; **5**(3): 24; **6**(1): 25
solubility in molten chloride systems, **5**(2): 34
zirconium hydrochlorination, **4**(4): 33
Hydrogen chloride–carbon tetrachloride systems
See Carbon tetrachloride–hydrogen chloride systems
Hydrogen chloride–hydrogen fluoride systems, corrosive effects, **4**(3): 28, 43
solvent properties, **4**(2): 36-7
Hydrogen fluoride
See also Hydrofluoric acid
dissolution of uranium-zirconium alloys in fused salts, **6**(3): 19-22
fluorination, of stainless-steel chlorides, **5**(1): 36-7
fluorination of uranium oxides, **5**(1): 36-7
reaction with vanadium tetrachloride, **6**(1): 27
reduction of uranium dioxide, **5**(2): 63-4; **5**(4): 76-7
solubility in sodium fluoride–zirconium fluoride systems (fused), **4**(1): 29
Hydrogen fluoride–chlorine systems
See Chlorine–hydrogen fluoride systems
Hydrogen fluoride–fused-salt systems, corrosive effects, **6**(3): 22
Hydrogen fluoride–hydrogen chloride systems
See Hydrogen chloride–hydrogen fluoride systems
Hydrogen fluoride–nitrogen oxide (NO) systems, uranium dioxide dissolution, **6**(4): 15
Hydrogen fluoride–nitrogen oxide (NO_2) systems, corrosive effects, **4**(1): 40; **4**(2): 54; **4**(3): 25-6; **5**(2): 22; **5**(3): 22; **5**(4): 30; **6**(2): 21-2
freezing point, **4**(4): 30
reactions with uranium dioxide–thorium oxide systems, **5**(1): 29-30
solvent properties, **4**(3): 25-6; **4**(4): 30; **5**(3): 22; **5**(4): 30; **6**(2): 21; **6**(4): 15
Hydrogen fluoride–nitrogen oxide (N_2O_3) systems, solvent properties, **5**(4): 30; **6**(2): 21
Hydrogen fluoride–nitrosyl fluoride system, solvent properties, **6**(2): 21
Hydrogen peroxide, uranium peroxide scavenging, **4**(4): 18
Hydrogen peroxide–ammonium fluoride–ammonium nitrate systems
See Ammonium fluoride–ammonium nitrate–hydrogen peroxide systems
Hydrogen peroxide–ammonium fluoride systems
See Ammonium fluoride–hydrogen peroxide systems
Hydrogen peroxide–copper chloride ($CuCl_2$)–hydrofluoric acid–manganese chloride systems
See Copper chloride ($CuCl_2$)–hydrofluoric acid–hydrogen peroxide–manganese chloride systems
Hydrogen peroxide–hydrochloric acid–lanthanum chloride systems
See Hydrochloric acid–hydrogen peroxide–lanthanum chloride systems
Hydrogen peroxide–hydrochloric acid–lithium chloride systems
See Hydrochloric acid–hydrogen peroxide–lithium chloride systems
Hydrogen peroxide–hydrochloric acid systems
See Hydrochloric acid–hydrogen peroxide systems
Hydrogen peroxide–hydrofluoric acid systems
See Hydrofluoric acid–hydrogen peroxide systems
Hydrolysis, halides, for oxide coating of uranium dioxide, **5**(2): 63
plutonium compounds during nitric acid dissolution of irradiated uranium, **5**(4): 10
thorium nitrate in steam for thorium oxide production, **5**(2): 68-9
uranium hexafluoride in steam for uranyl fluoride production, **6**(1): 56-7
uranyl fluoride with steam-hydrogen for uranium dioxide production, **6**(1): 56-7
Hymu 80 alloy
See Alloy 79-4

I

ICPP process, **4**(1): 12-13; **4**(3): 20-2
calcination of wastes, **4**(2): 66-7; **4**(3): 50-1
commercial fuel-processing plans, **4**(4): 3-4
contactor design, **4**(4): 19
corrosion problems, **4**(4): 25-6; **5**(3): 15-17; **6**(1): 18-19
criticality accident, Jan. 25, 1961, **4**(3): 5-6
fuel dissolution, **4**(4): 10; **5**(3): 8
gas recovery system, **4**(4): 9
head-end processes, **5**(1): 12
plant design, **5**(2): 13-15
plutonium separation, **5**(1): 15-16
pulse columns, **5**(3): 15
safety, **5**(1): 75-6
waste disposal, **4**(1): 47, 49-50; **5**(1): 52-7; **5**(3): 51, 53
waste-storage-tank corrosion, **6**(3): 47-8
Idaho bed phosphate–calcite–pyrite mixtures
See Calcite–Idaho bed phosphate–pyrite mixtures
Idaho Chemical Processing Plant
See ICPP process
Ilico NR-2 resin, ruthenium removal from Purex wastes by, **6**(2): 44
Ilico TM-1 resin, ruthenium sorption from Purex wastes, **6**(3): 40
Illite, cesium adsorption from water, **6**(4): 40
Illium-R alloy, electrolytic dissolution, **4**(4): 10
Impregnated graphite
See Graphite (impregnated)
Incinerators, **4**(1): 51; **6**(2): 59
INCO-61 alloy, corrosion by fused salts, **6**(3): 20-2
Incoloy 804 alloy, corrosion, **5**(1): 43
by ARCO-process fluids, **4**(2): 54
by hydrofluoric acid–nitric acid systems, **4**(2): 52
by lead–lead chloride systems (fused), **4**(1): 40
Incoloy alloy, corrosion in Demonstrational High-Temperature Solids Storage System, **4**(3): 43
Inconel alloy, corrosion, **5**(1): 36; **5**(2): 18, 23-4
by carbon tetrachloride, **4**(2): 54
by chlorine–hydrogen fluoride systems, **4**(3): 43
in Demonstrational High-Temperature Solids Storage System, **4**(3): 43
in dry halogenation process, **6**(4): 17-18
by fluoride-volatility process fluids, **4**(4): 31
by Fluorox-process fluids, **4**(2): 53
by hydrogen chloride–hydrogen fluoride systems, **4**(3): 43
by hydrogen fluoride–nitrogen dioxide systems, **4**(2): 54; **4**(3): 25-6
by nitric acid (electrolytic), **4**(1): 39
during waste calcination, **6**(4): 51
high-temperature oxidation, **4**(3): 43-4
Inconel 600 alloy, evaluation as crucible material, **5**(4): 63
Inconel X alloy, corrosion, by ARCO-process fluids, **4**(2): 54
by lead–lead chloride systems (fused), **4**(1): 40
electrolytic dissolution, **4**(4): 10
high-temperature oxidation, **4**(3): 43-4
Indane, chemical stability, **4**(4): 13-15
radiolysis, **4**(4): 13-15
Indian Point Power Reactor
See Reactors (Indian Point Power)
Indium (liquid), solvent properties, **5**(3): 29
Indium-uranium alloys
See Uranium-indium alloys
Industrial Reprocessing Group, proposal for privately owned processing plant, **4**(2): 1
Industrial Waste Disposal Corporation, waste-disposal license, **4**(1): 4
Inert gases
See also Argon, Helium, Krypton, Neon, and Xenon
removal, from aluminum dissolver solutions, **4**(4): 9
during oxidation-reduction process for uranium dioxide, **5**(4): 49
Injection casting, Experimental Breeder Reactor (EBR-II) fuel rods, **6**(2): 29
INOR-1 alloy, corrosion, **5**(2): 23, 24

INOR-2 alloy, composition, 4(4): 32
corrosion by fluoride-volatility process fluids, 4(4): 31
INOR-8 alloy, composition, 4(4): 32
corrosion, 5(1): 26, 32, 33; 5(2): 17, 23-4; 5(3): 23; 5(4): 31-2
by fluoride-volatility process liquids, 4(1): 27-8; 4(4): 31
by fused salts, 5(4): 31; 6(3): 20-22
by hydrogen fluoride–nitrogen dioxide systems, 4(2): 54
by lithium fluoride–sodium fluoride systems (fused), 4(3): 43
by nitric acid, 6(1): 17
by sodium fluoride–zirconium fluoride systems (fused), 4(3): 43
Instrumentation, 4(1): 41-2; 5(4): 17-19
conductance analyzer, 6(3): 8-9
densimeters, 5(1): 17-18; 5(4): 49
flowmeters, 5(4): 18-19; 6(1): 11-12
interfacial velocity meters, 5(3): 13-14
mass-transfer determinations, 5(3): 13-14
pressure gauges, 5(1): 18
Purex process, 5(2): 13
radiation monitors, in-stream, 4(3): 22
salt-cycle process, 5(4): 49
Insulation, nitric acid effects, 5(4): 23
radiation effects, 5(4): 23
Insurance indemnity, fuel-processing plants, 4(3): 2-3
Intermetallic compounds
See also specific intermetallics by name of constituent metals, e.g., Calcium-lanthanum intermetallic compounds and Cerium-lanthanum intermetallic compounds
dispersion in liquid lead, 6(3): 28
nonstoichiometry studies, 6(4): 28
thermodynamic properties, 5(2): 29-30; 5(4): 39-40
Iodine, removal, 5(2): 7
by fluoride-volatility processes, 4(4): 35-6
by melt-refining process, 4(1): 31; 4(2): 42; 4(3): 32; 4(4): 38; 5(4): 36; 6(4): 24-5
from Purex wastes by steam stripping, 5(2): 48
by salt-cycle process, 4(2): 43
by skull reclamation process, 4(3): 36
during uranium dioxide oxidation, 5(4): 34-5, 49; 6(2): 27
during uranium monocarbide oxidation, 6(2): 27
during uranium tetrafluoride oxidation, 6(2): 27
Iodine-131, removal by Purex process, 4(3): 11, 12
sale by Abbott Laboratories, 4(1): 3
Iodine fluorides (IF_5), properties, 5(4): 35
Ion exchange, 4(1): 23-7; 4(2): 33-5, 63-4; 4(3): 23-4, 49; 4(4): 16-18, 59; 5(1): 16-17, 51-2, 57-9; 5(2): 48-51; 5(3): 44-6; 5(4): 16, 56-8; 6(1): 11, 44-6; 6(2): 41-4; 6(3): 39-41; 6(4): 39-41, 50
See also ion-exchange materials, e.g., specific minerals and resins; materials being recovered
actinide-element separation by, 4(2): 34
americium separation from europium by gel-liquid extraction, 6(1): 11
cerium removal from Purex wastes, 6(1): 45-6
cerium separation, 4(2): 34; 6(3): 39-40
cesium recovery, 5(2): 56-7; 6(1): 51-2; 6(4): 49-50
from Butex wastes, 6(4): 50
clays, literature survey, 6(2): 59
clinoptilolite efficiency, 4(2): 64, 69
column development, 4(1): 25-6; 4(3): 23
dibutyl phosphoric acid removal, 5(4): 15-16
fission-product removal, 5(1): 16-17; 5(2): 56; 6(1): 51-2
Homogeneous Reactor Experiment II fuel processing, 4(4): 26
mixed columns of natural organic materials, 5(2): 51
Np^{237} recovery, 5(2): 55
plutonium oxide–uranium oxide fuel processing, 6(2): 2-3
plutonium removal, 5(3): 64-5, 69-70
promethium separation from americium, 6(1): 54
Purex-waste treatment, 5(2): 55; 6(1): 45-6, 51-2; 6(3): 44-5; 6(4): 49-50
strontium recovery, 5(2): 49, 55; 6(1): 45-6
Tc^{99} extraction, 5(2): 56
thorium, 6(4): 9
uranium recovery, 5(2): 61; 6(4): 9
uranyl sulfate with Dowex 21K, 6(1): 11
waste-processing applications, 4(2): 63-4; 4(3): 49, 51-2, 55-6; 4(4): 59; 5(1): 51, 52; 5(2): 48-51, 55; 5(3): 44-6; 5(4): 56-8; 6(1): 44-6; 6(2): 41-4, 54-8; 6(3): 39-41, 44-5; 6(4): 39-40
Iridium, solubility in liquid bismuth, 5(1): 39
Iridium fluorides (IrF_6), physical constants, 4(3): 29
Iridium-platinum alloys, compatibility with molten phosphate glass, 5(2): 47
Iron, adsorption, on Dowex 1 resin, 4(4): 17
on Dowex 21K resin, 4(4): 17
complexing with ethylenediaminetetraacetic acid, 5(2): 56
corrosion by uranium hexafluoride, 6(4): 21
distribution coefficients in magnesium-zinc alloys–magnesium chloride systems, 6(3): 26, 28
recovery from fission products, 4(3): 51
removal by melt refining, 4(4): 38
solubility, 4(4): 39; 5(2): 10; 5(3): 29; 6(4): 29
Iron alloys
See also Chlorimet-2 alloy, Hastelloy B alloy, Hastelloy C alloy, Inconel alloy, INOR-8 alloy, Monel alloy, QH-76 alloy, QH-87 alloy, Stainless steels, Steels, Waspalloy alloy, and iron alloys by constituents, e.g., Iron-molybdenum-nickel alloys
corrosion, 5(1): 43
by potassium chloride–sodium chloride systems (fused), 4(2): 54; 4(3): 42
Iron-aluminum alloys
See Aluminum-iron alloys
Iron (Fe^{3+}) butyl phosphate, solubility in TBP solutions, 4(4): 15-16
Iron-chromium-cobalt-nickel alloys
See Chromium-cobalt-iron-nickel alloys
Iron fluorides, complexing with uranium fluorides, 5(3): 27
Iron ions, effect on uranium oxide oxidation, 5(2): 61
Iron-molybdenum-nickel alloys, corrosion, 5(4): 31-2
Iron-molybdenum-nickel-vanadium alloys, corrosion, 5(4): 31-2
Iron-nickel-vanadium alloys, corrosion, 5(4): 31-2
Iron nitrates [$Fe(NO_3)_3$], molybdenum oxide dissolution, 6(1): 6-7
Iron nitrates [$Fe(NO_3)_3$]–nitric acid systems, corrosive effects, 4(2): 18, 49; 4(4): 22-4
solvent properties, 4(1): 15-16; 4(2): 18
Iron oxides, strontium removal from waste solutions using, 5(2): 49
Iron-plutonium alloys
See Plutonium-iron alloys
Iron-plutonium alloys (liquid)
See Plutonium-iron alloys (liquid)
Isopropyl alcohol, solvent use in thorium oxide production, 5(2): 69
Isotopes
See Fission products, Radioisotopes, and specific isotopes by name, e.g., Cesium-137 and Strontium-90
Isotopes Specialties Division, Nuclear Corporation of America, waste-disposal license, 4(1): 4
Italy
See also CNEN
commercial Thorex-process plant, 4(3): 2
fuel-processing plants, 6(2): 2

J

Japan Atomic Fuel Corporation, fuel-processing plant, 6(2): 2; 6(4): 3
design for ion-exchange applications, 4(4): 19-20

K

Kanthal A1 alloy, electrolytic dissolution, 4(4): 10
Kanthal D alloy, electrolytic dissolution, 4(4): 10
Kaolinite, cesium adsorption from water, 6(4): 40
strontium removal by, 5(2): 49
Kel-F plastic, radiation effects, 5(3): 17
Kelley (O. G.), and Company, fuel-element shipping, 6(1): 4
Kerosene, diluent use in tributyl phosphate extraction processes, 5(4): 15; 6(1): 8
radiolysis, 4(1): 21; 4(2): 26-7; 4(3): 19
Knapp Mills, fuel-element shipping, 6(1): 4
Krypton, removal, by melt-refining process, 4(1): 31-2; 4(2): 42; 4(4): 38; 5(2): 29; 5(4): 36-8
by salt-cycle process, 4(2): 43
from wastes, 4(4): 63-4
solubility, 5(3): 29
Krypton-85, release from irradiated uranium during thermal cycling, 5(4): 37, 40
Krypton-xenon systems, release during oxidation of uranium dioxide, 5(4): 34-5
Kynar plastic, 5(4): 23
corrosion, radiation effects, 5(3): 17; 6(4): 13-14

L

L-nickel alloy, composition, 4(4): 32
corrosion by fused salts, 4(4): 31; 5(3): 23; 5(4): 31
Lamont Geological Observatory
See Columbia University, Lamont Geological Observatory
LAMPRE
See Reactors (Los Alamos Molten-Plutonium, Experiment) (LAMPRE)
Lanthanide elements
See Rare earths and the specific elements by name
Lanthanides
See Rare earths and specific elements by name
Lanthanum, coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
removal, 5(3): 28
by chloride-volatility processes, 4(4): 35
by liquid aluminum-cadmium system, 5(4): 41-2
by liquid-metal extraction, 4(3): 39
with M2EHPA, 4(2): 25-6
by melt refining, 4(3): 32; 4(4): 38
solubility, 5(3): 31
in liquid bismuth, 6(1): 29

Lanthanum, solubility (Continued)
in magnesium-silver alloys (liquid), 4(1): 37
in mercury, 4(4): 39
Lanthanum (liquid), density, 5(2): 30; 5(3): 30
plutonium extraction from uranium by, 6(1): 33
viscosity, 5(1): 41
Lanthanum-cadmium alloys
See Cadmium-lanthanum alloys
Lanthanum-calcium intermetallic compounds
See Calcium-lanthanum intermetallic compounds
Lanthanum-cerium intermetallic compounds
See Cerium-lanthanum intermetallic compounds
Lantnanum chloride–hydrochloric acid–hydrogen peroxide systems
See Hydrochloric acid–hydrogen peroxide–lanthanum chloride systems
Lanthanum fluoride, solubility in fluoride-volatility process fluids, 4(1): 29
Lanthanum oxide–barium oxide–beryllium oxide systems
See Barium oxide–beryllium oxide–lanthanum oxide systems
Lanthanum oxide–beryllium oxide–calcium oxide systems
See Beryllium oxide–calcium oxide–lanthanum oxide systems
Lanthanum oxide–beryllium oxide–strontium oxide systems
See Beryllium oxide–lanthanum oxide–strontium oxide systems
Lanthanum oxide–beryllium oxide systems
See Beryllium oxide–lanthanum oxide systems
Lanthanum-zinc intermetallic compounds, phase diagram, 6(1): 31
Laws
See Regulations
LCNA alloy, corrosion, 5(1): 25-6; 5(2): 16-17; 5(4): 27-8; 6(1): 17
Leaching
See also as subheading under specific materials
calcined wastes, 5(4): 58
ceramic sponges containing radioisotopes, 5(4): 64
granitic rock for thorium recovery, 5(4): 83-4
uranium from ores, 5(4): 72; 6(1): 55-6
Lead (liquid), dispersion of intermetallic compounds in, 6(3): 28
solvent properties, 4(2): 47
Lead-bismuth alloys (liquid)
See Bismuth-lead alloys (liquid)
Lead chloride (liquid), solvent properties, 4(1): 13; 4(2): 13-14; 4(3): 10, 33; 4(4): 11; 5(1): 43-4; 5(2): 7
Lead chloride–cadmium chloride systems
See Cadmium chloride–lead chloride systems
Lead chloride (liquid)–chlorine systems
See Chlorine–lead chloride (liquid) systems
Lead chloride–lead systems (liquid)
See Lead–lead chloride systems (liquid)
Lead chloride–potassium chloride systems (liquid), solvent properties, 5(1): 44-5; 5(2): 34
Lead–lead chloride systems (liquid), corrosive effects, 4(1): 40; 5(1): 43-4
Lead oxides, flux use in waste calcination, 5(2): 43
strontium removal from waste solutions using, 5(2): 49
Lead-thorium intermetallic compounds
See Thorium-lead intermetallic compounds
Lead-uranium alloys
See Uranium-lead alloys
Lead-uranium intermetallic compounds
See Uranium-lead intermetallic compounds
Lead-zinc alloys, phase diagrams, 5(3): 29
Lead-zinc alloys (liquid), distribution coefficients of various metals in, 4(4): 40; 5(2): 30-1
solvent-extraction applications, 5(1): 40
solvent properties, 4(3): 38
Lectures, solvent-extraction processes, 5(3): 12
Legislation, fuel-element shipping, 5(1): 1-2
Licenses, regulations, 4(3): 2-3; 4(4): 4
waste disposal, 4(1): 3-4; 4(2): 4
Light bulbs, for melt-refining process use, 4(2): 39
Lignite, radioisotope sorption by, 5(2): 51
Lignite-peat mixtures
See Peat-lignite mixtures
Lignite-vermiculite mixtures, sorption-column use, 5(2): 51
Lime-soda softening process, waste-disposal use, 5(1): 51
Limonite, strontium sorption from wastes, 6(3): 40
Linde 4A molecular sieve, strontium adsorption, 4(2): 72
Linde 4A zeolite, strontium recovery from wastes using, 6(3): 44-5
Linde AW-400 resin, cesium removal from Purex wastes by, 6(2): 57
Liquid-liquid extraction processes
See Solvent extraction processes
Liquid-metal extraction processes, 4(1): 35-7; 4(2): 44-8; 4(3): 34-9; 5(1): 39-42; 5(2): 29-32; 5(3): 32-3; 5(4): 41-2; 6(1): 29-34; 6(2): 31-3; 6(3): 28-9; 6(4): 27-8
See also Liquid-metal–fused-salt extraction processes
alloy-eutectic system, 5(2): 30-1
barium removal, 4(3): 39
cerium removal, 4(3): 39
flow sheets, 4(2): 45
lead-zinc system, 5(2): 30-1
magnesium-zinc system, 5(2): 32
melt-refining skull reclamation, 5(4): 43
uranium-plutonium separation, 5(4): 43; 6(3): 26-7
Liquid-Metal Fuel Reactor
See Reactor (Liquid-Metal Fuel) (LMFR)
Liquid-metal–fused-salt extraction processes, 4(1): 35; 4(2): 48; 4(3): 34-8; 4(4): 40-1, 43-7; 5(1): 41-3; 5(2): 32; 5(3): 34; 5(4): 43-5; 6(1): 32; 6(2): 30-1; 6(3): 26-8; 6(4): 25-7
alloy–fused-salt eutectic system, 5(2): 32; 5(4): 41, 43
chromium distribution coefficients in, 6(3): 26, 28
corrosion of construction materials, 5(2): 32-3
flow sheets, 4(4): 44
skull reclamation, 6(2): 30
Liquid-metal–fused-salt systems, oxidation-reduction reactions in, 4(4): 41-3; 5(4): 83
Liquid-metal systems
See also specific liquid metals, e.g., Bismuth (liquid) and Cadmium (liquid); specific liquid-metal systems, e.g., Bismuth-lead alloys (liquid) and Cadmium-magnesium alloys (liquid)
bibliographies, 4(4): 40; 5(4): 41
on corrosion, 6(4): 30
boiling points, review, 5(2): 30
condensers for, 4(4): 49
corrosion, 5(4): 46; 6(4): 30
conference, 6(1): 35-6
mechanism of, 6(1): 35
density measurement, methods, 6(1): 31
pumping, 6(3): 30-2
reaction with liquid salts, kinetics, 6(4): 28
reduction reactions in, 4(4): 42-3; 5(4): 42
review, 6(4): 30
solvent properties, 5(4): 42
Literature surveys
See Bibliographies
Lithium, coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
isotope separation by ion exchange, 4(2): 35
Lithium-6, adsorption on Dowex resins, 4(2): 35
Lithium-7, recovery, 5(3): 23
Lithium chloride, corrosive effects of solutions, 5(3): 19
Lithium chloride–barium chloride–magnesium fluoride systems
See Barium chloride–lithium chloride–magnesium fluoride systems
Lithium chloride–calcium chloride–potassium chloride systems
See Calcium chloride–lithium chloride–potassium chloride systems
Lithium chloride–hydrochloric acid–hydrogen peroxide systems
See Hydrochloric acid–hydrogen peroxide–lithium chloride systems
Lithium chloride–hydrochloric acid–oxygen systems
See Hydrochloric acid–lithium chloride–oxygen systems
Lithium chloride–magnesium chloride–magnesium fluoride systems (liquid), solvent properties, 5(1): 45
Lithium chloride–magnesium chloride–potassium chloride systems (liquid), solvent properties, 5(3): 30-1
Lithium chloride–potassium chloride–calcium chloride systems (liquid)
See Calcium chloride–lithium chloride–potassium chloride systems (liquid)
Lithium chloride–potassium chloride systems (liquid), electrolytic reduction bath, 5(2): 36, 67-8
handling, 4(3): 24
solvent properties, 5(4): 48
uranium electrochemical behavior in, 4(1): 37
uranium dioxide dissolution in, 5(2): 34
Lithium chloride–potassium chloride–zinc chloride systems (liquid), reactions with uranium carbides, 5(1): 47
Lithium fluoride–beryllium fluoride–sodium fluoride systems (liquid)
See Beryllium fluoride–lithium fluoride–sodium fluoride systems (liquid)
Lithium fluoride–beryllium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
See Beryllium fluoride–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Lithium fluoride–beryllium fluoride–thorium fluoride–uranium fluorides (UF_4) systems (liquid)
See Uranium fluorides (UF_4)–thorium fluoride–beryllium fluoride–lithium fluoride systems (liquid)
Lithium fluoride–potassium fluoride–sodium fluoride systems (liquid), corrosive effects, 4(1): 28-9; 4(3): 43
Lithium fluoride–potassium fluoride–sodium fluoride–uranium fluorides (UF_4)–zirconium fluoride systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride–sodium fluoride–zirconium fluoride systems (liquid)

Lithium fluoride–potassium fluoride–uranium fluorides (UF_4) systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride systems (liquid)
Lithium fluoride–sodium fluoride–uranium fluorides (UF_4)–zirconium fluoride systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid), corrosive effects, **5**(3): 23; **5**(4): 31; **6**(3): 22
plutonium removal by fluorination, **6**(2): 22; **6**(3): 22
review of properties, **5**(2): 30
uranium-zirconium fuel processing, **5**(1): 30-5; **5**(3): 23; **6**(1): 21-5; **6**(3): 19-22
LMFR
See Reactors (Liquid-Metal Fuel) (LMFR)
Los Alamos Molten-Plutonium Reactor Experiment
See Reactors (Los Alamos Molten-Plutonium, Experiment) (LAMPRE)
Low-decontamination oxidation-reduction process, **5**(2): 35
Lutetium, removal, **5**(3): 28
solubility, **4**(3): 34-5; **5**(1): 39; **5**(3): 31

M

Magnesia
See Magnesium oxide
Magnesium, plutonium extraction, **6**(3): 27-8
properties, **4**(4): 49
reduction of uranium tetrafluoride to uranium, **5**(2): 66-7
solubility in liquid-metal systems, **5**(1): 39; **5**(4): 42
thorium chloride reduction, **6**(1): 33
thorium extraction, **4**(4): 46-7
uranium extraction, **4**(4): 46-7
Magnesium (liquid), solvent properties, **4**(2): 47; **5**(1): 42; **5**(4): 43
Magnesium alloys (liquid), corrosive effects, **5**(1): 43
Magnesium-bismuth-cerium-zirconium alloys (liquid)
See Bismuth-cerium-magnesium-zirconium alloys (liquid)
Magnesium-bismuth-samarium alloys
See Bismuth-magnesium-samarium alloys
Magnesium-bismuth-zirconium alloys (liquid)
See Bismuth-magnesium-zirconium alloys (liquid)
Magnesium-cadmium alloys
See Cadmium-magnesium alloys
Magnesium-cadmium-uranium alloys
See Uranium-cadmium-magnesium alloys
Magnesium-cadmium-zinc alloys (liquid)
See Cadmium-magnesium-zinc alloys (liquid)
Magnesium-cerium alloys (liquid)
See Cerium-magnesium alloys (liquid)
Magnesium-cerium-plutonium alloys (liquid)
See Plutonium-cerium-magnesium alloys (liquid)
Magnesium chloride (liquid), solvent properties, **5**(3): 31
Magnesium chloride–lithium chloride–potassium chloride systems (liquid)
See Lithium chloride–magnesium chloride–potassium chloride systems (liquid)
Magnesium chloride–magnesium fluoride–lithium chloride systems (liquid)
See Lithium chloride–magnesium chloride–magnesium fluoride systems (liquid)
Magnesium chloride–magnesium-zinc alloy systems (liquid)
See Magnesium-zinc alloy–magnesium chloride systems (liquid)
Magnesium chloride–potassium chloride–sodium chloride systems (liquid), corrosive effects, **4**(4): 47
reactions with bismuth-magnesium-samarium alloys, **4**(3): 39
solvent properties, **5**(1): 44; **5**(3): 31
uranium electrochemical behavior in, **4**(1): 37
Magnesium chloride–potassium chloride systems (liquid), solvent-extraction applications, **5**(1): 44
solvent properties, **5**(2): 34
Magnesium fluoride, technetium removal from uranium hexafluoride by sorption on, **6**(3): 22-3
Magnesium fluoride–barium chloride–lithium chloride systems (liquid)
See Barium chloride–lithium chloride–magnesium fluoride systems (liquid)
Magnesium fluoride–magnesium chloride–lithium chloride systems (liquid)
See Lithium chloride–magnesium chloride–magnesium fluoride systems (liquid)
Magnesium fluoride slag, uranium recovery from, **4**(4): 76-7; **6**(1): 64
Magnesium oxide, coating of uranium dioxide, **5**(2): 63; **6**(1): 59
Magnesium-silver alloys (liquid), solvent properties, **4**(1): 37; **4**(2): 47; **4**(3): 38-9; **5**(4): 41-5
Magnesium-thorium alloys
See Thorium-magnesium alloys
Magnesium-thorium alloys (liquid)
See Thorium-magnesium alloys (liquid)
Magnesium-uranium-zinc alloys (liquid)
See Uranium-magnesium-zinc alloys (liquid)
Magnesium-zinc alloy–magnesium chloride systems (liquid), distribution coefficients of various metals, **6**(1): 32; **6**(3): 26, 28
Magnesium-zinc alloys (liquid), **4**(2): 55-6
corrosive effects, **4**(2): 46, 55-6; **4**(4): 47-8; **5**(2): 33
plutonium extraction, **4**(4): 46
reduction, of fluorides, **4**(3): 37
of thorium oxide, **5**(1): 41; **5**(4): 84
of uranium tritaoctoxide, **5**(1): 40-1
solvent properties, **4**(1): 36; **4**(2): 46; **4**(3): 37; **5**(2): 29-30; **5**(3): 30-1
uranium-carbon reactions in, **5**(2): 66
uranium-silicon reactions in, **5**(2): 66
Magnesium-zirconium alloys, preparation by zirconium tetrachloride reduction, **6**(1): 33
Maintenance, direct and remote, **5**(4): 19-20
effect of number of failures on remedial course, **5**(4): 20
Manganese-56, removal from Hanford reactor coolant by aluminum shavings, **5**(4): 57
Manganese alloys
See also Cupronickel alloy, Hastelloy B alloy, Inconel alloy, Monel alloy, and manganese alloys by constituents, e.g., Uranium-manganese alloys
Manganese chloride–copper chloride ($CuCl_2$)–hydrofluoric acid–hydrogen peroxide systems
See Copper chloride ($CuCl_2$)–hydrofluoric acid–hydrogen peroxide–manganese chloride systems
Manganese oxides (MnO_2), fission-product removal from fuel solutions using, **5**(4): 12
Manganese oxides (MnO_2)–potassium permanganate systems, metal precipitations in, **4**(1): 17-18
Manganese-plutonium-uranium alloys (liquid)
See Plutonium-uranium-manganese alloys (liquid)
Manganese-uranium alloys (liquid)
See Uranium-manganese alloys (liquid)
Manipulators, for melt-refining process, **4**(2): 41
Manuals, **5**(1): 73
Maritime Gas-Cooled Reactor
See Reactors (Maritime Gas-Cooled) (MGCR)
Marlex polyethylene, **5**(2): 19; **5**(3): 17; **5**(4): 23; **6**(4): 13-14
Martin Company, fuel-processing plant proposal, **4**(1): 3
radioactive materials laboratory, **4**(3): 2-3
Mass transfer, instrumentation, **5**(3): 13-14
Materials of construction
See Construction materials and specific materials by name, e.g., Stainless steels and Titanium
Materials Testing Reactor
See Reactor (Materials Testing) (MTR)
Meetings
See Conferences
M2EHPA
See Phosphoric acid, mono-2-ethylhexyl-
Melamine plastics, corrosion, **5**(2): 19
Melt-refining processes, **4**(1): 30-5; **4**(2): 39-44; **4**(3): 31-2; **4**(4): 37-8; **5**(1): 38-9; **5**(2): 28-9; **5**(3): 27-9; **5**(4): 36-9; **6**(1): 28-9; **6**(2): 28-30; **6**(3): 25; **6**(4): 23-5
chromium removal, **4**(4): 38
electron-beam melting, **6**(2): 30
skull reclamation, **5**(4): 43-4; **6**(1): 34; **6**(2): 30; **6**(3): 26; **6**(4): 26
Melting point, beryllium oxide fluxes, **5**(1): 38
liquid metals, review of, **5**(2): 30
platinum hexafluoride, **5**(2): 27
technetium hexafluoride, **5**(2): 27
Mendelevium, distribution coefficient in nitric acid–tributyl phosphate system, **6**(4): 8
Mepasin solvent, radiolysis, **4**(3): 19
Mercury, corrosive effects, **5**(3): 33; **6**(4): 29
solvent properties, **4**(4): 39; **5**(3): 29; **6**(4): 29
Mercury (gaseous), corrosive effects, **5**(3): 33
Mercury–mercury chloride ($HgCl_2$) systems, thermodynamic properties, **4**(4): 39
Mercury chloride ($HgCl_2$) solutions, solvent properties, **5**(3): 6
Mercury Corrosion Loop Testing Program, **6**(1): 35
Mercury nitrate [$Hg(NO_3)_2$]–ammonium fluoride–nitric acid systems
See Ammonium fluoride–mercury nitrate [$Hg(NO_3)_2$]–nitric acid systems
Mercury nitrate [$Hg(NO_3)_2$]–nitric acid–hydrofluoric acid systems
See Nitric acid–mercury nitrate [$Hg(NO_3)_2$]–hydrofluoric acid systems
Mercury nitrate [$Hg(NO_3)_2$]–nitric acid systems
See Nitric acid–mercury nitrate [$Hg(NO_3)_2$] systems
Mercury-uranium alloys
See Uranium-mercury alloys
Metal-salt systems (liquid)
See Liquid-metal–fused-salt systems
Metals (liquid)
See Liquid-metal systems and specific liquid metals, e.g., Bismuth (liquid) and Cadmium (liquid)
Metals (refractory)
See Refractory metals
Metasomatic replacement
See Replacement reactions
Methane, reaction with uranium hydride to produce uranium carbide, **5**(2): 64
Methane–carbon tetrachloride–chlorine systems
See Carbon tetrachloride–chlorine–methane systems

Methane–carbon tetrachloride systems
See Carbon tetrachloride–methane systems
Methane, tribromo-, diluent use in tributyl phosphate extraction processes, **6**(1): 8
Methane, trichloro-, diluent use in tributyl phosphate extraction processes, **6**(1): 8
Methyl isobutyl ketone processes
See Redox process
MGCR
See Reactors (Maritime Gas-Cooled) (MGCR)
Micro Pilot Plant, **4**(2): 68-9; **6**(2): 44
Minerals
See also specific minerals, e.g., Calcite and Fluorite
P^{32} removal from waste by, **5**(4): 57
Sr^{90} sorption by, **5**(2): 49; **5**(4): 66
waste adsorption, **4**(4): 61-2; **5**(2): 48-9
Mines, waste disposal in, **5**(1): 59-61; **5**(2): 51-2; **5**(3): 55-6; **5**(4): 65-6; **6**(1): 49-51; **6**(2): 53; **6**(3): 43
Mixer-settlers, centrifugal, **5**(4): 2-3
design, **5**(2): 14-15; **5**(3): 12
for Dapex process, **4**(1): 23
Mol, Belgium, fractional sublimation work, **5**(2): 26
Molten-salt converter reactors
See Reactors (molten-salt converter)
Molten-Salt Reactor Experiment
See Reactor (Molten-Salt, Experiment) (MSRE)
Molybdenum, coating of uranium dioxide, **4**(4): 71; **6**(1): 59
corrosion, **5**(2): 23; **5**(3): 33
by bismuth-chloride systems (liquid), **4**(4): 47
by magnesium-zinc alloys (liquid), **4**(2): 55-6
by zinc (liquid), **4**(2): 55-6
removal, **5**(1): 31, 41; **5**(2): 22; **5**(3): 28
difficulties using melt-refining process, **5**(2): 29
by fluoride-volatility processes, **4**(4): 35-6
by liquid-metal–fused-salt extraction, **4**(4): 45
by melt-refining process, **4**(1): 31; **4**(2): 42
by skull reclamation process, **4**(3): 36
from uranium by zone melting, **6**(3): 28
from uranium-molybdenum alloy, **6**(4): 7
solubility, in liquid bismuth, **6**(1): 29
in liquid mercury, **4**(4): 39
in liquid zinc, **5**(2): 29
Molybdenum (tungsten-coated), thermal cycling, **5**(2): 33
Molybdenum alloys
See Chlorimet-2 alloy, Hastelloy B alloy, Hastelloy C alloy, INOR-8 alloy, QH-76 alloy, QH-87 alloy, Waspalloy alloy, and molybdenum alloys by constituents, e.g., Molybdenum-tungsten alloys
Molybdenum chlorides, volatility, **5**(1): 45
Molybdenum fluorides, nuclear magnetic resonance spectra, **4**(3): 30
physical constants, **4**(3): 29
reactions, with nitrogen dioxide, **4**(4): 36
with nitrogen oxyhalides, **4**(4): 36
Molybdenum fluorides (MoF_5), preparation and properties, **6**(3): 23
Molybdenum fluorides (MoF_6), reactions with nitrogen oxides, **6**(1): 27; **6**(3): 24
Molybdenum-iron-nickel alloys
See Iron-molybdenum-nickel alloys
Molybdenum-iron-nickel-vanadium alloys
See Iron-molybdenum-nickel-vanadium alloys
Molybdenum-nickel alloys, corrosion, **5**(4): 31-2
Molybdenum oxides (MoO_3), dissolution, in ferric nitrate, **6**(1): 6-7
in nitric acid, **6**(1): 6
in uranyl nitrate, **6**(1): 6-7
radiation effects on sublimation rate, **5**(2): 38
Molybdenum oxyfluoride, physical constants, **4**(3): 29
Molybdenum-tungsten alloys, compatibility with liquid metals and alloys, **5**(2): 33
corrosion, in skull reclamation process, **6**(1): 34
by zinc-halide flux system, **6**(4): 26
Molybdenum-uranium alloys
See Uranium-molybdenum alloys
Molybdenum-uranium alloys (aluminum-clad)
See Uranium-molybdenum alloys (aluminum-clad)
Molybdenum-uranium alloys (Zircaloy-clad)
See Uranium-molybdenum alloys (Zircaloy-clad)
Monazite, chlorination, **5**(2): 68
Monel alloy, corrosion, **5**(2): 22-3, 24; **5**(3): 15-17, 22; **5**(4): 30; **6**(3): 14-15
by bismuth-lead alloys (liquid), **4**(3): 39
by citric acid, **4**(4): 25
in dry halogenation process, **6**(4): 17-18
by hydrochloric acid solutions, **6**(1): 19
by hydrofluoric acid, **6**(2): 15
by hydrofluoric acid–hydrogen peroxide systems, **5**(4): 23-4
by hydrofluoric acid–nitric acid systems, **4**(2): 52; **6**(2): 15
by hydrogen fluoride–nitrogen dioxide systems, **4**(2): 54; **4**(3): 25-6
by nitric acid, **4**(4): 25
by nitric acid–periodic acid systems, **4**(4): 25
by nitric acid–sodium fluoride systems, **4**(4): 25
by oxalic acid, **4**(4): 25
by phosphoric acid, **4**(4): 25
by sodium hydroxide–tartaric acid systems, **4**(4): 25
by Turco 4501 solvent, **4**(4): 25
by Turco 4502 solvent, **4**(4): 25
Montmorillonite, cesium adsorption from water, **6**(4): 40
solidification of liquid wastes with, **4**(1): 46
strontium removal by, **5**(2): 49
MSRE
See Reactor (Molten-Salt, Experiment) (MSRE)
MTR
See Reactor (Materials Testing) (MTR)
Mullite (tungsten-coated), thermal cycling, **5**(2): 33
Multicurie Fission-Product Pilot Plant, **4**(1): 3

N

NaK
See Potassium-sodium alloys
Nalcite WBR, ruthenium removal from Purex wastes, **6**(3): 40
Naphthalene, decahydro-, chemical stability, **4**(4): 13-15
radiolysis, **4**(4): 13-15
Naphthalene, tetrahydro-, chemical stability, **4**(4): 13-15
radiolysis, **4**(4): 13-15
National Academy of Sciences, biological effects of radiation, survey, **4**(4): 57
National Lead Company, fuel-element shipping, **6**(1): 4
uranium recovery from ores, **6**(1): 56
National Reactor Testing Station, Fuel-Cycle Facility, **6**(3): 25
waste-disposal, **4**(3): 50-1; **4**(4): 59-61; **5**(3): 43
Naval Industrial Reserve Shipyard, Kearny, N. J., waste-disposal license, **4**(1): 4
Neodymium, removal, **5**(2): 22; **5**(3): 28
by liquid-metal–fused-salt systems, **5**(4): 43; **6**(3): 26, 28
by Redox process, **5**(4): 13-14
solubility, **5**(3): 30-1
in liquid bismuth, **6**(1): 29
in liquid zinc, **4**(1): 36; **6**(3): 29
Neon, solubility in sodium fluoride–zirconium fluoride systems (fused), **4**(1): 29
Neptunium, ion exchange, **4**(3): 23
removal, **4**(4): 18-19; **5**(1): 17; **5**(3): 12-13
by liquid-metal–fused-salt systems, **6**(3): 26, 28
by melt refining, **4**(3): 32
from wastes, **4**(3): 54
Neptunium-237, recovery by ion exchange, **5**(2): 55-6
Neuflex process, flow sheet, **6**(1): 9
Neutron poisons
See Poisons (neutron)
Nevada Test Site, waste disposal, **5**(3): 43
New England Tank Cleaning Company, waste-disposal license, **4**(1): 4
New Production Reactor
See Reactor (New Production) (NPR)
New York State, nuclear by-product plant proposals, **4**(3): 1-2
waste-disposal site, **4**(4): 4
Nichrome alloy, electrolytic dissolution, **4**(4): 10; **5**(3): 9
Nichrome V alloy, corrosion, **5**(2): 17
by carbon tetrachloride, **4**(2): 54
by carbon tetrachloride–hydrogen chloride systems, **4**(1): 41
by nitric acid, **6**(1): 17
dissolution, **5**(1): 27; **5**(2): 8-10
Nichrome–nitric acid systems, analysis in dissolution processes, **6**(3): 8-9
Nichrome–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–Nichrome systems
Nickel, corrosion, **5**(1): 36; **5**(2): 17, 23; **5**(3): 27; **5**(4): 30
by bismuth (liquid), **4**(4): 48-9
by bismuth-lead alloys (liquid), **4**(3): 39
by chlorine–hydrogen fluoride systems, **4**(3): 43
in dry halogenation process, **6**(4): 17-18
by fluoride-volatility process fluids, **4**(1): 27-8
by fluorine, **6**(4): 20-1
by hydrogen chloride–hydrogen fluoride systems, **4**(3): 43
by hydrogen fluoride–nitrogen dioxide systems, **4**(1): 40; **4**(2): 54; **4**(3): 25-6
by potassium chloride–sodium chloride systems, **4**(1): 40
dissolution, **4**(2): 44-5; **5**(2): 10
gauze, catalytic use in uranyl-ion reduction, **5**(4): 73-4
recovery from fission products, **4**(3): 51
removal by melt refining, **4**(4): 38
Nickel 200 alloy, corrosion in Nitrofluor process, **6**(2): 21-2
Nickel 270 alloy, corrosion in Nitrofluor process, **6**(2): 21-2
Nickel alloys
See also Alloy 79-4, Alnico 2 alloy, Alnico 3 alloy, Alnico 3B alloy, Chlorimet-2 alloy, Corronel 230 alloy, Cupronickel alloy, Hastelloy B alloy, Hastelloy C alloy, Haynes 21 alloy, Haynes 25 alloy, Inconel alloy, INOR-8 alloy, LCNA alloy, L-nickel alloy, Monel alloy, Nichrome alloy, Nichrome V alloy, Nionel alloy, QA-18 alloy, QH-76 alloy, QH-87 alloy, Waspalloy alloy, and nickel alloys by constituents, e.g., Aluminum-nickel alloys

Nickel alloys (Continued)
corrosion, 4(4): 21-2; 5(1): 43
by potassium chloride–sodium chloride systems, 4(1): 40; 4(2): 54; 4(3): 42
reactions with fluorine, 4(3): 27
Nickel-aluminum alloys
See Aluminum-nickel alloys
Nickel-aluminum-plutonium alloys
See Plutonium-aluminum-nickel alloys
Nickel-aluminum-plutonium alloys (Zircaloy-4-clad)
See Plutonium-aluminum-nickel alloys (Zircaloy-4-clad)
Nickel-aluminum-plutonium-silicon alloys (aluminum-clad)
See Plutonium-aluminum-nickel-silicon alloys (aluminum-clad)
Nickel-aluminum-silicon alloys
See Aluminum-nickel-silicon alloys
Nickel-aluminum-silicon systems
See Aluminum-nickel-silicon systems
Nickel-chromium alloys
See Chromium-nickel alloys
Nickel-chromium-cobalt-iron alloys
See Chromium-cobalt-iron-nickel alloys
Nickel-cobalt alloys
See Cobalt-nickel alloys
Nickel ferrocyanide, cesium scavenging by, 5(2): 58; 6(2): 54-5
Nickel-iron-molybdenum alloys
See Iron-molybdenum-nickel alloys
Nickel-iron-molybdenum-vanadium alloys
See Iron-molybdenum-nickel-vanadium alloys
Nickel-iron-vanadium alloys
See Iron-nickel-vanadium alloys
Nickel-molybdenum alloys
See Molybdenum-nickel alloys
Niflex process, corrosion problems, 4(2): 49, 51-2; 4(3): 40; 4(4): 21, 23; 5(1): 26
Niobium, basket use in electrolytic dissolution process, 5(4): 8-9
coating uranium dioxide with, 4(4): 71; 6(1): 59
corrosion, 5(3): 16
by ARCO-process fluids, 4(2): 54; 4(3): 10
by hydrochloric acid–lithium chloride–oxygen systems, 6(1): 17
by hydrochloric acid–oxygen systems, 6(1): 17
by liquid plutonium-cerium-cobalt alloys, 6(4): 29
by lithium, effect of oxygen content, 6(1): 35
by nitric acid, 4(1): 39; 4(2): 49; 4(3): 41-2
by uranium-chromium alloys (liquid), 4(4): 48
by uranium-manganese alloys (liquid), 4(3): 44
hydrogen embrittlement, 6(3): 16
precipitation with barium fluozirconate, 4(2): 20
removal, 4(1): 17-18, 20; 4(2): 24; 4(3): 39; 4(4): 33, 35; 5(1): 11, 16-17, 57-8; 5(2): 11, 22, 48; 5(3): 12; 5(4): 12
solubility, 5(3): 6; 6(1): 10
in hydrogen fluoride–nitrogen dioxide systems, 4(3): 25
in liquid zinc, 5(2): 29
in magnesium-silver alloys, 4(1): 37
in mercury, 4(4): 39
Niobium-95, removal by fluoride-volatility process, 6(3): 19-20
Niobium-95–zirconium-95 systems, activity-level–particle-size relations, 5(4): 58
Niobium alloys, corrosion by potassium chloride–sodium chloride systems (liquid), 4(2): 54
Niobium 5V alloy, coating of uranium dioxide particles, 4(4): 71
Niobium carbides (NbC), corrosion by uranium-manganese alloys (liquid), 6(3): 30
Niobium oxides, thermodynamic properties, 4(4): 53
Niobium oxides (Nb_2O_5), chlorination, 5(4): 33
Niobium oxides (Nb_2O_5)–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–niobium oxides (Nb_2O_5) systems
Niobium-tungsten alloys, corrosion by nitric acid, 4(1): 39; 4(3): 41-2
Niobium-vanadium alloys, coating uranium dioxide with, 6(1): 59
Niobium-zirconium alloys, corrosion, 5(3): 33
by liquid sodium, 6(4): 29
by mercury at high temperatures, 6(4): 29
Nionel alloy, corrosion, 5(1): 26; 5(2): 18; 5(3): 17
by ammonium fluoride–ammonium nitrate systems, 5(4): 23; 6(3): 12
by Darex-process solutions, 4(4): 24
by ferric nitrate–nitric acid systems, 4(2): 49
by hydrogen fluoride–nitrogen dioxide systems, 4(2): 54
by nitric acid, 4(1): 39; 6(1): 17; 6(2): 17-18; 6(3): 11-12
by Sulfex-process solutions, 4(2): 49; 4(4): 24
by sulfuric acid, 4(1): 37-9; 6(2): 17-18, 6(3): 9-11
by Thorex-process solutions, 4(4): 24
by uranium dioxide core dissolvents, 4(4): 24
by Zirflex-process solutions, 4(4): 24; 6(2): 18; 6(4): 12
evaporation-vessel use, 5(2): 47
Nionel alloy (low-carbon)
See LCNA alloy
Nitric acid, corrosion, of borated stainless steel, 6(2): 18
of chromium, 4(1): 39
of Corronel 230, 6(1): 17
of Hastelloy F, 6(1): 17
inhibition, 5(3): 17-18
of INOR-8, 6(1): 17
of insulating materials, 5(4): 23
of LCNA alloy, 6(1): 17
of Nichrome V, 6(1): 17
of Nionel, 6(1): 17; 6(2): 17-18; 6(3): 11-12
of stainless steels, 5(4): 21-3; 6(2): 14-15; 6(4): 13
of titanium, 6(1): 17
corrosive effects, 4(1): 38-40; 4(2): 49-50, 52; 4(3): 41-2; 4(4): 22-5; 5(2): 17-19; 5(3): 19; 5(4): 24
extraction by tributyl phosphate, 6(4): 9
leaching, of impregnated graphite, 5(1): 12
of uranium, 4(1): 13, 17
of uranium dioxide–beryllium oxide systems, 5(1): 12-13
of uranium dioxide–stainless-steel cermets, 6(4): 7
molybdenum oxide dissolution, 6(1): 6
oxidation, of uranium dioxide, 6(2): 27
of uranium monocarbide, 6(2): 27
of uranium tetrafluoride, 6(2): 27
passivation of stainless steel, 6(2): 5
solvent properties, 4(1): 10, 15, 17; 4(2): 12-13, 15, 18-19; 4(3): 10-14, 20-2; 4(4): 11, 18-19; 5(1): 8-10; 5(2): 7-9; 5(3): 8-10; 5(4): 10; 6(1): 7; 6(2): 5-6; 6(3): 4
Nitric acid–aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–sodium borate ($Na_2B_4O_7$) systems
See Aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–sodium borate ($Na_2B_4O_7$) systems
Nitric acid–aluminum nitrate–hydrochloric acid systems
See Aluminum nitrate–hydrochloric acid–nitric acid systems
Nitric acid–aluminum nitrate–hydrofluoric acid systems
See Aluminum nitrate–hydrofluoric acid–nitric acid systems
Nitric acid–aluminum nitrate–sodium fluoride systems
See Aluminum nitrate–nitric acid–sodium fluoride systems
Nitric acid–aluminum nitrate–sodium nitrate systems
See Aluminum nitrate–nitric acid–sodium nitrate systems
Nitric acid–aluminum nitrate systems
See Aluminum nitrate–nitric acid systems
Nitric acid–ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid–hydrofluoric acid–nitric acid systems
See Ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid–hydrofluoric acid–nitric acid systems
Nitric acid–ammonium fluoride–mercury nitrate [$Hg(NO_3)_2$] systems
See Ammonium fluoride–mercury nitrate [$Hg(NO_3)_2$]–nitric acid systems
Nitric acid–fluoboric acid (HBF_4)–hydrochloric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems
See Fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems
Nitric acid–fluoboric acid (HBF_4) systems
See Fluoboric acid (HBF_4)–nitric acid systems
Nitric acid–graphite–hydrofluoric acid–uranium systems
See Uranium–graphite–hydrofluoric acid–nitric acid systems
Nitric acid–graphite systems
See Graphite–nitric acid systems
Nitric acid–hydrochloric acid dissolution–TBP extraction process, 6(1): 7
Nitric acid–hydrochloric acid–oxygen systems
See Hydrochloric acid–nitric acid–oxygen systems
Nitric acid–hydrochloric acid systems
See Hydrochloric acid–nitric acid systems
Nitric acid–hydrochloric acid–sulfuric acid systems
See Hydrochloric acid–nitric acid–sulfuric acid systems
Nitric acid–hydrochloric acid systems
See Hydrochloric acid–nitric acid systems
Nitric acid–hydrofluoric acid systems
See Hydrofluoric acid–nitric acid systems
Nitric acid–iron nitrate [$Fe(NO_3)_3$] systems
See Iron nitrate [$Fe(NO_3)_3$]–nitric acid systems
Nitric acid–mercury nitrate [$Hg(NO_3)_2$]–hydrofluoric acid systems, dissolution of aluminum-clad aluminum–plutonium alloys, 5(4): 11
Nitric acid–mercury nitrate [$Hg(NO_3)_2$] systems, dissolution, of aluminum, 5(4): 11; 6(1): 7; 6(4): 7-8
of PRTR fuel elements, 4(1): 14
of Zircaloy-4, 5(4): 11
solvent properties, 4(2): 17-18
Nitric acid–Nichrome systems
See Nichrome–nitric acid systems
Nitric acid–oxygen systems, corrosion, of Hastelloy C, 6(1): 17
of Zircaloy-2, 6(1): 17

Nitric acid–periodic acid systems, corrosive effects, **4**(4): 25
solvent properties, **4**(2): 18
Nitric acid–sodium fluoride–aluminum nitrate systems
See Aluminum nitrate–nitric acid–sodium fluoride systems
Nitric acid–sodium fluoride systems, corrosive effects, **4**(4): 25
solvent properties, **4**(2): 19
Nitric acid–sulfuric acid systems, corrosive effects, **5**(3): 18-19
fuel-element dissolution, **5**(1): 11-12
graphite dissolution, **4**(3): 14
leaching of uranium oxide–beryllium oxide systems, **5**(1): 12-13
solvent properties, **4**(2): 19
Nitric acid–thorium nitrate systems, uranium dissolution, **6**(1): 6
Nitric acid–tributyl phosphate systems, mendelevium distribution coefficient, **6**(4): 8
uranium distribution coefficients, **6**(1): 8
Nitric acid–uranyl nitrate hexahydrate–aluminum nitrate systems
See Uranyl nitrate hexahydrate–aluminum nitrate–nitric acid systems
Nitric acid–uranyl nitrate–tributyl phosphate systems
See Uranyl nitrate–nitric acid–tributyl phosphate systems
Nitridation, EBR-II declad fuel pins, **5**(4): 36
uranium carbides, **5**(1): 46; **5**(2): 36-7; **5**(4): 49-50
Nitrobenzene
See Benzene, nitro-
Nitrobenzene–dipicrylamine systems
See Amines, dipicryl-/nitrobenzene systems
Nitrofluor process, **4**(3): 25-6; **4**(4): 29-30; **5**(1): 29-30; **5**(2): 22-3; **5**(3): 22; **5**(4): 30-1; **6**(2): 5-6, 21-2; **6**(4): 15
corrosion problems, **4**(3): 25-6; **6**(2): 21-2
flow sheets, **4**(3): 26
Nitrogen–carbon tetrachloride systems
See Carbon tetrachloride–nitrogen systems
Nitrogen compounds, organo-, solvent properties, **4**(1): 20-1; **4**(2): 23-4; **4**(3): 18-19
Nitrogen oxides (NO)–hydrogen fluoride systems
See Hydrogen fluoride–nitrogen oxide (NO) systems
Nitrogen oxides (N_2O_3)–hydrofluoric acid systems
See Hydrofluoric acid–nitrogen oxide (N_2O_3) systems
Nitrogen oxides (NO_2), reaction with metal fluorides, **4**(4): 36; **6**(1): 27; **6**(3): 24
Nitrogen oxides (NO_2)–hydrogen fluoride systems
See Hydrogen fluoride–nitrogen oxide (NO_2) systems
Nitrogen oxides (NO_2)–nitrosyl chloride systems, dissolution of uranium, **5**(1): 29-30
Nitrogen oxides (NO_2), reaction with hexafluorides of molybdenum, tungsten, and uranium, **6**(1): 27
Nitrogen oxyhalides, reactions with metal fluorides, **4**(4): 36
Nitrosyl chloride–nitrogen oxides (NO_2) systems
See Nitrogen oxides (NO_2)–nitrosyl chloride systems
Nitrosyl fluoride–hydrofluoric acid systems
See Hydrofluoric acid–nitrosyl fluoride systems
Nitrosyl ruthenium nitrate, distribution coefficients between nitric acid and TBP, **6**(1): 8
Nitrosylium hexafluorouranate, conversion to uranium hexafluoride, **5**(3): 22; **5**(4): 30-1
preparation and properties, **6**(3): 24
uranium recovery from by volatilization, **6**(4): 15
uranium separation from, **6**(2): 21
Nitrosylium pentafluorotungstate, preparation and properties, **6**(3): 24
Nitrosylium pentafluoroxymolybdate, preparation and properties, **6**(3): 24
Nontronite, strontium removal by, **5**(2): 49
Norway, course on fuel elements for water-cooled reactors, **4**(3): 30
Nozzles, erosion in fluid-bed calcination process, **5**(2): 44
fused-salt atomization by, **5**(3): 23-4
NPR
See Reactor (New Production) (NPR)
N.S. *Savannah* Reactor
See Reactors (N.S. *Savannah*)
Nuclear-Chem Disposal Corporation, waste-disposal license, **4**(1): 3
Nuclear Engineering Company, Inc., waste disposal, **4**(1): 4; **4**(4): 4; **6**(1): 5; **6**(3): 2
Nuclear Fuel Services, Inc., **5**(3): 1; **5**(4): 1-2; **6**(2): 1; **6**(3): 1
economic aspects, **6**(1): 1-3; **6**(3): 1-2; **6**(4): 9
operating plans, **6**(4): 1-3
plant design, **6**(4): 9
waste storage, **6**(3): 1-2

O

Oak Ridge National Laboratory, explosion in Hot Pilot Plant, **4**(1): 6
Fluoride-Volatility Pilot Plant, **6**(3): 19-22
Multicurie Fission-Product Pilot Plant, **4**(1): 3
Power-Reactor Fuel-Processing Pilot Plant, **4**(2): 32-3
thorium-uranium fuel-cycle development, **6**(2): 1
waste treatment, **4**(2): 62-4; **4**(3): 48, 49-50, 53; **4**(4): 59, 60, 63-4; **6**(1): 44-5; **6**(3): 39-40; **6**(4): 39
Ocean disposal
See Waste processing and disposal
Ocean Transport Company, waste-disposal license, **4**(1): 1
Odogen, solvent properties, **4**(2): 24
Ohmic heating
See Heating
OMRE
See Reactors (Organic-Moderated, Experiment) (OMRE)
Optical emission spectroscopy
See Spectroscopy (optical emission)
Ores, thorium recovery, **6**(2): 69
Organic compounds
See also specific compounds by name
alkane reactions with uranium, **5**(2): 65-6
cobalt sorption by, **5**(2): 51
removal from Purex wastes by steam stripping, **5**(2): 48
Organic-Moderated Reactor Experiment
See Reactors (Organic-Moderated, Experiment) (OMRE)
Organonitrogen compounds
See Nitrogen compounds, organo-
Organophosphorus compounds
See Phosphorus compounds, organo-
Osmium, solubility, **5**(3): 29
in liquid bismuth, **5**(1): 39
Osmium fluorides, physical constants, **4**(3): 29
Oxalic acid, corrosive effects, **4**(4): 25
Oxidation, Alloy 79-4 at high temperatures, **5**(4): 31
beryllium chloride in oxide deposition process, **5**(2): 63
fission products, for removal from liquid-metal fuels, **5**(4): 45
uranium dioxide, **5**(1): 45-6; **6**(3): 52
fission-product release during, **5**(4): 34-5
uranium monocarbide, **5**(1): 46-7
Oxidation-reduction processes, **5**(2): 34-36; **5**(3): 37
activation of uranium oxides, **5**(2): 64-5; **5**(4): 34, 76-7
equilibria in uranium dioxide–uranium tritaoctoxide systems, **5**(4): 76
for uranium carbides, **5**(4): 49
for uranium dioxide, **5**(4): 49; **6**(3): 33-4
Oxide target elements (aluminum-clad), dissolution by hydrochloric acid. **5**(4): 12
Oxides, reduction by liquid metals, **4**(4): 42-3
Oxygen, corrosive effects, **5**(2): 17
Oxygen–hydrochloric acid–lithium chloride systems
See Hydrochloric acid–lithium chloride–oxygen systems
Oxygen–hydrochloric acid–nitric acid systems
See Hydrochloric acid–nitric acid–oxygen systems
Oxygen–hydrochloric acid systems
See Hydrochloric acid–oxygen systems
Oxygen–nitric acid systems
See Nitric acid–oxygen systems

P

Packaging, radioactive materials, symposium, **6**(4): 50
Palladium, removal, **5**(1): 41
by liquid-metal extraction, **5**(4): 41-2
by liquid-metal–fused-salt extraction, **4**(4): 45; **5**(4): 43
by melt refining, **4**(2): 42; **4**(4): 38
by skull reclamation process, **4**(3): 36
solubility, in liquid bismuth, **6**(1): 29
in liquid lead-zinc alloys, **4**(3): 38
in liquid zinc, **5**(2): 29
Paraformaldehyde, scavenging applications, **4**(2): 20
Particles
See also Thorium oxide spheres and Thorium oxide–uranium oxide spheres
removal from waste calciner off-gases, **6**(3): 41-2
Pathfinder Power Reactor
See Reactor (Pathfinder Power)
PDA
See Decanol
Peach Bottom Reactor
See Reactors (Peach Bottom)
Peat, radioisotope sorption by, **5**(2): 51
Peat-lignite mixtures, sorption-column use, **5**(2): 51
Peat-soil mixtures, sorption-column use, **5**(2): 51
Peat-vermiculite mixtures, sorption-column use, **5**(2): 51
Pebble-Bed Reactor
See Reactors (Pebble-Bed)
Pentaacetic acid, diethylenetriamine-, cerium complexing, **5**(2): 56
Pentamethylheptane
See Heptane, 2,2,4,6,6-pentamethyl-
Pentane, 2,2,4-trimethyl-, chemical stability, **4**(4): 13-15
radiolysis, **4**(4): 13-15
Perflex process, **5**(1): 11; **6**(2): 16
Periodic acid–nitric acid systems
See Nitric acid–periodic acid systems
Permutit SK resin, **5**(4): 16
plutonium adsorption, **4**(2): 33-4; **5**(3): 69
radiation effects, **4**(4): 18
thorium sulfate recovery, **4**(1): 26
uranium adsorption, **4**(2): 33-4

Phase studies, alloys, 5(4): 40
cadmium-cerium intermetallic compounds, 5(4): 40; 6(4): 28
cadmium-lanthanum alloys, 5(3): 29
cadmium-praseodymium intermetallic compounds, 5(2): 29-30; 6(4): 28
calcium-lanthanum intermetallic compounds, 5(2): 30
cerium-lanthanum intermetallic compounds, 5(2): 30
intermetallic compounds, 5(4): 40
platinum hexafluoride solid-solid transition point, 5(2): 27
plutonium-cerium intermetallic compounds, 6(1): 31
technetium hexafluoride solid-solid transition point, 5(2): 27
uranium-carbon constitutional diagram, 5(4): 79
uranium-fissium alloys, 5(2): 29
Phenol, 4-*sec*-butyl-2-(alpha-methylbenzyl-), metal extraction from Purex wastes, 6(4): 48-9
Phenol, 4-chloro-2-phenyl-, cesium extraction from Purex wastes, 6(1): 53-4
Phenol, *p*-dodecyl-, cesium extraction from Purex wastes, 6(1): 53-4
Phenol, *o*-phenyl-, cesium extraction from Purex wastes, 6(1): 53-4
Phenol formaldehyde plastics, corrosion, 5(2): 19
Phenolic resins, radioisotope removal, from Purex waste, 5(2): 48
from water, 6(3): 39; 6(4): 39
o-Phenyl phenol
See Phenol, *o*-phenyl-
Phillips small plant, processing cost estimates, 6(1): 2
Phosphate ion, effect on strontium removal by various materials, 5(2): 49-50
Phosphate rock, adsorption of wastes, 4(3): 52; 4(4): 61-2
Phosphates, flux use in waste calcination, 5(2): 43
glasses, compatibility with crucible materials, 5(2): 47
Phosphine oxide, trioctyl-, solvent properties, 5(3): 12-13; 6(1): 9
Phosphonate, diamylamyl-, solvent properties, 4(2): 25-6; 5(3): 12-13; 6(1): 9
Phosphonate, di-2-amyl-2-butyl, evaluation for Purex process, 4(3): 17
Phosphonate, dibutylbutyl-, uranium extraction from nitrate eluates, 5(2): 61
Phosphonate, di-*n*-butylphenyl-, solvent properties, 5(3): 12-13
thorium extraction, 6(3): 6
uranium extraction, 6(3): 6
Phosphonate, di-*sec*-butylphenyl-, evaluation for Purex process, 4(3): 18
radiolysis, 4(2): 27
solvent properties, 4(1): 20-1; 4(2): 26; 5(3): 12-13
thorium extraction, 6(3): 6
uranium extraction, 6(3): 6
Phosphoric acid, corrosive effects, 4(4): 25
Phosphoric acid, alkyl-, actinide-element separation by, 6(4): 8
Phosphoric acid, dibutyl-, removal from solvent-extraction aqueous phase by ion exchange, 5(4): 15-16
solvent properties, 5(3): 12
Phosphoric acid, di-2-ethylhexyl-, cesium removal from Purex wastes, 6(2): 55-6; 6(4): 48-9
rare-earth extraction, 5(2): 56; 6(1): 52-4; 6(4): 48-9
solvent properties, 4(1): 20-1; 4(2): 24-5; 5(3): 12-13; 6(1): 9
strontium extraction from wastes, 6(1): 52-4; 6(4): 48-9
Phosphoric acid, 2-ethylhexylphenyl-, solvent use in transuranium-element extraction, 5(4): 16
Phosphoric acid, mono-2-ethylhexyl-, solvent properties, 4(2): 25-6
Phosphoric acid, monofluo-, dissolution of uranium dioxide–thorium oxide systems, 5(1): 29-30
Phosphorus-32, removal from Hanford reactor coolant, 5(4): 57
Phosphorus compounds, organo-, solvent properties, 4(1): 20-1; 4(2): 24-6; 4(3): 17-18
Photometers, probe type filter, for fused-salt systems, 5(4): 49
Piping, decontamination, 4(2): 30-2
Piqua Power Reactor
See Reactors (Piqua Power)
Pits, waste disposal in, 5(4): 64-5
Plants, 4(1): 3; 6(1): 2
See also specific plants, e.g., Nuclear Fuel Services, Inc.
design, 5(2): 4; 5(4): 19-20
economics, 4(1): 1
fused-salt volatility, design and cost, 6(4): 21-3
large vs. small, processing cost estimates, 6(1): 1-3
Martin Company–Air Reduction Company proposal, 4(1): 3
operation, 5(4): 19-20
Plastics
See also specific plastics by chemical and trade names, e.g., Ethylene polymers and Genetron plastic VK-240; Phenol formaldehyde plastics
corrosion, 5(2): 19; 5(3): 17; 5(4): 23; 6(4): 13-14
Platinum, corrosion, 5(2): 23
by molten glass, 5(4): 63; 6(4): 50
by hydrogen fluoride–nitrogen dioxide systems, 4(2): 54
by potassium chloride–sodium chloride systems, 4(1): 40
crucible liner use in phosphate-glass production from waste, 5(2): 46-7
solubility in liquid bismuth, 5(1): 39
Platinum alloys, corrosion by molten phosphate glasses, 5(4): 63
Platinum fluoride (PtF_6), properties, 5(2): 27
Platinum-gold alloys
See Gold-platinum alloys
Platinum-iridium alloys
See Iridium-platinum alloys
Platinum-rhodium alloys, compatibility with molten phosphate glass, 5(2): 47
Plutonium, 4(2): 79
adsorption, on Dowex 1 resin, 5(3): 69
on Dowex 50 resin, 4(2): 34; 5(3): 64-5
on Florida pebble phosphate, 5(2): 48-9
on phosphate rock, 4(4): 61
bibliography, 5(4): 38-9
commercial use charges, 4(2): 3-4
complex formation in fused-salt systems, 5(4): 47
complexing from nitrate solutions by tertiary amines, 6(3): 6
distribution coefficients, in liquid-metal–fused-salt systems, 6(3): 26, 28
in magnesium-zinc alloys–magnesium chloride systems, 6(1): 32
electrorefining, 5(4): 84-6
foundry practices at LASL, 6(4): 57
hydrolysis during nitric acid dissolution of irradiated uranium, 5(4): 10
ion exchange, 4(2): 33-4; 4(3): 23; 4(4): 17; 5(1): 16-17; 5(4): 16
loss minimization by waste backcycling in Purex process, 5(4): 13
losses in recycle, 5(3): 2-3
metallurgy, 4(2): 78-9; 4(4): 77; 5(3): 30; 6(1): 36
precipitation as hydride from magnesium-zinc solution, 5(2): 32
production, 4(1): 59-60; 5(2): 61-9; 5(3): 64-7; 6(4): 27-8, 56-7
properties, 4(4): 49; 6(3): 29
purification by amine extraction, 6(1): 10
rare-earth separation, 6(3): 26, 32-3
separation, 5(1): 13-14, 15-16; 5(2): 11-12; 5(3): 11, 25-6, 34-6; 5(4): 12-15
from aluminum oxide, 5(4): 33-4
by amines, 4(2): 24
by D2EHPA, 4(2): 25
by D-*s*-BPP, 4(2): 26
from fission products, 6(1): 10-32; 6(2): 30-1
by fluorination, 5(4): 33-4
from fused salts, 4(1): 29-30; 6(2): 22; 6(3): 22
by ion exchange, 4(2): 33-4; 4(3): 23; 4(4): 17; 5(1): 16-17; 5(4): 16
by liquid-metal extraction, 4(2): 46; 4(4): 46; 5(1): 42; 5(2): 30-2; 5(4): 41, 45; 6(1): 33
by liquid-metal–fused-salt extraction, 4(4): 43-6; 6(2): 30-1; 6(3): 27-8
by M2EHPA, 4(2): 25
by melt-refining process, 4(2): 41-2; 4(3): 32
by Nitrofluor process, 4(3): 26; 4(4): 29-30
by Power-Reactor Fuel-Processing Pilot Plant, 4(2): 32-3
by Purex process, 4(1): 19; 4(2): 23; 4(4): 12
by salt-cycle process, 4(3): 32; 4(4): 50; 5(2): 35
from scrap, 5(3): 67-9
by solvent extraction, 5(3): 11, 63; 6(1): 8; 6(4): 55-6
from uranium, 6(1): 33; 6(3): 27-8
solubility, 5(1): 45
in amines, 4(3): 18
in calcium, 4(2): 47
in magnesium, 6(3): 27-8
in magnesium alloys, 5(4): 43
in magnesium-silver alloys, 4(3): 38-9
in mercury, 4(4): 39
in sulfamic acid, 6(1): 7
in trilaurylamine, 4(2): 23-4
in zinc, 6(4): 28
technology, 5(3): 69-70
thermodynamic functions, 6(3): 29
Plutonium (liquid), carbon solubility in, 6(4): 28
corrosive effects, 4(1): 40-1; 4(2): 56
density, 5(3): 30
viscosity, 4(4): 40
Plutonium-238, recovery from wastes, economic aspects, 6(3): 2-3
Plutonium-239, AEC buy-back price, 4(1): 1
Plutonium-241, AEC buy-back price, 4(1): 1
Plutonium alloys, metallurgy and properties, 6(1): 36
production methods, 4(1): 59-60
Plutonium alloys (liquid), corrosive effects, 5(1): 43; 5(2): 33
Plutonium-aluminum alloys (aluminum-clad), dissolution, 5(4): 11
Plutonium-aluminum intermetallic compounds, phase diagram, 6(1): 31
Plutonium-aluminum-nickel alloys, dissolution, 4(2): 17-18; 5(3): 7
Plutonium-aluminum-nickel alloys (Zircaloy-4-clad), dissolution, 5(4): 11
Plutonium-aluminum-nickel-silicon alloys (aluminum-clad), dissolution, 4(1): 14
Plutonium-aluminum-silicon alloys, dissolution, 4(2): 17-18

Plutonium-bismuth alloys (liquid), thermodynamic properties, 6(4): 28
Plutonium-cadmium alloys, thermodynamic properties, 6(4): 27-8
Plutonium carbides
See also Plutonium-uranium carbides (mixed)
Plutonium carbides (PuC), preparation, 6(2): 68; 6(3): 53
Plutonium carbides (PuC)–uranium carbides (UC) systems, preparation, 6(2): 67-8
solubility in hydrofluoric acid–nitric acid systems, 4(4): 11
Plutonium carbides (Pu_2C_3), preparation, 5(1): 47; 5(2): 66; 6(3): 53
Plutonium-cerium-cobalt alloys (liquid), compatibility with sodium, 6(1): 35
corrosive effects, 5(3): 33; 6(1): 35; 6(3): 29-30; 6(4): 29
density, 6(1): 31-2
viscosity, 6(1): 31
Plutonium-cerium-copper alloys (liquid), container material corrosion, 6(4): 29
Plutonium-cerium intermetallic compounds, phase diagrams, 6(1): 31
Plutonium-cerium-magnesium alloys (liquid), container material corrosion, 6(4): 29
Plutonium chlorides ($PuCl_3$), conversion from plutonium dioxide, 4(2): 78-9
reduction to metal, 4(2): 78-9; 4(4): 77; 6(4): 56-7
thermodynamic properties, 4(4): 53
Plutonium chlorides ($PuCl_3$)–cesium chloride systems, cooling-curve analysis, 5(2): 37
Plutonium chlorides ($PuCl_3$)–rubidium chloride systems, cooling-curve analysis, 5(2): 37
Plutonium-cobalt alloy (liquid), corrosion of tantalum alloys, 6(3): 29-30
Plutonium compounds, metallurgy and properties, 6(1): 36
Plutonium dioxide
See Plutonium oxides (PuO_2)
Plutonium fluorides, review on preparation and properties, 5(2): 27
Plutonium fluorides (PuF_3), precipitation, 5(3): 66
reduction to metal, 5(3): 66-7; 6(4): 57
Plutonium fluorides (PuF_4), conversion, from plutonium dioxide, 5(3): 70
from plutonium hexafluoride, 4(3): 28-9
precipitation with hydrofluoric acid–potassium fluoride systems, 4(4): 19
reduction to metal, 5(3): 65-6
volatility, 5(1): 34; 6(3): 22
Plutonium fluorides (PuF_6), chemistry, 4(4): 37
conversion to plutonium tetrafluoride, 6(2): 25
filtration of hydrolyzed, 6(2): 26-7
preparation from plutonium tetrafluoride using platinum hexafluoride, 5(2): 27
reactions with sulfur tetrafluoride, 4(3): 28-9
separation from uranium hexafluoride, 6(2): 25
thermal decomposition, 5(2): 27; 5(3): 26; 5(4): 34; 6(2): 25
Plutonium fluorides (PuF_6)–uranium fluorides (UF_6) systems, separation by plutonium fluoride thermal decomposition, 6(2): 25
Plutonium-iron alloys, corrosion by liquid plutonium, 4(1): 41
density, 6(1): 31
processing, 4(3): 32
Plutonium-iron alloys (liquid), circulation by sodium lift pump, 6(3): 30-1
corrosion, of containers, 6(4): 28-9
of tantalum, 5(3): 33; 6(1): 35
of tantalum alloys, 6(1): 35; 6(3): 29-30
Plutonium oxides, direct fluorination processing, 5(2): 26
reduction, 5(4): 45
separation from plutonium, 5(4): 33-4
Plutonium oxides–thorium oxides systems, precipitation from fused salts, 5(4): 48
Plutonium oxides–uranium oxides systems, crystal properties, 5(4): 47-8
electrolytic processing, 5(2): 34
Plutonium oxides (peroxides), hydrofluorination, 5(3): 65-6
precipitation, 5(3): 65
Plutonium oxides (PuO_2), conversion to plutonium trichloride, 4(2): 78-9
crystal properties, 5(4): 47-8
dissolution in nitric acid, 6(2): 5-6
fluorination, 5(3): 26
precipitation from plutonium trichloride–fused-salt solutions, 5(4): 48
preparation from plutonium tetrafluoride, 5(3): 70
recovery by melt-refining process, 4(1): 33
reduction to metal by magnesium-zinc alloys in molten halide flux, 6(4): 27-8
Plutonium oxides (PuO_2)–uranium oxides (UO_2) systems, direct fluorination processing, 6(4): 19-20
dissolution, in hydrochloric acid–nitric acid solutions, 6(2): 6
in nitric acid, 6(3): 4
in potassium chloride–sodium chloride systems, 4(3): 32-3
electrolytic codeposition from fused salts, 5(4): 47
fuel-cycle economics, 6(2): 2-3
precipitation from fused-salt solutions, 5(4): 48
pyrochemical processing, 5(4): 46; 6(3): 32-3
salt-cycle processing, 6(4): 30-1
Plutonium peroxides
See Plutonium oxides (peroxides)
Plutonium Recycle Program, 5(4): 46-9
See also Reactors (Plutonium Recycle Test) (PRTR)
Plutonium-thorium alloys, plutonium recovery from, 5(3): 69
Plutonium-uranium alloys, plutonium recovery, 5(3): 69
separation by liquid-metal extraction, 6(1): 31
solubility in liquid magnesium-zinc alloys, 4(3): 37
Plutonium-uranium carbides (mixed), dissolution in nitric acid, 6(1): 8
Plutonium-uranium-manganese alloys (liquid), corrosion of yttrium, 6(3): 30
container material corrosion, 6(4): 29
Plutonium-zinc alloys (liquid), corrosive effects, 4(2): 46
thermodynamic properties, 5(1): 39; 6(3): 29; 6(4): 27-8
Plutonyl fluorides, 5(4): 35
Pneumo Dynamics Corporation, Systems Engineering Division, ocean disposal contract, 4(3): 54
Poisons (neutron), criticality hazards control using, 4(1): 11; 5(2): 15; 5(4): 3; 6(2): 18
Polarographs, applications in Purex process, 5(2): 13
Polymers, ethylene, corrosion, 5(2): 19; 5(3): 17; 5(4): 23; 6(4): 13-14
propylene, radiation effects, 5(4): 23
styrene, radiation effects, 5(4): 23
vinylidene fluoride, corrosion, 6(4): 13-14
Porcelain, incorporation of fission products in, 4(3): 52-3
Portland cement, waste-disposal applications, 4(2): 70
Potassium, coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
Potassium (liquid), corrosion of Haynes 25 alloy, 6(4): 29
Potassium chloride (liquid), hexachlorouranate-ion stability in, 5(2): 37
Potassium chloride–aluminum chloride systems (liquid)
See Aluminum chloride–potassium chloride systems (liquid)
Potassium chloride–calcium chloride–lithium chloride systems
See Calcium chloride–lithium chloride–potassium chloride systems
Potassium chloride–lead chloride systems
See Lead chloride–potassium chloride systems
Potassium chloride–lead chloride systems (liquid)
See Lead chloride–potassium chloride systems (liquid)
Potassium chloride–lithium chloride–calcium chloride systems (liquid)
See Calcium chloride–lithium chloride–potassium chloride systems (liquid)
Potassium chloride–lithium chloride–magnesium chloride systems (liquid)
See Lithium chloride–magnesium chloride–potassium chloride systems (liquid)
Potassium chloride–lithium chloride systems (liquid)
See Lithium chloride–potassium chloride systems (liquid)
Potassium chloride–magnesium chloride–sodium chloride systems (liquid)
See Magnesium chloride–potassium chloride–sodium chloride systems (liquid)
Potassium chloride–magnesium chloride systems (liquid)
See Magnesium chloride–potassium chloride systems (liquid)
Potassium chloride–sodium chloride–magnesium chloride systems (liquid)
See Magnesium chloride–potassium chloride–sodium chloride systems (liquid)
Potassium chloride–sodium chloride systems (liquid), corrosive effects, 4(1): 40; 4(2): 54; 4(3): 42-3; 6(1): 35
solvent properties, 4(2): 42-3; 4(3): 32-3; 5(1): 45; 5(2): 34
Potassium chloride–sodium chloride–zinc chloride systems (liquid), solvent properties, 5(1): 45
Potassium chloride–zinc chloride systems (liquid), solvent properties, 5(3): 31
Potassium fluoride, reaction with uranium hexafluoride, 6(1): 27
Potassium fluoride–hydrofluoric acid systems
See Hydrofluoric acid–potassium fluoride systems
Potassium fluoride–lithium fluoride–sodium fluoride systems (liquid)
See Lithium fluoride–potassium fluoride–sodium fluoride systems (liquid)
Potassium fluoride–lithium fluoride–sodium fluoride–uranium fluorides (UF_4)–zirconium fluoride systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Potassium fluoride–lithium fluoride–uranium fluorides (UF_4) systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride systems (liquid)
Potassium permanganate–manganese dioxide systems
See Manganese oxides (MnO_2)–potassium permanganate systems
Potassium permanganate–sodium hydroxide systems, cracking of stainless steels, 6(3): 17

Potassium plutonyl fluorides, preparation, 5(4): 35
Potassium-sodium alloys (liquid), corrosive effects, 5(1): 17; 5(3): 17
Power-Reactor Fuel-Processing Pilot Plant, 4(2): 32-3
Praseodymium, coprecipitation with cadmium-cerium alloys, 4(3): 36
  distribution coefficients in liquid-metal–fused-salt systems, 6(1): 32; 6(3): 26, 28
  extraction using liquid aluminum-cadmium system, 5(4): 41-2
  solubility, 5(2): 29; 5(3): 29, 31; 6(1): 29
Praseodymium (liquid), density, 5(3): 30
  viscosity, 5(1): 41
Praseodymium-cadmium intermetallic compounds
  See Cadmium-praseodymium intermetallic compounds
PRDC Reactor
  See Reactors (Enrico Fermi Fast-Breeder)
Precipitation processes, 4(1): 17-18; 4(2): 19-20, 45; 4(3): 36, 37; 4(4): 18-19; 5(2): 56, 58; 5(4): 16-17; 6(2): 57-8; 6(3): 49
  See also under materials precipitated
Pressure gauges, 5(1): 18
Pressurized-Water Reactor
  See Reactor (Shippingport Pressurized-Water)
Primene JMT, solvent properties, 4(1): 20-1; 5(3): 12-13
Promethium, recovery from Purex wastes, 5(2): 56
  solubility, 5(3): 31
Promethium-147, production in Multicurie Fission-Product Pilot Plant, 4(1): 3
  separation, by ion exchange, 4(1): 24; 6(1): 54
    from wastes, 5(3): 58
Propane, uranium carbide production using, 5(2): 36, 64; 5(4): 78
  uranium dioxide production by flame denitration using, 5(4): 74
Propylene polymers, 5(4): 23
Protactinium, separation, 4(4): 40; 5(1): 42-3; 5(2): 11, 32; 5(3): 11-12; 6(3): 26, 28
Protactinium-bismuth alloys (liquid)
  See Bismuth-protactinium alloys (liquid)
PRTR
  See Reactor (Plutonium Recycle Test) (PRTR)
Pulse columns, design, 5(3): 14-15
  pulse amplitude determination, 5(4): 17-18
Pumps, decontamination, 4(2): 30-2
  liquid-metal, 4(4): 49; 6(3): 30-2
  Molten-Plutonium Pump Experiment, 6(3): 30-1
  performance for nitric acid–alumina slurry, 6(4): 9-10
Purex-Darex raffinate
  See Darex-Purex raffinate
Purex phosphate-glass pilot plant, flow diagram, 5(2): 47
Purex process, 4(3): 16-20; 4(4): 12; 5(2): 12-13; 5(4): 10
  calcination of wastes, 4(2): 64-6, 67-9; 4(3): 49-50
  column efficiency, laboratory methods for determining, 4(1): 22-3
  corrosion problems, 4(2): 52-3; 6(1): 15
  cost, 5(4): 1-2
  curium separation, 4(2): 23
  equipment decontamination, 4(2): 30-2
  equipment design, 4(2): 30-3
  explosion hazards, 4(3): 6
  extraction-process development, 6(1): 8
  flow sheets, 4(3): 12; 5(1): 14
  head-end treatment, 4(1): 17-18
  improvements, 5(4): 12-16
  iodine removal, 4(3): 11, 12
  modifications, 4(1): 19-20; 4(2): 22-3
  plant design, 5(1): 18-25
  plutonium purification by amine extraction, 6(1): 10
  plutonium separation, 5(1): 13-14; 6(1): 8
  solvent technology, 4(4): 13-15; 5(3): 12
  tail-end treatment, 4(1): 20
  uranium loss minimization by waste backcycling, 5(4): 13
Purex wastes, backcycling, 5(4): 12-14
  calcination, 5(2): 43; 5(4): 58-9; 6(2): 46, 49-50; 6(3): 41-3; 6(4): 44
  composition, 5(4): 25-6
  conversion to glasses, 5(2): 46-7; 5(4): 63
  corrosive properties, 5(4): 25-7, 63; 6(2): 59-60; 6(4): 50, 51
  costs of pot calcination, 5(2): 42
  decontamination of 1WW by foam separation, 6(1): 46
  disposal, 4(1): 46-9; 5(1): 52-7, 58-9, 63; 5(3): 51; 5(4): 66
  ion-exchange treatment, 4(1): 46-7; 6(1): 45-6; 6(4): 40, 49-50
  mine-area requirement for storage, 5(2): 51
  radioisotope removal, 5(2): 48, 55, 56; 5(4): 48, 56, 67-9; 6(1): 45-6, 51-4; 6(2): 44; 6(3): 40, 44-5; 6(4): 40, 46, 48-50
  steam stripping, 5(2): 48
  storage costs, 5(1): 50-1
  tank-farm condensate, 6(1): 45-6
PWR
  See Reactor (Shippingport Pressurized-Water)
Pyrex Raschig rings, corrosion, by aluminum nitrate–hydrofluoric acid–nitric acid systems, 6(2): 18
  by hydrofluoric acid–nitric acid systems, 6(2): 18
Pyrite, radioisotope adsorption, 5(4): 57
Pyrite–calcite–Florida bed phosphate mixtures, radioisotope adsorption, 5(4): 57
Pyrite–calcite–Idaho bed phosphate mixtures, radioisotope adsorption, 5(4): 57
Pyroceram, corrosion, 5(2): 17
Pyroceram (tungsten-coated), thermal cycling, 5(2): 33
Pyroceram-9608 alloy, corrosion by carbon tetrachloride, 4(2): 54
Pyrochemical processes, 4(4): 53; 5(1): 44-7; 5(2): 33-7; 5(3): 34-9; 5(4): 46-50; 6(1): 36-41; 6(2): 33-8; 6(3): 32-3; 6(4): 30-6
Pyrolytic carbon
  See Carbon (pyrolytic)
Pyrometallurgical processes, 4(1): 30-7; 4(2): 38-48; 4(3): 30-9; 4(4): 37-49; 5(1): 38-44; 5(2): 27-33; 5(3): 27-34; 5(4): 36-46; 6(1): 28-36; 6(2): 27-33; 6(3): 25-32; 6(4): 23-30
  corrosion problems, 4(2): 54-6; 4(3): 44
Pyrophoricity, uranium monocarbide, 5(2): 37
Pyrrhotite, radioisotope adsorption, 5(4): 57

Q

QA-18 alloy, corrosion in dry halogenation process, 6(4): 17-18
QH-76 alloy, corrosion in dry halogenation process, 6(4): 17-18
QH-87 alloy, corrosion in dry halogenation process, 6(4): 17-18

R

Radiation effects, Amsco solvents, 4(2): 26-7; 4(3): 19
  carbon, 4(4): 49
  di-*sec*-butylphenyl phosphonate, 4(2): 27
  dodecane, 4(3): 19
  Dowex resins, 4(4): 17-18
  Duolite C-10 resin, 4(4): 18
  Dynamotors, 4(1): 42
  electrical components, 4(1): 41-2
  Fiberglas, 5(4): 23; 6(3): 9
  graphite, 4(4): 49
  insulating materials, 5(4): 23
  kerosene, 4(1): 21; 4(2): 26-7; 4(3): 19
  Mepasin solvent, 4(3): 19
  molybdenum trioxide sublimation rate, 5(2): 38
  organic solvents, 4(1): 21; 4(2): 26-7; 4(3): 19; 4(4): 13-15
  Permutit SK resin, 4(4): 18
  plastics, 5(3): 17; 5(4): 23; 6(4): 13-14
  Shellsol-T solvent, 4(3): 19
  Solvesso-100 solvent, 4(1): 21; 4(2): 26-7
  Tetramer solvent, 4(3): 19
  tributyl phosphate, 4(2): 26-7
Radiation sources, 4(4): 64
  radioisotope-containing glasses, 5(2): 47-8
Radioactive wastes
  See Darex wastes, Purex wastes, TBP wastes, Thorex wastes, and Waste processing and disposal
Radioisotopes
  See also Fission products and specific isotopes by name, e.g., Cesium-137 and Strontium-90
  commercial production, 4(3): 3; 6(3): 2-3
  removal from wastes, 4(1): 50; 4(2): 71-2; 4(3): 54-6; 4(4): 63-6; 5(1): 61-4; 5(2): 55-8; 5(3): 57-9; 5(4): 56-7; 6(1): 51-4; 6(2): 54-8; 6(3): 2-3, 44-6; 6(4): 48-51
  shipping, 4(4): 65-6
Radiological Services Company, Inc., waste-disposal license, 4(1): 4
Radiolysis, hydrocarbon diluents, 4(3): 19; 4(4): 13-15
Radium, separation from thorium, 5(4): 39
Rare earths
  See also specific elements, e.g., Cerium, Praseodymium, Thorium, and Protactinium
  actinide-lanthanide separation, 4(1): 23-4; 4(2): 34; 4(3): 19; 5(2): 11; 5(3): 13; 5(4): 16; 6(4): 8
  adsorption on Dowex 1-X10 resin, 4(1): 23-4
  oxides, reduction, 5(4): 45
  removal by salt-cycle process, 4(4): 50; 5(2): 35
  separation, 4(1): 23-4; 4(2): 34; 4(3): 19; 5(2): 11; 5(3): 13, 28; 5(4): 16; 6(4): 8
    by amines, 4(2): 24
    by D2EHPA, 4(2): 25
    by electrolytic process, 5(2): 36
    by M2EHPA, 4(2): 25-6
    by melt-refining process, 4(1): 31-3; 4(2): 42
    from plutonium, 6(3): 26
    from thorium, 5(2): 68
    from uranium, 6(3): 26
    from wastes, 4(2): 71-2; 5(1): 61-4; 5(2): 56; 5(3): 57-9; 6(1): 52-4; 6(4): 48-9
  solubility, 5(3): 31; 6(3): 29
Rare gases
  See also Argon, Helium, Krypton, Neon, and Xenon
  removal, from aluminum dissolver solutions, 4(4): 9
    during oxidation-reduction process for uranium dioxide, 5(4): 49
Raschig rings, corrosion, 6(2): 18
RBOF (Receiving Basin for Off-Site Fuels), 5(4): 6
Reactor Handbook (Second Edition), Vol. II: *Fuel Reprocessing*, Table of Contents, 4(4): 80-2
Reactors (Aqueous Homogeneous Breeder), fuel-processing cycle, 6(1): 14-15
Reactors (Battelle Memorial Institute Research), fuel-element shipping, 6(1): 4

Reactors (BONUS), fuel-cycle costs, 5(4): 5
Reactors (CANDU), fuel-cycle costs, 5(2): 2-3
Reactors (Carolinas-Virginia), fuel-cycle costs, 5(4): 5
Reactors (Consolidated Edison Thorium) *See* Reactors (Indian Point Power)
Reactors (Dresden Power), fuel-cycle costs, 5(4): 5
fuel-element decladding, 4(1): 9; 4(3): 9
fuel-processing plant design, 5(1): 18-25
fuel storage, 6(2): 1
Reactors (Elk River), fuel-element shipping, 6(1): 4
fuel processing by CNEN, 6(2): 2
Reactors (Enrico Fermi Fast-Breeder) (APDA), breeding blanket dissolution, 5(1): 9-10
fuel-element decladding by electrolytic dissolution, 6(3): 5
fuel-element dissolution, 4(2): 15; 5(1): 8-9
Reactors (Experimental Breeder I) (EBR-I), fuel processing, 5(1): 33-4, 35
Reactors (Experimental Breeder II) (EBR-II), blanket processing, 4(4): 45, 46; 5(2): 32; 5(3): 32-3; 5(4): 43-4; 6(3): 27-8
fuel processing, 4(1): 30-3; 4(2): 39-46; 4(3): 30-2, 36; 4(4): 37-8, 45; 5(1): 38-9; 5(2): 28-9, 32; 5(3): 27-9; 5(4): 36-8; 6(1): 28-9; 6(2): 28-30; 6(3): 25; 6(4): 23-4, 26
Reactors (Experimental Organic-Cooled) (EOCR), fuel dissolution, 5(1): 11-12
Reactors (fast-breeder), plutonium fueled, processing costs, 6(3): 3
plutonium oxide–uranium oxide fueled, processing costs, 6(4): 5
Reactors (Gas-Cooled, Experiment) (GCRE), fuel-element cladding dissolution, 4(2): 12-13; 4(4): 8
fuel-element dissolution, 4(2): 19; 4(3): 13; 4(4): 11; 5(1): 12-13
Reactors (General Electric Test) (GETR), fuel dissolution, 5(1): 11-12; 6(2): 6
Reactors (Hallam Power), fuel-cycle costs, 5(4): 5
fuel dissolution, 5(1): 9-10; 6(3): 5
fuel processing by chloride-volatility processes, 4(4): 34-5
Reactors (Hanford), coolant decontamination, 5(4): 56-7
Reactors (Heat-Transfer, Experiments) (HTRE), fuel dissolution, 5(3): 9
fuel processing, 5(2): 8-10; 6(1): 7
Reactors (High-Flux Isotope) (HFIR), 5(4): 16
aluminum-clad target element dissolution, 5(4): 12
fuel processing, 5(3): 12-13
Reactors (Homogeneous, Experiment II) (HRE-II), fuel-processing plant, 4(1): 42-3; 4(2): 56-8; 4(4): 26
Reactors (Indian Point Power), fuel-cycle costs, 5(4): 5
fuel-element decladding, 4(1): 10-12; 4(2): 12; 4(4): 8; 5(1): 8
fuel-element dissolution, 4(1): 13; 4(2): 15-17
fuel processing, 4(2): 22-3; 5(4): 14
Reactors (Liquid-Metal Fuel) (LMFR), fuel processing, 4(1): 37; 4(3): 24-5; 5(4): 45; 6(3): 26-7
Reactors (Los Alamos Molten-Plutonium, Experiment) (LAMPRE), fuel-capsule fabrication, 6(3): 30
fuel container corrosion, 5(2): 33; 6(1): 35; 6(3): 29-30; 6(4): 28-9
Reactors (Maritime Gas-Cooled) (MGCR), fuel-element dissolution, 4(3): 13-14
fuel processing, 5(1): 12-13
Reactors (Materials Testing) (MTR), fuel-element dissolution, 4(4): 8-9
fuel processing, 4(3): 22
Reactors (molten-salt converter), fuel processing by fused-salt volatility process, 6(4): 21-3
Reactors (Molten-Salt, Experiment) (MSRE), fuel processing, 4(2): 36; 5(3): 24
Reactors (New Production) (NPR), fuel-element decladding, 4(3): 9
Reactors (N.S. *Savannah*), fuel-element dissolution, 4(4): 10; 5(4): 12
fuel-element shipping, 6(1): 3
uranium monocarbide fuel development, 5(4): 78
Reactors (Organic-Moderated, Experiment) (OMRE), fuel dissolution, 5(1): 11-12
Reactors (Pathfinder Power), waste disposal, 4(1): 51
Reactors (Peach Bottom), fuel-cycle costs, 5(4): 5
Reactors (Pebble-Bed), fuel processing, 5(2): 10-11
Reactors (Piqua Power), fuel-cycle costs, 4(4): 2; 5(4): 5
fuel-element shipping, 6(1): 4
waste disposal, 4(1): 51
Reactors (Plutonium Recycle Test) (PRTR), fuel-element decladding, 4(1): 9-10; 4(3): 9
fuel-element dissolution, 4(1): 14; 4(3): 11; 5(3): 7; 5(4): 11
fuel processing, 4(2): 33-4; 4(3): 32; 6(3): 32-3
Reactors (S1G), fuel dissolution, 5(1): 11-12
Reactors (Savannah River), fuel-element shipping, 6(1): 4
Reactors (Shippingport Pressurized-Water), blanket element decladding, 4(1): 9; 4(2): 10-11
fuel-element decladding, 4(3): 8-9; 5(3): 36
seed element dissolution, 4(4): 9
Reactors (SM-1), fuel-element dissolution, 4(4): 10; 5(1): 11-12; 5(3): 9; 5(4): 12, 20
Reactors (sodium-cooled), uranium monocarbide fuel, 5(4): 78
Reactors (Sodium, Experiment) (SRE), fuel-element decladding, 4(1): 9; 4(2): 9-10; 4(3): 8; 5(1): 7-8; 6(3): 4
Reactors (Spectral Shift Control) (SSCR), thorium-uranium fuel cycle, economics, 6(2): 3
Reactors (Submarine Thermal) (STR), fuel-processing costs, 5(4): 3-4
Reactors (TRIGA), fuel-element dissolution, 4(3): 11, 14; 4(4): 9; 5(1): 25-6
fuel processing, 5(2): 25; 5(3): 7-8
Reactors (Turret), fuel processing, 4(4): 18
Reactors (Vallecitos Boiling-Water), fuel processing, 4(4): 3
Reactors (Yankee Power), fuel-cycle costs, 4(4): 2; 5(4): 5
fuel-element decladding, 4(1): 9
fuel-element dissolution, 4(1): 13; 4(4): 10; 5(4): 12, 20
fuel-element shipping, 6(1): 4
fuel storage, 6(2): 1
Receiving Basin for Off-Site Fuels, 5(4): 6
Redox process, dissolution process, 4(1): 15-17
equipment, decontamination, 4(2): 30-2
design, 4(2): 30-3
fire at Hanford, 4(2): 5-8
head-end processes, 5(3): 6-7
modifications, 4(2): 22-3; 5(4): 12-16
neptunium accumulation flow pattern, 5(4): 14
Redox wastes, backcycling, 5(4): 12-13
conversion to glasses, corrosion problems, 5(4): 63
corrosive effects, 4(2): 52
Reduction processes, 5(2): 31-2
See also Oxidation-reduction processes
carbon monoxide, of uranium trioxide, 5(4): 75
carbothermic, of uranium dioxide, 5(4): 49, 78-9
catalytic, for uranium dioxide production, 5(4): 73-4
electrolytic, for codeposition of oxides, 5(4): 47
of uranium carbide, 5(2): 36; 5(4): 49
uranium dioxide to metal, 5(2): 66; 5(4): 82; 6(3): 54-5
uranium production from uranium dioxide, 5(4): 82
uranium trichloride to uranium, 5(2): 67-8
of uranium tritaoctoxide, 5(4): 48
uranyl chloride to uranium dioxide, 6(3): 49-52
of uranyl(VI) ion, 5(2): 34-5; 5(4): 46-7; 6(4): 55
flame denitration, for uranium dioxide production, 5(4): 74-5
hydrofluorination, for uranium dioxide production from uranium tetrafluoride, 5(2): 63-4
hydrogen, for uranium dioxide production, 5(2): 62-3; 5(4): 75-7
of uranium trichloride to uranium, 5(4): 83
liquid-metal–fused-salt process, 5(4): 42; 6(1): 33
magnesium, for uranium production from tetrafluoride, 5(2): 66-7; 6(1): 62-3; 6(3): 55
magnesium-zinc, for thorium dioxide, 5(4): 84
metallothermic, for aluminum-thorium alloy production, 5(4): 84
for aluminum-uranium alloy production, 5(4): 83
sodium amalgam, for uranium production, 5(4): 73
uranium liquid alloy process, for plutonium oxides, 5(4): 45
for rare-earth oxides, 5(4): 45
Refining, plutonium, electrolytically, 5(4): 84-6
thorium, electrolytically, 4(3): 37-8; 4(4): 47-8
uranium, electrolytically, 5(2): 13; 6(1): 60
Refractory metals
See also specific metals, e.g., Tantalum and Tungsten
purification by electron-beam melting, 6(2): 30
Regulations, fuel-element shipping, 5(2): 1-2
isotope processing facility, 4(3): 2-3
licenses, 4(1): 3-4; 4(2): 4; 4(4): 4
Remote-control equipment, 4(2): 41; 5(4): 19
Resins
See specific resins by name, e.g., Dowex 1 resin, Duolite C-3 resin, and Illco NR-2 resin
Rhenium, solubility, 5(1): 39; 5(3): 29
Rhenium fluorides, physical constants, 4(3): 29
Rhenium oxyfluorides, physical constants, 4(3): 29
Rhenium-uranium alloys
See Uranium-rhenium alloys
Rhodium, removal, with amines, 4(2): 24
by liquid-metal–fused-salt extraction, 4(4): 45; 5(1): 41
by melt refining, 4(4): 38
Rhodium alloys
See Platinum-rhodium alloys
Rhodium fluorides (RhF_6), properties, 5(1): 37-8

Richfield sand, strontium selective sorption by, 5(4): 65-6
Rock phosphates, radioisotope removal from wastes by, 5(4): 57; 6(2): 42-3
Rubidium chloride–plutonium chlorides ($PuCl_3$) systems
See Plutonium chlorides ($PuCl_3$)–rubidium chloride systems
Rubidium plutonyl fluorides, preparation, 5(4): 35
Russia
See Union of Soviet Socialist Republics
Ruthenium, removal, 5(1): 41, 46; 5(2): 11, 22; 5(3): 12
by amines, 4(2): 24
by chloride-volatility processes, 4(4): 35
by electrolytic process, 5(2): 36
by fluoride-volatility processes, 4(4): 35-6
from fuel solution by manganese dioxide, 5(4): 12
by ion exchange, 5(4): 56
by liquid-metal extraction, 4(3): 39; 5(2): 30-1
by liquid-metal–fused-salt extraction, 4(4): 45
by manganese dioxide, 5(4): 12
by melt-refining process, 4(1): 31; 4(2): 42; 4(3): 32; 4(4): 38; 5(2): 29
by natural organic materials, 5(2): 51
by oxidation, 4(4): 51-2
by oxidation-reduction reactions, 4(4): 51-2; 5(4): 34-5, 49; 6(2): 27
by salt-cycle process, 4(2): 43
by scavenging, 4(1): 17-18
by silica gel, 4(1): 20
by skull reclamation process, 4(3): 36
by Thorex process, 4(4): 12
from uranium by zone melting, 6(3): 28
by volatilization, 5(3): 52-3; 6(3): 41
from wastes, 5(1): 57-8; 5(2): 43, 48; 5(4): 14, 56; 6(2): 44; 6(3): 40, 41; 6(4): 44
by zone melting, 6(3): 28
solubility, in liquid bismuth, 6(1): 29
in liquid magnesium-silver alloys, 4(1): 37
in liquid mercury, 4(4): 39
Ruthenium-106, activity-level–particle-size relations for separated waste, 5(4): 58
hazards of disposal in open pits, 5(4): 64
removal by fluoride-volatility process, 6(3): 19-20
volatilization, from ceramic sponges, 5(4): 63-4
during waste calcination, 6(4): 44
Ruthenium chlorides, thermodynamic properties, 4(4): 53
volatility, 5(1): 45
Ruthenium fluorides (RuF_5), preparation and properties, 6(3): 22
Ruthenium oxides (RuO_4), thermodynamic properties, 4(4): 52, 53
Ruthenium oxytetrafluoride ($RuOF_4$), preparation and properties, 6(3): 24

S

S1G Reactor
See Reactors (S1G)
S-816 alloy, corrosion by Zircex-process fluids, 4(2): 54
Safety, 4(1): 6-7; 4(2): 5-8; 4(3): 5-7
See also Accidents and Criticality
ICPP process, 5(1): 75-6
Salt cavities, waste disposal in, 4(1): 50-1; 4(2): 69-70; 4(4): 63; 5(1): 59-61; 5(2): 51-2; 5(3): 55-6; 5(4): 66; 6(1): 49-51; 6(2): 53; 6(3): 43
Salt-cycle process, 4(2): 42-4; 4(3): 32-4; 4(4): 49-52; 5(2): 34-5; 5(3): 34-6; 5(4): 48-9; 6(3): 32-3; 6(4): 5, 30-1
flow sheets, 4(4): 49-50
Salt-metal systems
See Liquid-metal–fused-salt systems
Salts (atomized), particle size, 5(3): 23-4
Salts (fused)
See Fused salts
Samarium, coprecipitation with cadmium-cerium alloys, 4(3): 36
removal, by fluoride-volatility processes, 4(1): 29
by liquid-metal–fused-salt process, 5(3): 30-1; 5(4): 43; 6(1): 32
solubility, in liquid bismuth, 5(1): 39; 6(1): 29
in liquid zinc, 4(1): 35, 36
Samarium-aluminum alloys
See Aluminum-samarium alloys
Samarium–aluminum–uranium–zirconium hydride systems
See Uranium–aluminum–samarium–zirconium hydride systems
Samarium-bismuth-magnesium alloys
See Bismuth-magnesium-samarium alloys
Samarium fluoride, solubility in fluoride-volatility process fluids, 4(1): 29
Sand, selective sorption of strontium by Richfield, 5(4): 65-6
Saran plastic, corrosion, 5(3): 17
radiation effects, 5(3): 17
Savannah River Plant, commercial fuel-processing plans, 4(4): 3-4
corrosion problems, 4(3): 40
electrolytic dissolution, 4(4): 10
waste processing methods, 4(1): 51-2; 4(4): 64, 66
Savannah River Reactors
See Reactors (Savannah River)
Sawdust-soil mixtures
See Soil-sawdust mixtures
Saws, mechanical decladding of fuel elements, 4(1): 8-9; 4(4): 7; 5(1): 7-8
Scandium, coprecipitation with cadmium-cerium alloys, 4(3): 36
recovery from poisoned solvent extractants, 5(2): 62
solubility in liquid cadmium, 5(1): 39
Scavenging, 4(1): 17-18, 20; 4(2): 19-20; 4(3): 36; 4(4): 9-10, 19; 6(1): 44-5, 64
Sea disposal
See Waste processing and disposal
Seepage pits, waste disposal, 5(3): 54-5; 5(4): 64-5
Shale, chlorination for uranium recovery, 5(4): 72-3
selective sorption of strontium by Conasauga, 5(4): 66
waste disposal in, 5(2): 52-4; 6(2): 52
Shear-leach process, 6(2): 5
costs, 6(1): 3
criticality hazards, 6(1): 3
Shears, decladding of fuel elements, 4(1): 8, 9; 4(3): 8-9; 4(4): 6-7; 5(1): 7-8; 5(3): 5
design, 5(2): 5-7; 5(3): 5; 6(1): 12
Shell E2342, diluent use in solvent extraction, 5(4): 15
Shellsol-T solvent, radiolysis, 4(3): 19
Shipping, cerium, 5(4): 69
cesium, 5(2): 57-8; 5(4): 69
fuel elements, 4(1): 2; 4(4): 1; 5(1): 1-2; 6(1): 3-4
fuels, economics, 5(4): 6
radioactive materials, 4(4): 65-6; 6(2): 58; 6(3): 46; 6(4): 50
regulations, 4(1): 2; 4(4): 1; 5(1): 1-2
Sr^{90} in zeolites, 6(3): 45-6
wastes, heat-transfer problems, 5(4): 66
to salt cavities, 6(1): 49-51
Shipping containers
See Containers
Shippingport Pressurized-Water Reactor
See Reactors (Shippingport Pressurized-Water)
Silica
See Silicon oxide
Silica gel, adsorption of cesium, 4(3): 51-2
precipitation of ruthenium and niobium-zirconium, 4(1): 20
Silicon, coating of uranium dioxide, 4(4): 71; 6(1): 59
corrosion by fused-salt systems, 4(2): 54
removal by fluoride-volatility processes, 4(4): 35-6
Silicon alloys
See Hastelloy B alloy and silicon alloys by constituents, e.g., Aluminum-nickel-silicon alloys
Silicon-aluminum alloys
See Aluminum-silicon alloys
Silicon-aluminum-nickel alloys
See Aluminum-nickel-silicon alloys
Silicon-aluminum-nickel-plutonium alloys (aluminum-clad)
See Plutonium-aluminum-nickel-silicon alloys (aluminum-clad)
Silicon-aluminum-plutonium alloys
See Plutonium-aluminum-silicon alloys
Silicon-aluminum-uranium alloys
See Uranium-aluminum-silicon alloys
Silicon carbide, corrosion by fused-salt systems, 4(1): 40
Silicon carbide (silicon nitride-bonded), corrosion by fused-salt systems, 4(1): 40
Silicon oxide, removal, 4(3): 14; 4(4): 8-9; 5(4): 12
Silver, corrosion, 5(2): 23
solubility in liquid-metal systems, 5(4): 42
Silver (liquid), plutonium extraction from uranium by, 6(1): 33
Silver-magnesium systems (liquid)
See Magnesium-silver systems (liquid)
SIR
See Reactors (S1G)
Skull reclamation process, 4(3): 36-7; 4(4): 45; 5(4): 43-4; 6(2): 30; 6(3): 26; 6(4): 26
corrosion problems, 4(4): 47-8; 5(4): 46; 6(1): 34
Slag, uranium recovery, 5(1): 41, 72; 5(3): 32; 6(1): 64
SM-1 Reactor
See Reactors (SM-1)
Soda-lime softening process, waste-disposal use, 5(1): 51
Sodalite, radioisotope adsorption, 5(4): 57
Sodium, coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
corrosion of tantalum, 6(1): 35
reduction of thorium tetrachloride, 4(4): 77
removal from EBR-II fuel subassembly in transfer coffin, 6(3): 25
solubility in D2EHPA, 4(2): 25
Sodium (gaseous), corrosive effects, 5(3): 33
Sodium (liquid), corrosive effects, 5(3): 33; 6(4): 29
Sodium amalgam, reduction of uranium chloride to uranium by, 5(4): 73
Sodium borate($Na_2B_4O_7$)–aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid systems
See Aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate($Na_2B_4O_7$) systems
Sodium borate($Na_2B_4O_7$)–fluoboric acid(HBF_4)–hydrochloric acid–nitric acid–zirconyl nitrate systems
See Fluoboric acid(HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems

Sodium chloride, hexachlorouranate–ion stability in, 5(2): 37
Sodium chloride–magnesium chloride–potassium chloride systems (liquid)
See Magnesium chloride–potassium chloride–sodium chloride systems (liquid)
Sodium chloride–potassium chloride systems (liquid)
See Potassium chloride–sodium chloride systems (liquid)
Sodium chloride–potassium chloride–zinc chloride systems (liquid)
See Potassium chloride–sodium chloride–zinc chloride systems (liquid)
Sodium fluoride, sorption, of antimony pentafluoride, 6(3): 22
of uranium hexafluoride, 4(4): 35; 5(4): 31-2; 6(1): 27
Sodium fluoride–aluminum nitrate–nitric acid systems
See Aluminum nitrate–nitric acid–sodium fluoride systems
Sodium fluoride–beryllium fluoride–lithium fluoride systems (liquid)
See Beryllium fluoride–lithium fluoride–sodium fluoride systems (liquid)
Sodium fluoride–beryllium fluoride–lithium fluoride–zirconium fluoride systems (liquid)
See Beryllium fluoride–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Sodium fluoride–lithium fluoride–potassium fluoride systems (liquid)
See Lithium fluoride–potassium fluoride–sodium fluoride systems (liquid)
Sodium fluoride–lithium fluoride–potassium fluoride–uranium fluorides (UF_4)–zirconium fluoride systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Sodium fluoride–lithium fluoride–uranium fluorides (UF_4)–zirconium fluoride systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Sodium fluoride–lithium fluoride–zirconium fluoride systems (liquid)
See Lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Sodium fluoride–nitric acid–aluminum nitrate systems
See Nitric acid–aluminum nitrate–sodium fluoride systems
Sodium fluoride–nitric acid systems
See Nitric acid–sodium fluoride systems
Sodium fluoride–uranium fluorides (UF_4)–zirconium fluoride systems (liquid)
See Uranium fluorides (UF_4)–sodium fluoride–zirconium fluoride systems (liquid)
Sodium fluoride–zirconium fluoride systems (liquid), corrosive effects, 4(1): 28; 4(3): 43; 5(3): 23
solvent properties, 4(1): 29; 5(3): 23
Sodium fluozirconate, precipitation, 5(4): 16-17
Sodium formate process, economic evaluation, 5(4): 3
sodium fluozirconate precipitation using, 5(4): 16-17
Sodium hydroxide, cracking of stainless steels, 6(3): 17
solvent properties, 4(2): 19; 4(3): 14; 5(4): 7-8
uranium recovery from impure uranium tetrafluoride using, 5(2): 68
Sodium hydroxide–potassium permanganate systems
See Potassium permanganate–sodium hydroxide systems
Sodium hydroxide–sodium nitrate systems (liquid), aluminum-samarium alloy solubility in, 4(3): 14
Sodium hydroxide–tartaric acid systems, corrosive effects, 4(4): 25
Sodium hypophosphite
See Sodium phosphites (NaH_2PO_2)
Sodium lift pump, plutonium-iron alloy circulation by, 6(3): 30-1
Sodium nitrate, corrosion of ASTM 282C steel welded with 6010, 6(2): 59-60
effects on Sr^{90} removal by minerals, 5(4): 57
solvent properties, 5(3): 8
Sodium nitrate–aluminum nitrate–nitric acid systems
See Aluminum nitrate–nitric acid–sodium nitrate systems
Sodium nitrate–sodium hydroxide systems (liquid)
See Sodium hydroxide–sodium nitrate systems (liquid)
Sodium nitrate–sodium nitrite systems, corrosion of ASTM 282C steel welded with 6010, 6(2): 59-60
Sodium phosphites (NaH_2PO_2), ruthenium volatility control during waste calcination using, 5(2): 43
Sodium plutonyl fluorides, preparation, 5(4): 35
Sodium-potassium alloys (liquid)
See Potassium-sodium alloys (liquid)
Sodium Reactor Experiment
See Reactors (Sodium, Experiment) (SRE)
Soil-peat mixtures, sorption column use, 5(2): 51
Soil-sawdust mixtures, sorption column use, 5(2): 51
Soltrol-170, diluent use in solvent extraction, 5(4): 15
Solvent-extraction processes, 4(1): 19-23; 4(2): 22-33; 4(4): 6-16; 5(1): 13-16; 5(2): 5-21; 5(3): 1-2, 10-21; 5(4): 12-16; 6(1): 8-11; 6(2): 7-10; 6(3): 5-6; 6(4): 8-9
See also Liquid-metal extraction processes, Liquid-metal–fused-salt extraction processes, and materials being extracted, e.g., Uranium
cesium removal from waste solutions, 5(4): 68; 6(1): 53-4; 6(4): 48-9
column development, 4(1): 22-3
contactors, 6(1): 12-14; 6(4): 10-11
corrosion problems, 4(2): 49-53
cost, 5(4): 1-2
CSREX flow sheet, 6(4): 49
decontamination factors, solvent quality effects, 5(4): 15
diluents, 5(4): 14-15
fission-product removal, 4(1): 50; 5(2): 56; 6(2): 55-6; 6(4): 48-50
fuel solution pretreatment by centrifuging, 5(4): 12
lectures, 5(3): 12
plant design, 5(1): 18-25
plutonium dioxide–uranium dioxide processing, 6(2): 2-3
rare-earth removal from wastes, 6(1): 52-4
solvent stability, 5(4): 15-16
strontium removal from wastes, 6(1): 52-4
Solvesso-100 solvent, effects on solvent extraction, 4(3): 18
radiolysis, 4(1): 21; 4(2): 26-7
South Africa, Union of, uranium-ore processing plants, 4(1): 2
Spectral Shift Control Reactor
See Reactors (Spectral Shift Control) (SSCR)
Spectroscopy (optical emission), analysis of uranium-fissium alloys using, 5(2): 29
Spheres
See Thorium oxide spheres, Thorium oxide–uranium oxide spheres, and Uranium oxides (UO_2)
Sponges (ceramic), waste fixation in, 5(4): 63-4
Spray drying, uranium-zirconium alloy processing, 5(2): 26-7
SRE
See Reactors (Sodium, Experiment) (SRE)
Stainless steel
See also Carpenter-20 alloy and Carpenter-20Cb
chlorination, 4(4): 33-4; 5(1): 35-7
corrosion, 5(1): 26, 43, 44; 5(2): 15-16, 18-19; 5(3): 15-17, 18-19; 5(4): 25, 46
by ammonium fluoride, 4(3): 40-1
by ammonium fluoride–ammonium nitrate systems, 4(3): 40-1
by ARCO-process fluids, 4(2): 54
by barium fluozirconate, 4(2): 20
by bismuth-chloride systems, 4(4): 47
by bismuth-lead alloys, 4(3): 39
by cadmium, 4(2): 55-6
by cadmium-magnesium alloys, 4(2): 55-6
by cadmium-magnesium-zinc alloys, 4(2): 55-6
by chlorine, 4(3): 27
by citric acid, 4(4): 25
by Darex-process solutions, 4(4): 24
by Darex-Purex raffinate, 5(4): 21
in Demonstrational High-Temperature Solids Storage System, 4(3): 43
by ferric nitrate–nitric acid systems, 4(2): 49
by hydrofluoric acid–nitric acid systems, 4(1): 39; 4(2): 50, 52; 4(3): 40
by lead–lead chloride systems, 4(1): 40
by Niflex-process solutions, 4(2): 50, 52
by nitric acid solutions, 4(1): 38, 39; 4(2): 50, 52; 4(3): 41-2; 4(4): 23-5; 5(4): 21-3; 6(4): 13
by nitric acid–periodic acid systems, 4(4): 25
by nitric acid–sodium fluoride systems, 4(4): 25
by oxalic acid, 4(4): 25
by phosphoric acid, 4(4): 25
by potassium chloride–sodium chloride systems, 4(1): 40
by Purex wastes from Darex feeds, 4(2): 52-3
by Redox-process waste solutions, 4(2): 52
by sodium hydroxide–tartaric acid systems, 4(4): 25
by STR-process waste solutions, 4(2): 52
by Sulfex-process solutions, 4(4): 24
by sulfuric acid, 4(2): 52
by Thorex-process solutions, 4(4): 24
by Turco solvents, 4(4): 25
by uranium liquid systems, 4(1): 41; 4(2): 55-6; 6(3): 30
by uranium dioxide core dissolvents, 4(4): 24
by Zircex-process solutions, 4(2): 54; 4(4): 24; 5(1): 25-6
dissolution, 4(4): 7-8; 5(1): 8; 5(2): 10, 22; 5(3): 5; 6(2): 5
electrolytic, 4(1): 13; 4(2): 12; 4(4): 10; 5(2): 36; 5(3): 9; 5(4): 8-9; 6(3): 5
fused-salt volatility process, 5(2): 25
passivation by nitric acid, 6(2): 5

Stainless steel (Continued)
solubility, in aluminum nitrate–nitric acid–sodium nitrate systems, 4(2): 17
in hydrochloric acid–nitric acid systems, 4(1): 10-12
in sulfuric acid solutions, 4(1): 10-12; 4(2): 17; 4(3): 9-10
stress-corrosion cracking, literature survey, 5(4): 25
Stainless steel (18-8), corrosion by potassium chloride–sodium chloride melt, 6(1): 35
Stainless steel (304), cracking by sodium hydroxide, effect of potassium permanganate, 6(3): 17
Stainless steel (304) (borated), corrosion, by aluminum nitrate–hydrofluoric acid–nitric acid systems, 6(2): 18
by nitric acid, 6(2): 18
Stainless steel (304L), corrosion, by ammonium fluoride–ammonium nitrate solutions, 6(3): 12
by calcination processes, 5(2): 43; 6(3): 46-7
by Darex dissolver solutions, 5(4): 20-1
by Darex-Purex raffinate, 5(4): 21
by graphite–hydrofluoric acid–nitric acid–uranium systems, 6(3): 17
by ICPP wastes, 6(2): 59-60
by nitric acid solutions, 6(2): 14-15
by Purex wastes during calcination, 6(4): 51
by uranyl nitrate hexahydrate evaporator solutions, 5(4): 24-5
by waste solutions, 5(4): 25-6; 6(3): 47-8
by Zirflex solutions, 6(2): 18
Stainless steel (304SCb), corrosion by hydrofluoric acid–nitric acid systems, 6(1): 17
Stainless steel (308L), corrosion by Darex-Purex raffinate, 5(4): 21
Stainless steel (309SCb), corrosion, by ammonium fluoride–ammonium nitrate solutions, 6(3): 12
by hydrofluoric acid–nitric acid systems, 6(1): 16; 6(2): 16-17
by nitric acid solutions, 6(2): 14-15
by Zirflex-process solutions, 6(2): 18
Stainless steel (316), corrosion by waste solutions, 6(3): 47-8
cracking by sodium hydroxide, effect of potassium permanganate, 6(3): 17
Stainless steel (316L), corrosion, 5(4): 23
Stainless steel (347), corrosion, by Darex-Purex raffinate, 5(4): 20-1
by graphite–hydrofluoric acid–nitric acid–uranium systems, 6(3): 17
by hydrofluoric acid–nitric acid systems, 6(2): 16-17
by waste solutions during calcination, 5(4): 25-8; 6(4): 50
Stainless steel (348), corrosion by waste solutions, 5(4): 24-5; 6(2): 59-60; 6(3): 47-8
Stainless steel (405), corrosion by liquid cadmium-magnesium-zinc systems, 5(2): 33
Stainless steel (tungsten-coated), thermal cycling, 5(2): 33
Stainless-steel-matrix fuels, dissolution by hydrochloric acid–nitric acid mixtures, 5(4): 20
Stainless-steel–nitrate solutions, calcination of wastes containing, 5(4): 58
Stainless-steel–uranium alloys
See Uranium–stainless-steel alloys
Stainless-steel–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–stainless-steel systems
Stainless-steel–uranium oxides (UO_2) systems (stainless-steel-clad)
See Uranium oxides (UO_2)–stainless-steel systems (stainless-steel-clad)
Stainless-steel–uranium–zirconium alloys
See Uranium–stainless-steel–zirconium alloys
Stanray Corporation, fuel-element shipping, 6(1): 3
Steam, uranium carbide removal from cladding using, 5(4): 49
Steam stripping, Purex wastes, 5(2): 48
Steel
See also Croloy alloy
corrosion, 5(1): 43; 5(3): 33
by bismuth, 6(4): 29
by bismuth-chloride systems, 4(4): 47
by bismuth-lead alloys, 4(3): 39
by cadmium, 4(2): 55-6
by cadmium-magnesium alloys, 4(2): 55-6
by cadmium-magnesium-zinc alloys, 4(2): 55-6; 4(3): 37
by graphite–nitric acid systems, 6(1): 17
by mercury at high temperatures, 6(4): 29
by Redox-process waste solutions, 4(2): 52
by sodium, calcium inhibition, 6(1): 35
by STR-process waste solutions, 4(2): 52
by uranium-cadmium alloys, 4(2): 55-6
by uranium-cadmium-magnesium alloys, 4(1): 41
by uranium hexafluoride, 6(4): 21
Steel (ASTM 282C), corrosion of welded, in Purex waste solutions, 6(2): 59-60
Stills, cadmium distillation, 5(1): 44
Storage
See also Waste processing and disposal
criticality control during, 5(2): 15
fuels, economics, 5(4): 6
spent fuel elements, 4(3): 8; 6(2): 1
STR process, 4(3): 14
corrosion problems, 4(2): 52; 4(3): 42
economic evaluation, 5(4): 3-4
Stress corrosion, stainless steels, literature survey, 5(4): 25
waste-storage tanks, 5(4): 52-5
Strontium, adsorption, on resins, 4(2): 45, 72; 4(3): 49, 55; 5(2): 49-50; 6(1): 44-5; 6(4): 40
on minerals and natural materials, 5(2): 51; 5(4): 65-6; 6(3): 39-40
coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
incorporation into glass as heat or radiation source, 5(2): 47-8
removal, 5(2): 22; 5(3): 28, 44-5
by clinoptilolite clay, 4(4): 59; 5(2): 49-50
by D2EHPA, 4(2): 25
by electrolytic process, 5(2): 36
by ion-exchange materials, 4(2): 45, 72; 4(3): 49, 55; 5(2): 49-50; 6(1): 44-5; 6(4): 40
by liquid-metal extraction, 4(3): 39; 5(1): 40; 5(2): 30-1; 5(4): 45
by melt-refining process, 4(1): 31; 4(2): 42; 5(4): 36
by salt-cycle process, 4(4): 50
from wastes, 4(2): 71; 4(3): 54-5; 4(4): 64-5; 5(1): 51, 58, 61-3; 5(2): 48, 55; 5(4): 56; 6(3): 44-5; 6(4): 48-9
from water by foam separation, 6(1): 46-7; 6(4): 41
solubility, in liquid bismuth, 6(1): 29
in liquid zinc, 6(1): 29
in magnesium-silver alloys (liquid), 4(1): 37
Strontium-90, activity-level–particle-size relations, 5(4): 58
commercial production, 4(1): 3; 6(3): 2-3
packaging in zeolites, 6(3): 45-6
reactions with minerals, 5(2): 49
removal, by Multicurie Fission-Product Pilot Plant, 4(1): 3
effects on waste-disposal problems, 4(4): 57
from wastes, 5(2): 56; 5(3): 57-8; 5(4): 57, 67-9; 6(1): 45-6, 52-4; 6(2): 42-3, 55-6; 6(3): 2-3; 6(4): 40
by calcite, 6(2): 42-3
by Duolite CS-100 resin, 6(2): 43
by foam separation, 6(2): 44-5
by gibbsite, 6(2): 43-4
by ion exchange, 6(4): 40
by rock phosphate, 6(2): 42-3
from water, by carboxylic-phenolic resin, 6(4): 39
by foam separation, 6(4): 41
by ion exchange, 6(3): 39-40
by scavenging ion-exchange process, 6(1): 44-5
shipping, 5(2): 57-8; 5(4): 69; 6(3): 45-6
Strontium oxide–beryllium oxide–calcium oxide systems
See Beryllium oxide–calcium oxide–strontium oxide systems
Strontium oxide–beryllium oxide–lanthanum oxide systems
See Beryllium oxide–lanthanum oxide–strontium oxide systems
Strontium oxide–beryllium oxide systems
See Beryllium oxide–strontium oxide systems
Styrene polymers, 5(4): 23
Sublimation
See also Fractional sublimation processes
molybdenum trioxide rate, radiation effects, 5(2): 38
Submarine Intermediate Reactor
See Reactors (S1G)
Submarine Thermal Reactor process, economic evaluation, 5(4): 3-4
Sulfamic acid, plutonium dissolution, 6(1): 7
Sulfate ion, effects, on strontium recovery from Purex wastes, 5(2): 55
on uranium extraction from nitric acid solutions, 5(2): 61-2
Sulfex process, 4(1): 10-12; 4(2): 11-12; 4(3): 9-10, 11
corrosion problems, 4(2): 49; 4(3): 41, 50-1; 4(4): 21-2, 24; 5(1): 26; 5(3): 17; 6(1): 15-16; 6(2): 17-18; 6(3): 9-11; 6(4): 12
costs, 6(1): 3
decladding of fuel elements, 5(1): 8
explosion hazards, 4(3): 6-7
flow sheets, 4(2): 12
waste-stream solidification, 4(1): 46
Sulfex-Thorex process, 4(2): 15-17
corrosion problems, 4(1): 37-9
flow sheets, 4(2): 16
Sulfex-Zirflex process, corrosion problems, 5(2): 18
Sulfonate, dodecylbenzene, strontium removal from water by foaming action, 6(4): 41
Sulfoxide, dibenzyl-, solvent properties, 5(3): 12
Sulfoxide, di-*n*-octyl-, solvent properties, 5(3): 12
Sulfoxide, ethyl dodecyl-, solvent properties, 5(3): 12
Sulfur (liquid), waste calcination in, 5(4): 58
Sulfur fluorides (SF_4), fluoride-volatility process use, 4(1): 29-30
fluorination, of uranium trioxide, 4(4): 72
of uranyl fluoride, 4(4): 72
reactions with plutonium hexafluoride, 4(3): 28-9
Sulfuric acid, corrosive effects, 4(1): 37-8; 4(2): 52; 4(3): 41; 4(4): 22-5; 5(3): 17-18; 6(2): 17-18; 6(3): 9-11
extraction with tertiary amines, 6(1): 8-10
granitic rock leaching, 5(4): 83-4

Sulfuric acid (Continued)
solvent properties, **4**(1): 10-12; **4**(2): 17, 19; **4**(3): 9-10; **4**(4): 7-8; **5**(1): 8, 11-12; **5**(3): 5-6, 10; **5**(4): 8; **6**(1): 6; **6**(2): 5
uranium-ore leaching, **6**(1): 55-6
Sulfuric acid–hydrochloric acid–nitric acid systems
See Hydrochloric acid–nitric acid–sulfuric acid systems
Sulfuric acid–nitric acid systems
See Nitric acid–sulfuric acid systems
Symposia
See Conferences

T

Tanks
See Containers
Tantalum, blanket use in electrolytic dissolution process, **5**(4): 8-9
container fabrication, for LAMPRE-I fuel, **6**(3): 30
corrosion, **5**(1): 43; **5**(3): 33
by bismuth-chloride systems (liquid), **4**(4): 47
by cadmium (liquid), **4**(2): 55-6
by citric acid, **4**(4): 25
by Darex dissolver solutions, **5**(4): 20
by hydrochloric acid, **6**(1): 17
by hydrochloric acid–hydrogen peroxide–lithium chloride systems, **6**(1): 17
by hydrochloric acid–lithium chloride–oxygen systems, **6**(1): 17
by hydrofluoric acid–nitric acid systems, **4**(2): 52; **6**(1): 17
by liquid magnesium-zinc alloys, **4**(2): 55-6; **4**(4): 48
by liquid plutonium, **4**(2): 56
by liquid plutonium-cerium-cobalt alloy, **6**(1): 35; **6**(4): 27
by liquid plutonium fuels, **6**(1): 35
by liquid plutonium-iron alloys, **5**(2): 33; **6**(1): 35; **6**(4): 28-9
by liquid sodium, **6**(1): 35
by liquid uranium, **4**(3): 44
by liquid zinc, **4**(2): 55-6
by lithium, effect of oxygen content, **6**(1): 35
by nitric acid, **4**(4): 25
by nitric acid (electrolytic), **4**(1): 39; **4**(2): 49; **4**(3): 41-2
by nitric acid–periodic acid systems, **4**(4): 25
by oxalic acid, **4**(4): 25
by phosphoric acid, **4**(4): 25
by potassium chloride–sodium chloride systems (fused), **4**(1): 40; **4**(2): 54
by sodium hydroxide–tartaric acid systems, **4**(4): 25
by TRU-related environments, **6**(4): 12-13
by Turco 4501 solvent, **4**(4): 25
by Turco 4502 solvent, **4**(4): 25
hydrogen embrittlement, **5**(4): 20; **6**(3): 16-17
solubility in mercury, **4**(4): 39
Tantalum (tantalum boride-coated), compatibility with liquid uranium-calcium systems, **6**(2): 30
Tantalum (tungsten-coated), thermal cycling, **5**(2): 33
Tantalum alloys, corrosion, **5**(1): 43
by plutonium (liquid), **4**(2): 56
by plutonium fuels (liquid), **6**(1): 35
by plutonium-cobalt-cerium fuels (liquid), **6**(3): 30
by plutonium-cobalt fuels (liquid), **6**(3): 30
by potassium chloride–sodium chloride systems (liquid), **4**(2): 54
development for LAMPRE-I fuel containers, **6**(3): 29-30
Tantalum carbide (TaC), corrosion by uranium-manganese alloys (liquid), **6**(3): 30
Tantalum-thorium alloys
See Thorium-tantalum alloys
Tantalum-tungsten alloys, corrosion by LAMPRE-I fuels, **6**(3): 29-30; **6**(4): 29
by nitric acid (electrolytic), **4**(1): 39; **4**(3): 41-2
by plutonium (liquid), **4**(1): 41
Tantalum-yttrium alloys, corrosion by LAMPRE-I fuels, **6**(3): 29-30
Tartaric acid–sodium hydroxide systems
See Sodium hydroxide–tartaric acid systems
TBP
See Tributyl phosphate
TBP processes, **4**(4): 8
See also Purex process and Thorex process
diluents for, **5**(4): 15; **6**(1): 8
waste disposal, **5**(1): 52-7
TBP-25 wastes, calcination, **5**(2): 43; **5**(4): 58-9; **6**(2): 49-51; **6**(3): 42-3; **6**(4): 44
composition, **5**(4): 25-6
conversion to glasses, **5**(4): 63
corrosive properties, **5**(4): 25-7
TCE
See Ethylene, tetrachloro-
Technetium, adsorption on Dowex 1-X4 resin, **4**(2): 72
behavior in melt-refining process, **4**(2): 42
removal from uranium hexafluoride by magnesium fluoride sorption, **6**(3): 22-3
separation from waste streams, **4**(2): 72; **4**(3): 54
solubility in liquid bismuth, **6**(1): 29
Technetium-99, price schedule, **4**(3): 54
production in Multicurie Fission-Product Pilot Plant, **4**(1): 3
recovery from Purex wastes, **5**(2): 56; **6**(2): 57
Technetium fluoride (TcF_6), melting point, **5**(2): 27
preparation by direct fluorination of metal, **5**(2): 27
purification by fractional sublimation, **5**(2): 27
solid-solid transition point, **5**(2): 27
Television, remote maintenance use, **5**(4): 19
Tellurium, release during oxidation of uranium dioxide, **5**(4): 34-5
removal, **5**(2): 22; **5**(3): 28
by fluoride-volatility processes, **4**(4): 35-6
by liquid-metal extraction, **4**(3): 39
by melt-refining process, **4**(1): 31; **4**(2): 42; **4**(3): 32
by oxidation-reduction process for uranium dioxide, **5**(4): 49
by salt-cycle process, **4**(2): 43
by skull reclamation process, **4**(3): 36
solubility in magnesium-silver alloys (liquid), **4**(1): 37
Temperature effects, dissolution rate of uranium dioxide, **5**(4): 10-11
304L stainless-steel corrosion in Darex dissolver solutions, **5**(4): 20
Terbium, removal, **5**(3): 29
solubility, **5**(3): 31
in cadmium (liquid), **4**(3): 34-5
Tetrachloroethylene, solvent properties, **5**(3): 11
Tetrahydronaphthalene
See Naphthalene, tetrahydro-
Tetramer solvent, radiolysis, **4**(3): 19
Tetraphenyl boron, cesium removal by, **5**(4): 68
Thallium (liquid), solvent properties, **4**(2): 47
Thallium-uranium alloys
See Uranium-thallium alloys
Thermal cycling, of irradiated uranium, Kr^{85} release during, **5**(4): 37, 40
of tungsten-coated construction materials, **5**(2): 33
Thermal decomposition, plutonium hexafluoride, **5**(2): 27; **5**(4): 34
Thermal-diffusion processes (solid state), **4**(4): 46
Thermal flowmeters
See Flow rate
Thermodynamic properties, actinide carbides, formation, **6**(3): 53
alloys, **5**(4): 39-40; **6**(4): 27-8
antimony-cadmium alloys, **4**(4): 39
bromine fluorides, **5**(4): 35
intermetallic compounds, **5**(2): 29-30; **5**(4): 39-40
iodine pentafluoride, **5**(4): 35
liquid metals, review, **5**(2): 30
plutonium-bismuth alloy, **6**(4): 28
plutonium from 298.16 to 2500°K, **6**(3): 29
Thorex-Darex process
See Darex-Thorex process
Thorex process, **4**(2): 19; **4**(4): 12; **5**(4): 14
See also Acid Thorex process; Darex-Thorex process; Sulfex-Thorex process
commercial plants, **4**(3): 2
corrosion problems, **4**(4): 24
waste calcination, costs, **5**(2): 42
waste disposal, **5**(1): 52-7; **5**(3): 55-6
waste storage, **5**(1): 50-1; **5**(2): 51
Thorex wastes, calcination, **6**(2): 49
Thorium, adsorption, on Dowex 1 resin, **4**(4): 17
on Dowex 21K resin, **4**(4): 17
on Dowex 50W resin, **4**(4): 17
coprecipitation with cadmium-cerium alloys, **4**(3): 36
distribution coefficients in magnesium-zinc alloys–magnesium chloride systems, **6**(1): 32; **6**(3): 26, 28
electrorefining, **4**(3): 37-8; **4**(4): 46; **5**(1): 73; **5**(3): 32-3
extraction with phosphonates, **6**(3): 6
ion exchange, **4**(3): 23; **6**(4): 9
leaching from impregnated graphite, **5**(1): 12
liquid-metal extraction, **4**(4): 46-7
losses in recycle, **5**(3): 2-3, 7
melting, **5**(3): 29
crucible coating with oxides, **6**(4): 30
metallurgy and properties, **6**(1): 36
production, **4**(2): 77-8; **4**(3): 63-4; **4**(4): 77; **5**(2): 61-2
by thorium oxide reduction, **5**(4): 84; **6**(1): 33
by thorium oxide reduction in liquid-metal–fused-salt systems, **6**(4): 27
by thorium tetrachloride reduction, **6**(1): 33; **6**(2): 70
properties, **4**(4): 49
purification by electron-beam melting, **6**(2): 30
recovery, **5**(1): 42-3; **5**(3): 11-12, 32-3; **5**(4): 16
in a Jiggler column, **4**(1): 26
from ores, **5**(4): 83-4; **6**(2): 69
from thorium carbide–uranium carbide–graphite fuels, **6**(2): 6-7
separation, by liquid-metal–fused-salt process, **6**(2): 31
from radium, **5**(4): 39
from uranium, **5**(4): 15
solubility, in lead chloride (liquid), **4**(4): 11
in magnesium (liquid), **4**(2): 47
in magnesium-silver alloys (liquid), **4**(2): 47
in zinc (liquid), **4**(1): 35; **5**(1): 43; **5**(2): 29

Thorium (Continued)
solvent extraction, 5(4): 14-15
by liquid-metal–fused-salt system, 5(4): 43
vapor pressure, 4(2): 48
Thorium-232, recovery, 5(1): 13
Thorium alloys, corrosion by liquid plutonium alloys, 5(2): 33
metallurgy and properties, 6(1): 36
Thorium-aluminum alloys, preparation from thorium oxide reduction in aluminum melt, 4(4): 77; 5(4): 84
solubility in zinc (liquid), 4(2): 47
Thorium-bismuth alloys (liquid), thermodynamic properties, 6(4): 28
Thorium-bismuth intermetallic compounds, dispersion in lead, bismuth, or bismuth-lead alloys, 6(3): 28
Thorium carbide, oxidation, 5(1): 47
reaction with zinc chloride, 5(4): 42
solubility, in fused chlorides, 4(3): 33
in zinc (liquid), 4(3): 33
thermodynamic functions of formation, 6(3): 53
Thorium carbide–uranium carbide–graphite systems, thorium and uranium recovery, 6(2): 6-7
Thorium carbide–uranium carbide systems (pyrolytic carbon-coated), combustion-leaching processing, 6(1): 8
Thorium chloride, condensation product of monazite chlorination, 5(2): 68
production, 4(3): 63-4
reduction, to metal, 4(3): 63-4
to metal by magnesium, 6(1): 33; 6(2): 70
Thorium compounds, metallurgy and properties, 6(1): 36
reduction, 5(3): 31-2
Thorium fluoride, complexing with uranium fluorides, 5(3): 27
electrolysis, 4(2): 77-8
precipitation with hydrofluoric acid–potassium fluoride systems, 4(4): 19
preparation and properties, 5(2): 27
reduction, 4(4): 77; 5(4): 42
Thorium fluoride–uranium fluorides (UF_4)–beryllium fluoride–lithium fluoride system (liquid), fused-salt volatility processing, 6(4): 21-3
phase studies, 4(3): 39
Thorium hydroxide, firing for thorium oxide particle production, 5(2): 69
Thorium-lead intermetallic compounds, crystal structure, 5(2): 30
dispersion in lead, bismuth, or bismuth-lead alloys, 6(3): 28
Thorium-magnesium alloys, production, by magnesium reduction of thorium chloride, 6(1): 33
by magnesium reduction of thorium tetrafluoride, 5(4): 42
properties, 6(1): 33
Thorium-magnesium alloys (liquid), protactinium distribution coefficients, 4(4): 40, 41
Thorium nitrate, thorium oxide production using, 5(2): 68-9
Thorium nitrate–nitric acid systems, uranium dissolution, 6(1): 6
Thorium nitrates, extraction by TBP, effects of diluents, 6(1): 8
Thorium ores, chlorination, 5(2): 68
leaching, 5(4): 83-4
Thorium oxide, blanket processing in Aqueous Homogeneous Breeder Reactor, 6(1): 14-15
coating on graphite crucibles with, 6(4): 30
crystal properties, 5(4): 47-8
dissolution, 5(2): 10-11
in fused-salt volatility process, 5(2): 25
processing, 5(2): 11
production by sol-gel process, 6(2): 69-70
recovery by melt-refining process, 4(1): 33
reduction, by aluminum in fused salts, 6(1): 33
by aluminum for thorium-aluminum alloy production, 5(4): 84
by fused-salt systems, 5(2): 32
by liquid magnesium-zinc alloys, 5(1): 41; 5(4): 84; 6(1): 33
by liquid-metal systems, 5(2): 32
by magnesium-zinc alloy, 5(4): 84; 6(4): 27
solubility, in fused chlorides, 4(3): 33
in nitric acid, 4(4): 11
thermodynamic properties, 4(4): 53
Thorium oxide–plutonium oxide systems
See Plutonium oxide–thorium oxide systems
Thorium oxide spheres, preparation, 5(2): 68-9
Thorium oxide–uranium oxide spheres, preparation, 5(2): 68-9
Thorium oxide–uranium oxides (UO_2) systems, dissolution, 5(1): 29-30
in aluminum nitrate–nitric acid–sodium fluoride systems, 4(2): 19
in hydrochloric acid–nitric acid systems, 5(1): 18
in hydrogen fluoride–nitrogen dioxide systems, 4(4): 30
in nitric acid, 4(4): 11
precipitation from fused-salt solutions, 5(4): 48
preparation, sol-gel process flow sheet, 6(2): 69-70
processing, 4(2): 22-3
Thorex processing, 5(4): 14
Thorium-plutonium alloys
See Plutonium-thorium alloys
Thorium sulfate, adsorption on Permutit SK resin, 4(1): 26
Thorium-tantalum alloys, phase studies, 5(4): 40
thermodynamic properties, 5(4): 40
Thorium-uranium alloys, melting, crucible coating with oxides, 6(4): 30
separation by solvent extraction, 5(4): 14
solubility in liquid magnesium, 5(1): 42
Thorium-uranium-aluminum alloys, fission-product removal, 4(2): 47
thorium-uranium separation by molten-salt extraction, 6(1): 32
Thorium-uranium fuel cycle, development, at Babcock & Wilcox, 6(2): 1
at ORNL, 6(2): 1
Thorium-zinc alloys, disposal in salt mines, 5(4): 66
phase studies, 5(4): 40
preparation, electrolytic, 6(1): 33
thermodynamic properties, 5(1): 39; 5(4): 40
Thulium, removal, 5(3): 28
solubility, 5(3): 31
in cadmium (liquid), 4(3): 34-5
Tin alloys
See Zircaloy alloys, Zircaloy-2 alloy, and Zircaloy-4 alloy
Tin fluorides, complexing with uranium fluorides, 5(3): 27
TIOA
See Octylamine, tri-iso- and Triiso-octylamine
Titanium, corrosion, 5(1): 26-7; 5(2): 8, 18; 5(3): 16, 18-19; 5(4): 24
by aluminum nitrate–hydrofluoric acid–nitric acid systems, 6(1): 16
by ammonium chromate [$(NH_4)_2Cr_2O_7$]–fluoboric acid (HBF_4)–hydrofluoric acid–nitric acid systems, 6(3): 5
by citric acid, 4(4): 25
by Darex-Thorex process solutions, 4(3): 41
by ferric nitrate–nitric acid systems, 4(2): 18
by graphite–nitric acid systems, 6(1): 17
by hydrochloric acid, 6(1): 17; 6(3): 17
by hydrochloric acid–hydrogen peroxide–lithium chloride systems, 6(1): 17
by hydrochloric acid–hydrogen peroxide systems, 6(1): 17
by hydrochloric acid–lithium chloride–oxygen systems, 6(1): 17
by hydrochloric acid–nitric acid systems, 4(1): 37-8; 6(1): 17; 6(3): 17
by magnesium-zinc alloys (liquid), 4(2): 46
by mercury at high temperatures, 6(4): 29
by nitric acid, 4(4): 25; 6(1): 17
by nitric acid (electrolytic), 4(1): 39
by nitric acid–periodic acid systems, 4(4): 25
by nitric acid–sodium fluoride systems, 4(4): 25
by oxalic acid, 4(4): 25
by phosphoric acid, 4(4): 25
by sodium hydroxide–tartaric acid systems, 4(4): 25
by Turco 4501 solvent, 4(4): 25
by Turco 4502 solvent, 4(4): 25
during waste calcination, 6(3): 46-7
by zinc (liquid), 4(2): 46, 55-6
solubility, in cadmium (liquid), 4(4): 39
in zinc (liquid), 4(1): 35
use as dissolver equipment, 6(3): 12-13
Titanium alloys
See Waspaloy alloy
Titanium-45A alloy, corrosion, 5(4): 24, 27-8
by aluminum nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$) systems, 6(2): 17
by aluminum nitrate–hydrofluoric acid–nitric acid systems, 6(2): 16
by Darex-process solutions, 4(4): 24; 6(2): 17
by ferric nitrate–nitric acid systems, 4(2): 49
by fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconium nitrate systems, 6(2): 17
by nitric acid, 4(3): 42
by Purex wastes during calcination, 6(4): 51
by Sulfex-process solutions, 4(4): 24
by Thorex-process solutions, 4(4): 24
by uranium dioxide core dissolvents, 4(4): 24
by Zirflex-process solutions, 4(4): 24
Titanium-cadmium alloys (liquid)
See Cadmium-titanium alloys (liquid)
Titanium fluoride (TiF_4), heat of formation, 6(1): 27
Titanium fluorides, complexing with uranium fluorides, 5(3): 27
TLA
See Amine, trilauryl-
Toluene, diluent use in tributyl phosphate extraction processes, 5(4): 15; 6(1): 8
separation, 5(3): 12-13
Transformers, radiation effects, 4(1): 41-2
Transportation
See Shipping
Transuranium elements
See also Americium, Berkelium, Californium, Curium, Einsteinium, Fermium, Mendelevium, Neptunium, and Plutonium
solvent extraction, 5(4): 16; 6(1): 10-11; 6(4): 8

Transuranium processing facility
See TRU facility
Tribromomethane
See Methane, tribromo-
Tributyl phosphate, chemical stability, 4(4): 13-16
compared with di-*sec*-butylphenyl phosphonate as solvent for uranium-thorium separation, 5(4): 14
degradation, 5(2): 12-13
cleanup with ethanolamines, 6(1): 10
effect on product stream purity, 6(1): 10
in ICPP process, 5(1): 15-16
in Purex process, 5(1): 14-15
diluent effect on thorium and europium extraction, 6(1): 8
europium nitrate extraction, 6(1): 8
nitric acid extraction, 6(4): 9
plutonium separation from fission products, degradation effects, 6(1): 10
radiolysis, 4(2): 26-7; 4(4): 13-16
rare-earth extraction, 5(2): 56
Russian solvent-extraction data, 5(4): 14-15
solvent properties, 4(2): 23; 4(4): 12-13; 5(2): 11-12; 5(3): 10-11, 12-13
uranium extraction from uranium carbides (UC), 6(3): 6
uranium separation from fission products, degradation effects, 6(1): 10
Tributyl phosphate–hexane solutions
See Hexane–tributyl phosphate systems
Tributyl phosphate–nitric acid systems
See Nitric acid–tributyl phosphate systems
Tributyl phosphate–nitric acid–uranyl nitrate systems
See Uranyl nitrate–nitric acid–tributyl phosphate systems
Tributyl phosphate processes
See also Purex process, TBP-25 waste, and Thorex process
diluent for, 5(4): 15; 6(1): 8
waste disposal, 5(1): 52-7
Trichloromethane
See Methane, trichloro-
TRIGA Reactors
See Reactors (TRIGA)
Triiodide, cesium removal by, 5(4): 68
Triisooctylamine, actinide-lanthanide separation, 4(3): 19
solvent properties, 4(2): 23-4; 5(3): 12-13
Trilaurylamine, solvent-extraction properties, 4(1): 20-1; 5(2): 12; 5(3): 12; 6(3): 6; 6(4): 8
Trimethyl hexane
See Hexane, 2,3,5-trimethyl-
Tri-*n*-octylamine, plutonium complexing from nitrate solutions, 6(3): 6
solvent properties, 5(3): 12
Trioctyl phosphine oxide
See Phosphine oxide, trioctyl-
TRU facility, 5(3): 12-13; 5(4): 16; 6(4): 8
corrosion problems, 5(3): 19; 6(1): 16-19; 6(3): 15-17; 6(4): 12-13
Tube cutters, 5(2): 5, 6
Tungsten, compatibility, with liquid uranium-magnesium-zinc systems, 5(4): 45-6
with magnesium-zinc–fused-salt systems, 5(2): 33
corrosion, 5(1): 43; 5(3): 33
by magnesium-zinc alloys (liquid), 4(4): 48
in skull reclamation process, 6(1): 34
by zinc (liquid), 4(2): 55-6
by zinc-halide flux systems, 6(4): 26
Tungsten alloys
See also Haynes 21 alloy and Haynes 25 alloy
corrosion, by magnesium-zinc alloys (liquid), 4(2): 55-6
by plutonium alloys (liquid), 5(2): 33
Tungsten coatings, use on materials in liquid-metal–molten-salt solutions, 5(2): 33
Tungsten fluorides (WF_6), nuclear magnetic resonance spectra, 4(4): 30
physical constants, 4(3): 29
reaction, with nitrogen oxides, 4(4): 36; 6(1): 17; 6(3): 24
with nitrogen oxyhalides, 4(4): 36
Tungsten-molybdenum alloys
See Molybdenum-tungsten alloys
Tungsten-niobium alloys
See Niobium-tungsten alloys
Tungsten oxyfluoride, physical constants, 4(3): 29
Tungsten-tantalum alloys
See Tantalum-tungsten alloys
Turco 4501 solvent, corrosive effects, 4(4): 25
Turco 4502 solvent, corrosive effect, 4(4): 25
Turret Reactor
See Reactors (Turret)

U

Ultrasene, diluent use in solvent extraction, 5(4): 15
Ultrasonics, applications in fuel processing, 4(4): 49
waste-disposal applications, 4(4): 60-1
1-Undecene, chemical stability, 4(4): 13-15
radiolysis, 4(4): 13-15
UNH
See Uranyl nitrate hexahydrate
Union of South Africa, uranium-ore processing plants, 4(1): 2
Union of Soviet Socialist Republics, solvent-extraction work with tributyl phosphate, 4(4): 12-13; 5(4): 14-15
thorium production methods, 4(2): 77-8
United Kingdom, ion-exchange processes, 4(3): 24
uranium production plants, 4(1): 55
waste disposal, 4(1): 51
United Nuclear Corporation, services offered, 4(3): 1
Unitemp 600 alloy, corrosion by potassium chloride–sodium chloride systems (liquid), 4(3): 42
Uranate ions
See Hexachlorouranate ion
Uranium, adsorption, on Dowex 1 resin, 4(4): 16-17
on Dowex 21K resin, 4(4): 16-17
on Dowex 50W resin, 4(4): 17
autoradiographic distribution determination, 5(2): 33
chlorination, 5(4): 33
complex formation of hexavalent, 6(4): 8
coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
with zinc, 4(2): 25
cutting, 5(2): 5
density of liquid, 5(3): 30
diffusivity, in liquid bismuth, 6(1): 31-2
in liquid cadmium, 6(4): 28
in liquid zinc, 5(4): 39
distribution coefficients, in aluminum chloride–alkali chloride systems, 4(4): 40-1
in bismuth-zinc alloys, 4(4): 40-1
in liquid-metal–fused-salt systems, 6(1): 32; 6(3): 26, 28-9, 32
in low-acidity nitric acid and 20% TBP in kerosene, 6(1): 8
electrochemical behavior, in lithium chloride–potassium chloride systems (liquid), 4(1): 37
in magnesium chloride–potassium chloride–sodium chloride systems (liquid), 4(1): 37
electrorefining, 6(1): 60
extraction, 5(4): 12-16
fused salts, 4(4): 40-1
liquid aluminum, 4(2): 46; 6(1): 34
liquid aluminum-cadmium system, 5(4): 41-2
liquid lead-zinc system, 5(2): 30-1
liquid metals, 4(4): 40-1, 46-7
Neuflex process, 6(1): 9
ores, 4(2): 24-5; 5(2): 61-2
phosphonates, 6(3): 6
fission-product removal, 6(1): 36; 6(3): 28
Kr^{85} release during thermal cycling of irradiated, 5(4): 37, 40
leaching, from impregnated graphite, 5(1): 12
from lead chloride by nitric acid, 4(1): 43
loss minimization by waste backcycling in Purex process, 5(4): 13
losses in recycle, 5(3): 2-3, 7
melting, 5(3): 29; 6(1): 36
metallurgy and properties, 6(1): 36
molybdenum removal by zone melting, 6(3): 28
powders, production, 6(2): 68-9
prices of concentrates, 4(2): 3
procurement costs in FY 1961, 4(1): 2-3
production, 4(1): 58-9; 4(2): 77; 5(1): 70-2; 5(2): 61-9; 5(4): 72-86; 6(1): 59-64; 6(2): 68-9
by electrolytic reduction of uranium dioxide, 4(4): 73; 5(2): 66; 5(4): 82; 6(3): 54-5
by reduction, of uranium chloride, 5(4): 73
of uranium hexafluoride, 4(3): 62-3; 4(4): 75-6
of uranium oxide (U_3O_8), 6(3): 36
of uranium oxides in liquid-metal–fused-salt systems, 6(4): 27
of uranium tetrafluoride with magnesium, 4(4): 73-5; 5(2): 66-7; 6(1): 62-3; 6(3): 55
of uranium trichloride in liquid-metal–fused-salt systems, 5(4): 83
production plants, 4(1): 55-9
properties, 4(4): 49
purification by electrolytic process, 5(2): 13
rare-earth separation from, by liquid-metal–fused-salt processes, 6(3): 26
reactions, with carbon in liquid-metal systems, 5(2): 66
with propane to produce uranium dicarbide, 5(2): 64
recovery, 5(1): 42-3; 5(2): 12; 5(3): 10-11, 22, 25-6, 34-6
by amines, 4(2): 24
by chloride-volatility process, 4(4): 32-5
by diamylamyl phosphonate, 4(2): 25-6
by fluoride-volatility process, 4(1): 27-30; 4(2): 35-8
from impure uranium tetrafluoride, 5(2): 68
by ion exchange, 4(2): 33-4; 4(3): 23-4
from magnesium fluoride slag, 4(4): 76-7; 6(1): 64
by melt-refining process, 4(2): 41-4; 5(2): 32
by Nitrofluor process, 4(3): 26; 4(4): 29-30
from ores, 5(2): 61-2; 5(4): 83-4; 6(1): 55-6; 6(3): 49; 6(4): 9
by Power-Reactor Fuel-Processing Pilot Plant, 4(2): 32-3
by Purex process, 4(4): 12
by salt-cycle process, 4(3): 32; 4(4): 49-50; 6(1): 64; 6(3): 32-3
from scrap metal, 4(3): 63; 6(1): 64
from slag, 5(1): 72
from slurry feed, 4(2): 33
from thorium carbide–uranium carbide–graphite fuels, 6(2): 6-7

Uranium, recovery (Continued)
from uranium monocarbide by solvent extraction, 6(3): 6
reducing-agent use, 5(4): 45
ruthenium removal by zone melting, 6(3): 28
separation, from chromium in skull reclamation process, 5(4): 43
from fission products, 6(1): 10
by chlorination, 5(4): 33
by hydriding, 6(1): 34
by liquid-metal–fused-salt systems, 6(1): 32
from plutonium, by liquid-metal extraction process, 6(1): 33
by liquid-metal–fused-salt extraction process, 6(3): 27-8
from thorium, 5(4): 15
by liquid-metal–fused-salt extraction process, 6(2): 31
solubility, 5(1): 8-9, 29-30; 5(2): 7, 10-11; 5(3): 29
in bismuth, 5(4): 39; 6(1): 29, 31
in bromine trifluoride, 4(3): 26-7
in cadmium, 5(1): 39
in calcium, 4(2): 27
in gallium, 5(4): 39
in liquid-metal systems, 5(4): 42
in magnesium, 4(2): 27; 6(3): 26-7
in magnesium-silver alloys, 4(2): 47
in magnesium-zinc alloys, 4(1): 36; 4(2): 46; 4(3): 36; 5(2): 29-30
in nitric acid, 5(4): 10
in thorium nitrate–nitric acid systems, 6(1): 6
in trilaurylamine, 4(2): 23-4
Uranium (depleted), base charges for, as uranium hexafluoride, 5(4): 4
Uranium (enriched), base charges for, as uranium hexafluoride, 5(4): 4
price reduction effects on reactor fuel-cycle cost, 5(4): 5
production by gas centrifugation, 4(1): 2
Uranium (liquid), corrosion of stainless steel, 6(3): 30
corrosive effects, 4(3): 44; 6(2): 30
density, 5(3): 30
Uranium (stainless-steel-clad), solubility in nitric acid (electrolytic), 4(3): 11
Uranium-233, adsorption on Dowex 50W resin, 4(4): 17
AEC buy-back price, 4(1): 1
separation, 5(1): 13; 5(3): 11-12, 32-3
use and consumption charges, 4(4): 3
Uranium-235, enrichment by gas centrifugation, 4(2): 2-3
use and consumption charges, 4(4): 3
Uranium alloys, metallurgy and properties, 6(1): 36
Uranium-aluminum alloys, dissolution, 4(3): 20-2; 4(4): 8-9
in nitric acid, effect of minor alloy elements in aluminum, 6(1): 7
electrolytic dissolution, 6(3): 5
processing costs, 4(4): 2
production by aluminum reduction of uranium dioxide, 5(4): 42, 83
thorium extraction from, by fused-salt process, 6(1): 34
Uranium–aluminum–samarium–zirconium hydride systems, hydrochlorination, 4(3): 11
Uranium-aluminum-silicon alloys, dissolution in nitric acid, 6(2): 6
Uranium-aluminum-thorium alloys
See Thorium-uranium-aluminum alloys
Uranium amalgam
See also Uranium-mercury alloy
preparation, 6(1): 34
Uranium-beryllium alloys, dissolution in ammonium fluoride solutions, 6(1): 7
Uranium-bismuth alloys, thermodynamic properties, 5(1): 39-40
Uranium-bismuth alloys (liquid), fission-product removal, 5(4): 45
by liquid-metal–fused-salt extraction process, 6(3): 26-7
thermodynamic properties, 6(4): 28
Uranium-bismuth-zirconium alloys, phase diagrams, 5(3): 29
Uranium borides (UB_2), preparation, 5(1): 47
preparation and properties, 6(2): 67
Uranium borides (UB_4), preparation and properties, 6(2): 67
Uranium borocarbide (UBC), preparation, 6(2): 67
Uranium-cadmium alloys, phase diagrams, 5(3): 29-30
thermodynamic properties, 5(1): 39
Uranium-cadmium alloys (liquid), corrosive effects, 4(2): 55-6
thermodynamic properties, 4(4): 39-40; 5(4): 39
uranium carbide precipitation from, 4(3): 37
Uranium-cadmium intermetallic compounds, thermodynamic properties, 5(4): 39
Uranium-cadmium-magnesium alloys (liquid), corrosive effects, 4(1): 41
Uranium-calcium systems (liquid), crucibles for, 6(2): 30
Uranium carbides, bibliography, 5(4): 78
coating of particles with carbon, 4(4): 73; 5(4): 81; 6(1): 58
conversion to uranium dioxide, 4(1): 35
declading by steam, 5(4): 49
electrolytic processing in fused-salt bath, 5(4): 49
fractional sublimation processing following chloridation, 5(2): 26
leaching, 5(1): 12
nitridation processing, 5(4): 49
oxidation, 4(4): 52
oxidation-reduction processing, 5(4): 49
precipitation, from cerium-magnesium alloys (liquid), 4(3): 37
from uranium-cadmium alloys (liquid), 4(3): 37
production, 4(1): 58; 4(3): 61-2; 5(4): 78-82
from metallic uranium and propane, 5(2): 36
from uranium dioxide, 4(1): 35
reaction with oxygen, 4(3): 34
solubility, in fused chlorides, 4(3): 33
in hydrogen fluoride–nitrogen dioxide systems, 4(3): 25; 4(4): 30
in zinc (liquid), 4(3): 33
Uranium carbides (UC), activation by water vapor, 5(4): 49
age effects on reaction rates, 5(2): 36-7; 5(3): 38
carbide-oxide-carbide process, 5(1): 46; 5(2): 35-6; 5(4): 49; 6(3): 34-6
compacts, preparation, 6(1): 60
conversion, to uranium tetrafluoride, 6(4): 20
to uranium tetrafluoride with hydrogen fluoride, 6(2): 27
to uranium trioxide by nitric acid, 6(2): 27
heat of vaporization, 6(3): 53
hydrofluorination processing, 5(2): 26
iodine removal during nitric acid oxidation, 6(2): 27
nitridation, 5(1): 46; 5(2): 36-7; 5(4): 50
oxidation, 5(1): 46-7
precipitation with carbon from liquid-metal solutions, 5(4): 80
preparation, 5(1): 47, 69-70
by carbothermic reduction of uranium dioxide, 5(2): 65-6; 5(4): 78-9; 6(3): 53
by reaction of uranium with carbon, 6(3): 52-3
by reaction of uranium and graphite, 6(2): 66-7
by reaction of uranium with hydrocarbons, 5(4): 78
by reduction of uranium tetrafluoride with carbon and silicon, 6(1): 59-60
processing, 5(1): 46; 5(2): 35-7; 5(3): 37-9; 5(4): 49-50
by chlorination, 5(4): 33
electrolytically, 5(2): 36; 5(4): 49; 6(3): 36
properties, 6(2): 66
pyrophoricity, 5(2): 37
reactions, with carbon dioxide, 5(2): 37
with lithium chloride–potassium chloride–zinc chloride systems (liquid), 5(1): 47
with zinc (liquid), 5(1): 47
ruthenium removal during nitric acid oxidation, 6(2): 27
thermodynamic functions of formation, 6(3): 53-4
uranium recovery by solvent extraction, 6(3): 6
Uranium carbides (UC)–plutonium carbide (PuC) systems
See Plutonium carbide (PuC)–uranium carbide (UC) systems
Uranium carbides (UC_2), hydrolysis, gas composition studies, 6(1): 7-8
oxidation, 5(1): 47
preparation, 5(1): 69-70; 5(2): 65-6
Uranium carbides (U_2C_3), hydrolysis, gas composition studies, 6(1): 7-8
reactions with zinc chloride, 5(4): 42
thermodynamic functions of formation, 6(3): 53
Uranium carbides–graphite–thorium carbide system
See Thorium carbide–uranium carbides–graphite systems
Uranium carbides–thorium carbide systems (pyrolytic carbon-coated)
See Thorium carbide–uranium carbide systems (pyrolytic carbon-coated)
Uranium-carbon systems, constitutional diagram, 5(4): 79
Uranium chlorides, reduction with sodium amalgam, 6(1): 34
thermodynamic properties, 4(4): 53
Uranium chlorides (UCl_3), conversion to uranium hexafluoride, 5(4): 34
reduction, in alumina–fused-salt system, 5(2): 31
in fused salts, 5(2): 67-8
to uranium, 5(4): 42
to uranium in fused-salt–liquid-metal systems, 5(4): 83
Uranium chlorides (UCl_4), fractional sublimation separation process, 5(4): 33
Uranium chlorides (UCl_5), preparation from uranium monocarbide, 5(4): 33
reaction with uranium hexafluoride, 6(2): 24
reduction to uranium by sodium amalgam, 5(4): 73
Uranium chlorides (UCl_6), preparation from uranium monocarbide, 5(4): 33
reaction with hydrofluoric acid, 5(4): 33
Uranium-chromium alloys, extraction using magnesium-silver alloy, 5(4): 41, 45
recovery by liquid-metal extraction, 4(1): 36
solubility in magnesium-silver alloys (liquid), 4(3): 38-9
Uranium-chromium alloys (liquid), corrosive effects, 4(4): 48
protactinium distribution coefficients in, 4(4): 40
Uranium compounds, metallurgy and properties, 6(1): 36

Uranium-fissium alloys, melt refining, 6(1): 28-9
phase studies, 5(2): 29
properties, 6(2): 29
swelling during melt refining, 5(2): 28-9
Uranium-fissium alloys (liquid), corrosion of stainless steel, 6(3): 30
Uranium fluorides, review on preparation and properties, 5(2): 27; 6(1): 27
Uranium fluorides (UF_4), chemical properties, 5(3): 27
conversion, to uranium carbide, 6(1): 59-60
to uranium hexafluoride, 4(2): 77
to uranium trioxide by nitric acid, 6(2): 27
electrolytic reduction to metal, 5(1): 71-2
fluorination, 5(4): 34
iodine removal during nitric acid oxidation, 6(2): 27
preparation from uranium monocarbide, 6(2): 27; 6(4): 20
production, 4(1): 57; 5(2): 63-5; 5(3): 63-4; 5(4): 76-8; 6(1): 57-9; 6(4): 53
from ammonium diuranate, 4(4): 71
from uranium dioxide, 4(4): 71
from uranium monocarbide, 6(2): 27; 6(4): 20
from uranium trioxide, 4(2): 75; 4(4): 71-2
recovery from scrap materials, 4(2): 76
reduction to metal by magnesium, 4(4): 73-5; 5(2): 67; 6(1): 62-3; 6(3): 55
ruthenium removal during nitric acid oxidation, 6(2): 27
uranium recovery from impure, 5(2): 68
Uranium fluorides (UF_4)–ammonium fluoride complexes, preparation and properties, 6(3): 24
Uranium fluorides (UF_5)–ammonium fluoride complexes, preparation and properties, 6(3): 24
Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride–sodium fluoride–zirconium fluoride systems (liquid), corrosive effects, 5(2): 23
Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride systems (liquid), electrolytic dissolution bath, 5(2): 36
Uranium fluorides (UF_4)–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid), fluorination, 5(1): 33-4
Uranium fluorides (UF_4)–sodium fluoride–zirconium fluoride systems (liquid), solvent properties, 4(1): 29
Uranium fluorides (UF_4)–thorium fluoride–beryllium fluoride–lithium fluoride systems
See Thorium fluoride–uranium fluorides (UF_4)–beryllium fluoride–lithium fluoride systems (liquid)
Uranium fluorides (UF_6), antimony removal from, 6(3): 22
chemical properties, 4(3): 29; 4(4): 37; 5(3): 27
conversion, to uranium, 4(3): 62-3; 4(4): 76
to uranium carbides, 5(1): 69-70
to uranium dioxide, 4(4): 70; 5(1): 67-8; 6(1): 56-7; 6(2): 64-5
to uranyl fluoride by steam, 6(1): 56-7
corrosion, of iron by, 6(4): 21
of steel by, 6(4): 21
costs, 6(4): 3-4
distillation flow sheet, 4(3): 59
flow-rate instrumentation, 5(4): 18-19
production, 4(1): 57-8
by fluorination of uranium trichloride, 5(4): 32
by fused-salt volatility process, impurities in, 6(3): 20
by nitrosylium hexafluorouranate reaction with bromine trifluoride, 5(3): 22; 5(4): 30-1
from ore concentrates, 4(3): 58-9
from uranium dioxide, 4(1): 30
from uranium trioxide, 4(4): 72
from uranyl fluoride, 4(4): 72
properties, 4(2): 76-7
purification with sodium fluoride, 4(4): 35
reaction, with nitrogen oxides, 4(4): 36; 6(1): 27; 6(3): 24
with nitrogen oxyhalides, 4(4): 36
with potassium fluoride, 6(1): 27
with sodium fluoride, 6(1): 27
reduction to uranium tetrafluoride, 5(3): 63-4
separation from plutonium hexafluoride, 5(4): 34
sorption on sodium fluoride pellet bed, 5(4): 31-2
technetium removal by magnesium fluoride sorption, 6(3): 22-3
Uranium fluorides (UF_6)–plutonium fluorides (PuF_6) systems
See Plutonium fluorides (PuF_6)–uranium fluorides (UF_6) systems
Uranium–graphite–hydrofluoric acid–nitric acid systems, corrosion of stainless steels, 6(3): 17
Uranium-graphite systems, dissolution in nitric acid, 4(1): 17; 4(2): 18-19; 4(3): 12-13
Uranium hydrides, reaction with alkanes to produce uranium monocarbide, 5(2): 64; 5(4): 78
Uranium-indium alloys, thermodynamic properties, 5(1): 39
Uranium-lead alloys, thermodynamic properties, 5(1): 39
Uranium-lead intermetallic compounds, crystal structure, 5(2): 30
Uranium-magnesium-zinc alloys (liquid), compatibility with tungsten, 5(4): 45-6
corrosive effects, 5(1): 43
Uranium-manganese alloys (liquid), corrosive effects, 4(3): 44; 6(3): 30
Uranium-mercury alloys
See also Uranium amalgam
phase diagrams, 4(1): 36
Uranium mills, health and safety studies, 4(1): 6-7
Uranium-molybdenum alloys, dissolution, 5(1): 9-10; 5(2): 7; 5(3): 6-7
dry halogenation processing, 6(4): 15-17
molybdenum volatilization from, 6(4): 7
oxyhydrochlorination, 4(4): 34-5
solubility, in ferric nitrate–nitric acid systems, 4(1): 15-16; 4(2): 18
in hydrochloric acid, 4(4): 11
in nitric acid, 4(1): 15
in nitric acid–phosphoric acid systems, 4(2): 18
Uranium-molybdenum alloys (aluminum-clad), separation by Zircex process, 5(2): 25
Uranium-molybdenum alloys (Zircaloy-clad), solubility in nitric acid (electrolytic), 4(2): 15
Uranium nitrates [$U(NO_3)_4$], preparation, 5(3): 63; 6(4): 55-6
reducing agent for solvent extraction of plutonium, 5(3): 11, 63; 6(1): 8; 6(4): 55-6
Uranium nitrides, carbidation, 5(1): 46
Uranium nitrides (UN), preparation and properties, 6(2): 67
Uranium ores, chlorination, 5(2): 61; 5(4): 72-3
digestion, batch vs. continuous, 6(1): 56
leaching, 5(2): 61-2; 5(4): 72-3; 6(1): 55-6; 6(3): 49
Uranium oxides, activation, 5(4): 34
direct fluorination processing, 5(2): 26
hydrofluorination, 5(4): 34
oxidation, iron-ion effects, 5(2): 61
reduction to metal by magnesium-zinc alloys in molten halide flux, 6(4): 27
wet preparation process, 5(4): 75
Uranium oxides (Zircaloy-clad), decladding by vibratory methods, 6(3): 32
Uranium oxides–plutonium oxides systems
See Plutonium oxides–uranium oxides systems
Uranium oxides–thorium oxide spheres
See Thorium oxide–uranium oxide spheres
Uranium oxides (UO_2), activation for uranium tetrafluoride production, 5(2): 64-5; 5(4): 76-8; 6(1): 57-9
carbidation, 5(1): 46-7; 5(2): 64
carbothermic reduction, 5(4): 49, 78-9
characterization, 6(2): 65-6
chlorination, 5(4): 46
coating, with aluminum oxide, 4(2): 76; 5(2): 63; 6(1): 59; 6(4): 54
with beryllium oxide, 6(4): 54
with chromium, 4(4): 71; 6(1): 59
with magnesium oxide, 6(4): 54
with metals, 4(4): 70-1
with pyrolytic carbon, 6(1): 59; 6(4): 55
with zirconium carbide, 6(4): 55
coating techniques for particles, 5(2): 63; 6(1): 59
conversion, to uranium carbides, 4(1): 35; 5(1): 69-70
to uranium hexafluoride, 4(1): 30
to uranium tetrafluoride, 4(4): 71
to uranium trioxide by nitric acid, 6(2): 27
criticality hazards in production, 5(2): 62
crystal-growth characteristics, 5(2): 35
crystal properties, 5(4): 47-8
decontamination, during fluorination, 5(4): 34-5
during oxidation, 5(4): 34-5
direct fluorination processing, 5(4): 33; 6(2): 24-5; 6(4): 19
dissolution, 5(2): 11, 22; 5(3): 7
effect of sodium or lithium nitrate addition, 6(2): 5-6
by fused-salt volatility process, 5(2): 25
by hydrogen fluoride–nitrogen oxide systems, 4(3): 25; 6(4): 15
by molten chloride systems, 4(1): 34; 4(2): 14; 5(2): 34
by nitric acid, 4(4): 11; 5(4): 10
by potassium chloride–sodium chloride systems, 4(2): 42-3
rate, temperature effects, 5(4): 10-11
dry halogenation processing, 6(4): 17-18
electrodeposition from uranyl chloride, 4(3): 61
electrolytic reduction to uranium metal, 5(2): 66; 5(4): 82
fluorination, 4(3): 28; 5(1): 36-7; 5(2): 63-4; 5(3): 25-6; 5(4): 33, 76-7
fractional sublimation processing following chloridation, 5(2): 26; 6(2): 23-4
gaseous low-decontamination processing, 6(3): 33-4
hydrofluorination, 5(4): 76-7; 6(1): 57-9
kinetics, 5(2): 63-4
iodine removal during nitric acid oxidation, 6(2): 27
ion-exchange properties, 4(2): 35
leaching from graphite, 5(2): 11
oxidation, 4(3): 34; 4(4): 51; 5(1): 45-6, 68-9; 5(4): 34-5
thermodynamics, 6(3): 52
oxidation-reduction process, 5(4): 49; 6(3): 33-4
oxidation to uranium trioxide by nitric acid, 6(4): 20
oxidative decanning, 5(2): 35
processing, 5(3): 34-7

Uranium oxides (UO_2) (Continued)
production, 4(1): 55-7; 5(1): 66-9; 5(2): 62-3; 5(3): 61-3
by catalytic reduction process, 5(4): 73-5
by cathodic reduction of uranyl chloride, 5(2): 34-5
by electrolytic reduction of uranium tritaoctoxide, 5(4): 48
by electrolytic reduction of uranyl chloride, 5(4): 47; 6(3): 49-52
by flame denitration process, 5(4): 74-5
by fluid-bed reduction of uranium trioxide, 6(4): 53
by hydrogen reduction of higher oxides, 5(4): 75
by reduction of uranium trioxide, 4(3): 59-60; 6(2): 65
by reduction of uranyl formate, 6(4): 54
by reduction of uranyl nitrate hexahydrate, 4(3): 60-1
by uranium carbide conversion, 4(1): 35
by uranium hexafluoride conversion, 4(4): 70; 6(1): 56-7
by uranium hexafluoride reaction with hydrogen and steam, 6(2): 64-5
pyrochemical processing, 6(3): 33-4
reaction, with carbon, 4(4): 52
with graphite, 4(4): 52-3
recovery by melt-refining process, 4(1): 33
reduction, 5(2): 66; 5(4): 42, 82
to uranium, 4(3): 36; 5(1): 70-2
to uranium-aluminum alloy by aluminum, 5(4): 83
to uranium monocarbide, 5(2): 65-6
to uranium powder by calcium metal, 6(2): 68-9
ruthenium removal during nitric acid oxidation, 6(2): 27
separation from plutonium, 5(4): 33-4
solubility, 5(1): 45
Uranium oxides (UO_2) (enriched), preparation by ADU route, 5(2): 62
Uranium oxides (UO_2) (stainless-steel-clad), decladding, 5(2): 26; 6(1): 6; 6(2): 5; 6(4): 30
direct fluorination processing, 5(4): 33
dissolution by nitric acid, 4(3): 11; 4(4): 10; 6(2): 5
oxidation-reduction before hydrofluorination, 6(2): 5
shearing, 4(1): 9
uranium leaching with nitric acid, 4(1): 17
Uranium oxides (UO_2) (Zircaloy-clad), decladding, 4(3): 33
dissolution by nitric acid, 4(3): 10
direct fluorination processing, 5(4): 33
uranium leaching with nitric acid, 4(1): 17
Uranium oxides (UO_2)–aluminum oxide systems, dissolution, 5(3): 10
in nitric acid, 4(3): 13-14
Uranium oxides (UO_2)–beryllium oxide systems, dissolution, 5(3): 10
in hydrochloric acid–nitric acid systems, 4(3): 13
in nitric acid, 4(3): 13; 4(4): 11
in nitric acid–sulfuric acid systems, 4(2): 19
in sulfuric acid, 4(2): 19
leaching, 5(1): 12-13
Uranium oxide (UO_2)–beryllium oxide systems (Hastelloy-X-clad), dissolution, in nitric acid–sodium fluoride systems, 5(3): 10
in sodium hydroxide, 4(2): 19
Uranium oxides (UO_2)–carbon systems, consumable electrode use in uranium-metal production, 5(2): 66; 5(4): 82
Uranium oxides (UO_2)–Nichrome systems, dissolution, 5(2): 8-10; 6(1): 7
Uranium oxides (UO_2)–niobium oxides (Nb_2O_5) systems, separation by chlorination, 5(4): 33
Uranium oxides (UO_2)–plutonium oxides (PuO_2) systems
See Plutonium oxides (PuO_2)–uranium oxides (UO_2) systems
Uranium oxides (UO_2)–stainless-steel systems, dissolution, 5(1): 11-12
by aqua regia, 5(4): 11-12
electrolytic dissolution, 6(2): 6
Uranium oxides (UO_2)–stainless-steel systems (stainless-steel-clad), comminution for nitric acid leaching, 6(4): 7
Uranium oxides (UO_2)–thorium oxide systems
See Thorium oxide–uranium oxides (UO_2) systems
Uranium oxides (UO_2)–uranium oxides (U_3O_8) systems, oxidation-reduction equilibria, 5(4): 76
Uranium oxides (UO_2)–zirconium oxide systems, dissolution in fused-salt volatility process, 5(2): 25
separation process development, 5(4): 33
Uranium oxides (UO_3), activation, 5(2): 64-5; 5(4): 76-7
conversion, to uranium hexafluoride, 4(1): 29-30; 4(2): 75
to uranium tetrafluoride, 4(2): 75; 4(4): 71-2
fluid-bed reduction to uranium dioxide, 6(4): 53
preparation from uranyl nitrate, 6(4): 53
production, 4(2): 75; 5(1): 68-9; 6(3): 52
by calcination of uranyl nitrate, 4(4): 69; 6(2): 62-3
by uranium dioxide oxidation with nitric acid, 6(4): 20
properties, 4(4): 69-70; 6(2): 63-4
reduction, 4(3): 59-60; 5(2): 62-3; 5(3): 61; 5(4): 73-8; 6(1): 57-9; 6(2): 65; 6(3): 53
Uranium oxides (UO_4), precipitation with hydrogen peroxide, 4(4): 18
solubility in nitric acid, 4(4): 18
Uranium oxides (U_3O_7), production, 6(3): 52
Uranium oxides (U_3O_8), dissolution, 5(1): 45
in liquid lithium chloride–potassium chloride systems, 5(4): 48
production, 5(1): 68-9; 6(3): 52
reduction, 5(1): 54-6, 70-2; 5(4): 48; 6(3): 36
in liquid magnesium-zinc alloys, 5(1): 40-1
in liquid-metal–fused-salt systems, 5(2): 31-2
Uranium oxides (U_3O_8)–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–uranium oxides (U_3O_8) systems
Uranium oxides (U_4O_9), production, 5(1): 68-9; 6(3): 52
Uranium-plutonium alloys
See Plutonium-uranium alloys
Uranium-plutonium carbides (mixed)
See Plutonium-uranium carbides (mixed)
Uranium-plutonium-manganese alloys (liquid)
See Plutonium-uranium-manganese alloys (liquid)
Uranium-rhenium alloys, phase studies, 5(4): 40
thermodynamic properties, 5(4): 40
Uranium silicides (U_3Si_2), preparation, 5(1): 47, 70; 5(2): 66
Uranium silicides (USi_3), preparation, 5(1): 47; 5(2): 66
Uranium–stainless-steel alloys, dissolution, 5(3): 9
Uranium–stainless-steel–zirconium alloys, dissolution, 5(1): 33-4
Uranium sulfides (US), preparation and properties, 6(3): 54
Uranium-thallium alloys, thermodynamic properties, 5(1): 39
Uranium-thorium alloys
See Thorium-uranium alloys
Uranium-thorium-aluminum alloys
See Thorium-uranium-aluminum alloys
Uranium-thorium fuel cycle
See Thorium-uranium fuel cycle
Uranium-zinc alloys, thermodynamic properties, 5(1): 39
Uranium-zinc intermetallic compounds, crystallization, 5(4): 45
Uranium-Zircaloy alloys, dissolution, 6(3): 5
flow sheet, 6(3): 13-14
in titanium equipment, 6(3): 12-13
dry halogenation processing, 6(1): 25; 6(2): 22-4; 6(4): 15-17
fluoride-volatility processing, 4(2): 37
fused-salt volatility processing, 6(1): 21-5
processing, 6(1): 19
reaction with chlorine, 4(3): 27
uranium extraction by Neuflex process, 6(1): 9
Uranium-Zircaloy alloys (Zircaloy-clad), barium fluozirconate precipitation processing, 6(3): 6-8
dissolution, 6(3): 4-5
by hydrofluoric acid, 6(2): 6; 6(3): 4-5
by hydrofluoric acid–nitric acid solutions, 5(4): 11
fluoride-volatility processing, 6(3): 19-22
Uranium-zirconium alloys, cutting, 5(2): 5
direct fluorination, 5(2): 26-7
dissolution, 4(1): 10; 4(4): 9-10; 5(1): 10-11, 30-5, 43-4; 5(3): 7-8
in aluminum, 4(2): 47
in ammonium fluoride–hydrogen peroxide systems, 4(1): 12-13
electrolytic, 4(4): 10
in hydrochloric acid, 4(4): 11
in hydrofluoric acid–hydrogen peroxide systems, 4(3): 14
in hydrofluoric acid–nitric acid systems, 4(1): 12-13; 4(2): 14-15
in lead chloride, 4(1): 13; 4(2): 13-14; 4(3): 10; 4(4): 11
hydrochlorination, 5(4): 32
processing, 5(2): 25-7; 5(3): 24-5; 5(4): 16-17, 30, 32
by Nitrofluor process, 4(4): 29-30
reactions with hydrogen chloride, 4(3): 27-8
uranium recovery by fluoride-volatility processes, 4(1): 27-9
Uranium-zirconium alloys (liquid), uranium extraction by liquid aluminum, 6(1): 34
Uranium–zirconium hydride systems, dissolution, 4(4): 9; 5(3): 7
solubility in ammonium fluoride–hydrogen peroxide systems, 4(3): 14
Uranyl carbides, preparation, 4(4): 72-3
Uranyl carbonate, catalytic reduction to uranium dioxide, 5(4): 73-4
Uranyl chloride, electrolysis, 4(3): 61
electrolytic reduction to uranium dioxide, 6(3): 49-52
reduction, 5(1): 66-7; 5(2): 34-5; 5(3): 61-2; 5(4): 47
Uranyl(VI) ion, complex formation, concentration effects, 5(4): 46
electrolytic reduction, 5(4): 46-7
Uranyl dibutyl phosphate, solubility, 4(4): 16
Uranyl fluoride, conversion to uranium hexafluoride, 4(4): 72
production, by hydrolysis of uranium hexafluoride, 6(1): 56-7
reduction to uranium dioxide, 6(1): 56-7
Uranyl formate, reduction to uranium dioxide, 6(4): 54
Uranyl monobutyl phosphate, solubility, 4(4): 16

Uranyl nitrate, ammoniation effects on later activity of uranium trioxide, 5(2): 65
conversion, to uranium trioxide, 4(4): 69; 6(4): 53
to uranium trioxide by calcination, 6(2): 62-3
corrosive effects, 5(3): 19
electrolytic reduction to U(IV) nitrate, 6(4): 55
flame reduction to uranium dioxide, 5(4): 74-5
molybdenum oxide dissolution, 6(1): 6-7
photoactivated reduction to U(IV) nitrate, 6(4): 55-6
precipitation of ammonium uranates from, 6(3): 49
uranium precipitation with urea, 6(3): 49
Uranyl nitrate hexahydrate, reduction to uranium dioxide, 4(3): 60-1
Uranyl nitrate hexahydrate–aluminum nitrate–nitric acid systems, corrosive properties, 5(4): 25
Uranyl nitrate–nitric acid–tributyl phosphate systems, explosion hazards, 4(3): 6
Uranyl sulfate, adsorption on Dowex 21K resin, 4(1): 25; 4(3): 23; 6(1): 11
processing cycle for the Aqueous Homogeneous Breeder Reactor, 6(1): 14-15
Urea plastics, corrosion, 5(2): 19
U. S. Atomic Energy Commission, facilities for processing fuels from commercial power reactors, 4(2): 1-2
Use charges, 4(4): 2-3
USSR
See Union of Soviet Socialist Republics

V

Vallecitos Boiling-Water Reactor
See Reactors (Vallecitos Boiling-Water)
Vanadium, coating of uranium dioxide particles with, 4(4): 71; 6(1): 59
corrosion by lithium, effect of oxygen content, 6(1): 35
distribution coefficients in magnesium-zinc alloys–magnesium chloride systems, 6(1): 32
solubility, 5(3): 29
in liquid zinc, 4(4): 39; 5(2): 29
Vanadium chloride (VCl_4), reaction with hydrogen fluoride, 6(1): 27
Vanadium fluoride (VF_4), preparation, 6(1): 27
Vanadium–iron-molybdenum-nickel alloys
See Iron-molybdenum-nickel-vanadium alloys
Vanadium-iron-nickel alloys
See Iron-nickel-vanadium alloys
Vanadium-niobium alloys
See Niobium-vanadium alloys
Vanadium-zinc intermetallic compounds, phase diagrams, 6(1): 31
VBWR
See Reactors (Vallecitos Boiling-Water)
Vermiculite, cesium removal by, 5(2): 50; 6(2): 41-2
decontamination of ICPP wastes, 4(1): 47
strontium removal by, 5(2): 49
phosphate-ion effects, 5(2): 50
waste-disposal applications, 5(1): 51-2; 5(3): 55
Vermiculite-lignite mixtures
See Lignite-vermiculite mixtures
Vermiculite-peat mixtures
See Peat-vermiculite mixtures
Vinylidene fluoride polymer
See Kynar plastic
Viscosity, review of liquid metals, 5(2): 30
Volatility processes, 4(1): 27-30; 4(2): 35-8; 4(3): 24-30; 4(4): 29-37; 5(1): 29-38; 5(2): 22-7; 5(3): 22-7; 5(4): 30-5; 6(1): 21-8; 6(2): 21-7; 6(3): 19-24; 6(4): 15-23
See also Chloride-volatility processes, Direct fluorination process, Dry halogenation processes, Fused-salt volatility processes, Nitrofluor process, Zircex process
Vycor, corrosion, by liquid magnesium-zinc alloys, 4(2): 56
by liquid zinc, 4(2): 56

W

Walker Trucking Company, waste-disposal license, 4(1): 4
Waspalloy alloy, composition, 4(4): 32
corrosion by fluoride-volatility process fluids, 4(4): 31
Waste processing and disposal, 4(1): 46-54; 4(2): 62-74; 4(3): 48-57; 4(4): 57-68; 5(1): 50-65; 5(2): 40-58; 5(3): 41-59; 5(4): 19, 52-69; 6(2): 41-60; 6(3): 39-48; 6(4): 39-51
adsorption processes, 5(4): 56-8
backcycling, in Purex process, 5(4): 12-14
in Redox process, 5(4): 12-13
bibliography, 6(2): 58
calcination, 4(1): 46-50; 4(2): 66; 5(2): 42-6; 5(3): 47-54; 5(4): 58-62; 6(1): 48-9; 6(2): 45-51; 6(3): 41-3; 6(4): 42-4
of aluminum nitrate wastes, 5(2): 44; 5(4): 58; 5(4): 62-3; 6(2): 46-8
centrifugation, 5(4): 57-8
conference, 4(2): 72; 4(4): 60; 6(3): 40-1
container evaluation for ocean disposal, 5(2): 54-5; 5(3): 41-2
cooling of stored wastes, 5(2): 40-1
corrosion problems, 5(3): 19; 5(4): 25-8; 6(2): 59-60; 6(3): 46-7
costs of pot calcination, 5(2): 42
deep permeable formation disposal, 5(4): 65-6
deep well disposal, 5(2): 54; 6(2): 51-2
economic aspects, 5(4): 55
electrolytic processing, 5(3): 46
final disposal methods, 5(2): 51-5; 5(3): 54-6; 5(4): 64-7; 6(4): 45-8
fixation, in ceramic sponges, 5(4): 63-4
in glasses, 4(3): 52-3; 5(2): 47-8; 5(4): 62-3, 69
foam separation, 5(3): 43-4; 6(1): 46-7; 6(2): 44-5; 6(4): 41
ground disposal, 4(1): 50-1; 4(2): 4, 62-3, 69-70; 4(3): 48-9, 53; 4(4): 4, 63; 5(2): 55; 5(3): 42-3, 56, 57; 5(4): 65
high-level-waste heating problems, 5(4): 66-7
hydraulic fracturing, 4(2): 70; 5(2): 52-4; 6(2): 52-3; 6(4): 47
ion-exchange processes, 4(4): 59; 5(1): 57-9; 5(2): 48-51; 5(3): 44, 46; 5(4): 56-8; 6(1): 44-6; 6(2): 41-4, 59; 6(3): 39-41; 6(4): 39-40
in-tank solidification, 4(1): 47-8
land burial costs, 6(3): 2; 6(4): 6
licensing, 4(1): 3-4; 4(2): 4
literature surveys, 6(2): 58-9
metal removal by mercury-cathode electrolysis, 5(3): 46
ocean disposal, 4(1): 51; 4(2): 4, 70-1; 4(3): 54-5; 4(4): 58-9; 5(2): 54-5; 5(3): 41-2; 6(1): 44; 6(2): 53-4, 58
porous-strata disposal, 5(2): 54; 6(2): 51-2
radioisotope removal, 5(2): 55-8; 5(3): 57-8; 5(4): 67-8; 6(1): 51-4; 6(2): 41-2, 44, 54-8; 6(3): 2-3, 44-6; 6(4): 48-51
salt-cavity disposal, 4(1): 50-1; 4(2): 69-70; 4(4): 63; 5(1): 59-61; 5(2): 51-2; 5(3): 55-6; 5(4): 66; 6(1): 49-51; 6(2): 53; 6(3): 43
scavenging processes, 6(1): 44-5
seepage-pit disposal, 5(3): 54-5; 5(4): 64-5
shale-formation disposal, 5(2): 52-4; 6(2): 52
shipping of cesium and strontium in zeolites, 6(3): 45-6
solid-waste burial, 6(1): 5; 6(4): 47-8
solution compositions, 5(4): 25-7
steam stripping, 5(2): 48
storage, 4(4): 57-9
of calcined solids, 6(2): 49-51; 6(4): 45-6
of cesium and strontium in zeolites, 6(3): 45-6
economics, 6(1): 3; 6(3): 1-2
hazards, 5(2): 40-1; 5(4): 56
storage-tank corrosion, 5(4): 52-5; 6(2): 59-60; 6(3): 47-8
storage-tank design, 5(4): 52-4
storage-tank failures, 5(2): 40-1
storage-tank performance data, 5(4): 55
temperature rise around line source of waste, 5(2): 52
Water, cesium removal, by clay adsorption, 6(4): 40
by ion exchange, 6(1): 44-5; 6(3): 39-40
by carboxylic-phenolic resin, 6(4): 39
by foam separation, 6(1): 46-7
contamination by radioactive waste, 5(2): 41
decontamination by foam separation process, 5(3): 43-4; 6(1): 46-7; 6(2): 44-5; 6(4): 41
by scavenging ion-exchange process, 6(1): 44-5; 6(3): 39-40; 6(4): 39
strontium removal, by carboxylic-phenolic resin, 6(4): 39
by foam separation process, 6(4): 41
Water vapor, reaction with uranium monocarbide, 5(2): 37
uranium monocarbide activation using, 5(4): 49
Wells, waste disposal in, 4(4): 63; 5(2): 54; 5(4): 65-6; 6(2): 51-2
Winlo process, 5(2): 66-7
Wire (insulated), radiation effects, 4(1): 42
Wolfram
See Tungsten

X

XE-204, solvent properties, 4(2): 24
Xenon, reaction with fluorine, 6(1): 27
recovery from wastes, 4(4): 63-4
release during melt-refining process, 5(2): 29; 5(4): 36-7
removal, by melt-refining process, 4(1): 31-2; 4(2): 42; 4(4): 38
by salt-cycle process, 4(2): 43
solubility in sodium fluoride–zirconium fluoride systems (liquid), 4(1): 29
Xenon fluoride (XeF_4), preparation, 6(1): 27
Xenon-krypton systems
See Krypton-xenon systems

Y

Y-12 Plant, criticality incident of June 1958, lawsuit concerning, 4(1): 6
Yankee Power Reactor
See Reactors (Yankee Power)
Ytterbium, removal, 5(3): 28
solubility in cadmium (liquid), 4(3): 34-5

Yttrium, behavior in melt-refining process, 4(2): 42
coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
corrosion, 5(1): 43
by air, 4(3): 44
by uranium (liquid), 4(3): 44; 6(2): 30
by uranium-plutonium-manganese alloys (liquid), 6(3): 30
distribution coefficients, in liquid-metal–fused-salt systems, 6(3): 26, 28
in magnesium-zinc alloys–magnesium chloride systems, 6(1): 32
extraction, by liquid alloy-eutectic system, 5(2): 30-1
by liquid-metal–fused-salt systems, 5(2): 32; 5(4): 43
by liquid-metal system, 4(3): 39; 5(4): 45
precipitation with barium fluozirconate, 4(2): 20
purification by electron-beam melting, 6(2): 30
solubility, 5(3): 30-1
in bismuth (liquid), 6(1): 29
in magnesium-silver alloys (liquid), 4(1): 37
in zinc (liquid), 4(1): 35
Yttrium alloys, corrosion by liquid plutonium alloys, 5(2): 33
Yttrium compounds, reduction, 5(3): 32
Yttrium fluoride, solubility in fluoride-volatility process fluids, 4(1): 29
Yttrium oxide, coating of graphite crucibles with, 6(4): 30
Yttrium-tantalum alloys
See Tantalum-Yttrium alloys
Yttrium-zinc alloys, phase diagrams, 4(1): 36; 5(4): 40
thermodynamic properties, 4(4): 40; 5(4): 40

Z

Zeolite, cesium packaging in, 6(2): 56; 6(3): 45-6
cesium removal from wastes by, 6(2): 44
Zinc (liquid), barium solubility in, 6(3): 29
chromium activity coefficient in, 4(4): 42
corrosive effects, 4(2): 46, 55-6; 4(4): 47-8
neodymium solubility in, 6(3): 29
plutonium solubility in, 6(4): 28
reactions with uranium monocarbide, 5(1): 47
solubilities of metals in, 5(2): 29
solvent properties, 4(1): 35-6; 4(2): 46-7; 4(3): 33, 35; 4(4): 39; 5(1): 43; 5(3): 29
strontium solubility in, 6(1): 29
uranium diffusivity in, 5(4): 39
uranium solubility in, 6(1): 29
viscosity, 4(4): 40
Zinc-65, removal from Hanford reactor coolant by aluminum shavings, 5(4): 57
Zinc-bismuth alloys
See Bismuth-zinc alloys
Zinc-cadmium-magnesium alloys (liquid)
See Cadmium-magnesium-zinc alloys (liquid)
Zinc-calcium alloys (liquid)
See Calcium-zinc alloys (liquid)
Zinc-cerium alloys
See Cerium-zinc alloys
Zinc chloride, hexachlorouranate-ion stability in, 5(2): 37
reaction, with thorium carbide, 5(4): 42
with uranium carbide, 5(4): 42
Zinc chloride–potassium chloride–sodium chloride systems (liquid)
See Potassium chloride–sodium chloride–zinc chloride systems (liquid)
Zinc chloride–potassium chloride systems (liquid)
See Potassium chloride–zinc chloride systems (liquid)
Zinc chloride systems (liquid), metal carbide dissolution, 4(3): 33
Zinc ferrocyanide, cesium precipitation from Purex supernatant, 5(2): 58
Zinc-lanthanum intermetallic compounds
See Lanthanum-zinc intermetallic compounds
Zinc-lead alloys
See Lead-zinc alloys
Zinc-magnesium alloy–magnesium chloride systems
See Magnesium-zinc alloy–magnesium chloride systems
Zinc-magnesium alloys (liquid)
See Magnesium-zinc alloys (liquid)
Zinc-magnesium-uranium alloys (liquid)
See Uranium-magnesium-zinc alloys (liquid)
Zinc-plutonium alloys (liquid)
See Plutonium-zinc alloys (liquid)
Zinc-thorium alloys
See Thorium-zinc alloys
Zinc-uranium alloys
See Uranium-zinc alloys
Zinc-uranium intermetallic compounds
See Uranium-zinc intermetallic compounds
Zinc-vanadium intermetallic compounds
See Vanadium-zinc intermetallic compounds
Zinc-yttrium alloys
See Yttrium-zinc alloys
Zircaloy alloy, dissolution, 5(3): 7-8
in ammonium fluoride–ammonium nitrate systems, 4(2): 10-11; 4(3): 9
in ammonium fluoride process, 5(4): 10
by hydrofluoric acid–nitric acid systems, 5(4): 11-12
solubility, in hydrofluoric acid–nitric acid systems, 4(3): 9
in lead chloride (liquid), 4(3): 33
Zircaloy-2 alloy, corrosion, 5(3): 19
by chloride solutions, 6(3): 17
by hydrochloric acid, 6(1): 17
by hydrochloric acid–hydrogen peroxide systems, 6(1): 17
by hydrochloric acid–nitric acid systems, 6(1): 17
by hydrochloric acid–oxygen systems, 1(1): 17
by nitric acid–oxygen systems, 6(1): 17
dissolution, 5(2): 8
in ammonium fluoride–ammonium nitrate systems, 4(1): 9-10
electrolytic dissolution, 5(3): 8; 5(4): 9
solubility, in hydrogen chloride–hydrogen fluoride systems, 4(2): 36-7
in nitric acid, 4(2): 15
Zircaloy-4 alloy, dissolution, 5(4): 11
Zircaloy-uranium alloys
See Uranium-Zircaloy alloys
Zircaloy-uranium alloys (Zircaloy-clad)
See Uranium-Zircaloy alloys (Zircaloy-clad)
Zircex process, 4(3): 11, 27-8; 4(4): 11, 33; 5(2): 25-6
corrosion problems, 4(1): 41; 4(2): 53, 54; 5(2): 18
flow sheets, 4(1): 13; 4(2): 11; 4(4): 32
Zirconium, adsorption, on Dowex 1 resin, 4(4): 17
on Dowex 21K resin, 4(4): 17
coprecipitation, with cadmium, 4(2): 45
with cadmium-cerium alloys, 4(3): 36
corrosion, 5(2): 8; 5(3): 19
by lithium, effect of oxygen content, 6(1): 35
by nitric acid (electrolytic), 4(1): 39
corrosion inhibition by, 5(4): 46
dissolution, 5(2): 22; 5(3): 9; 5(4): 8-9
by aluminum nitrate–hydrochloric acid–nitric acid solutions, 6(2): 6
by ammonium fluoride–ammonium nitrate systems, 4(1): 9-10; 4(2): 10-11; 4(3): 9
by molten ammonium bifluoride, 6(4): 7
dissolution rate in fused salts following hydrofluorination, 5(2): 25
distribution coefficients in magnesium-zinc alloys–magnesium chloride systems, 6(1): 32
electrolytic dissolution in nitric acid, 4(1): 10
extraction, using liquid alloy-eutectic system, 5(2): 30-1
by liquid-metal system, 5(4): 45
hydrochlorination in Zircex process, heat removal during, 5(2): 25-6
ion exchange, 5(1): 16-17
precipitation, with barium fluozirconate, 4(2): 19-20
with formic acid, 4(2): 20
with paraformaldehyde, 4(2): 20
properties, 4(4): 49
purification, by solid-state electrolysis, 6(4): 25
by zone refining, 6(4): 25
reactions with hydrogen chloride, 4(4): 33
removal, 5(1): 16-17, 41, 57-8; 5(2): 8, 11, 22, 30-1; 5(3): 12, 28; 5(4): 45
by Amberlite-200, 6(1): 45-6
by chloride-volatility processes, 4(4): 33-4, 35
by electrolytic process, 5(2): 36
by ion exchange, 5(2): 48; 5(4): 56
by liquid-metal extraction, 4(3): 39; 5(4): 45
by liquid-metal–fused-salt extraction, 4(4): 45
by manganese dioxide, 5(4): 12
by melt-refining process, 4(1): 31; 4(2): 42; 4(3): 32; 5(2): 29
by precipitation, 5(4): 16
from Purex wastes, 5(2): 48; 5(4): 56; 6(1): 45-6
by scavenging, 4(1): 17-18
by silica gel, 4(1): 20
by skull reclamation process, 4(3): 36
by Thorex process, 5(4): 14
solubility, in hydrofluoric acid–nitric acid systems, 4(3): 9
in liquid bismuth, 6(1): 29
in liquid zinc, 4(1): 35; 5(2): 29
in magnesium-silver alloys (liquid), 4(1): 37
in mercury, 4(4): 39
Zirconium-95–niobium-95 systems
See Niobium-95–zirconium-95 systems
Zirconium alloys
See also Zircaloy alloy, Zircaloy-2 alloy, and Zircaloy-4 alloy
dissolution, 5(3): 22
Zirconium-bismuth-cerium-magnesium alloys
See Bismuth-cerium-magnesium-zirconium alloys
Zirconium-bismuth-magnesium alloys (liquid)
See Bismuth-magnesium-zirconium alloys (liquid)
Zirconium-bismuth-uranium alloys
See Uranium-bismuth-zirconium alloys
Zirconium carbide, coating of uranium dioxide particles with, 6(4): 55
corrosion by uranium-manganese alloys (liquid), 6(3): 30

Zirconium chloride, conversion to uranium dioxide, 5(3): 24-5
volatility, 5(1): 45
Zirconium fluoride, thermodynamic properties, 4(3): 30
Zirconium fluoride–beryllium fluoride–lithium fluoride–sodium fluoride systems (liquid)
See Beryllium fluoride–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Zirconium fluoride–lithium fluoride–potassium fluoride–sodium fluoride–uranium fluorides (UF_4) systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–potassium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Zirconium fluoride–lithium fluoride–sodium fluoride systems (liquid)
See Lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Zirconium fluoride–lithium fluoride–sodium fluoride–uranium fluorides (UF_4) systems (liquid)
See Uranium fluorides (UF_4)–lithium fluoride–sodium fluoride–zirconium fluoride systems (liquid)
Zirconium fluoride–sodium fluoride systems (liquid)
See Sodium fluoride–zirconium fluoride systems (liquid)
Zirconium fluoride–sodium fluoride–uranium fluorides (UF_4) systems (liquid)
See Uranium fluorides (UF_4)–sodium fluoride–zirconium fluoride systems (liquid)
Zirconium hydride–aluminum–samarium–uranium systems
See Uranium–aluminum–samarium–zirconium hydride systems
Zirconium hydride–uranium systems
See Uranium–zirconium hydride systems
Zirconium-magnesium alloys
See Magnesium-zirconium alloys
Zirconium-matrix fuels, 5(4): 23-4
Zirconium molybdate, ion-exchange properties, 4(2): 35
Zirconium-niobium alloys
See Niobium-zirconium alloys
Zirconium oxide, coating of graphite crucibles with, 6(4): 30
chlorination, 5(4): 33
corrosion by potassium chloride–sodium chloride systems (fused), 4(1): 40
dissolution by molten ammonium bifluoride, 6(4): 7
ion-exchange properties, 4(2): 35; 5(4): 16
solubility in hydrogen fluoride–nitrogen dioxide systems, 4(3): 25
thermodynamic properties, 4(4): 53
Zirconium oxide–uranium oxides (UO_2) systems
See Uranium oxides (UO_2)–zirconium oxide systems
Zirconium phosphate, cesium recovery from Butex wastes with, 6(4): 50
ion-exchange properties, 4(2): 35
Zirconium–stainless-steel–uranium alloys
See Uranium–stainless-steel–zirconium alloys
Zirconium tungstate, ion-exchange properties, 4(2): 35
Zirconium-uranium alloys
See Uranium-zirconium alloys
Zirconium wastes, processing by fluid-bed calcination, 5(2): 46
Zirconyl nitrate–fluoboric acid (HBF_4)–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$) systems
See Fluoboric acid–hydrochloric acid–nitric acid–sodium borate ($Na_2B_4O_7$)–zirconyl nitrate systems
Zirflex-Darex process
See Darex-Zirflex process
Zirflex process, 4(1): 9-10, 12-13; 4(2): 10-11; 4(3): 9, 14; 5(4): 23
corrosion problems, 4(2): 49, 54; 4(3): 40-1; 4(4): 22-4; 5(1): 25-6; 5(2): 15-19; 6(1): 15-16; 6(2): 17-18; 6(3): 12; 6(4): 12
economic evaluation, 5(4): 1, 3
flow sheets, 4(1): 13; 4(2): 11
modifications, 5(4): 1
waste disposal, 5(1): 55-7
waste-stream solidification, 4(1): 46
Zirflex-Sulfex process
See Sulfex-Zirflex process

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.